



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50318018-013



Mar 21, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

22.377%

Total THC/Container : 1566.390 mg



Total CBD

0.057%

Total CBD/Container : 3.990 mg



Total Cannabinoids

26.345%

Total Cannabinoids/Container : 1844.150 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.580	24.855	ND	0.065	0.029	0.091	0.641	ND	ND	ND	0.084
mg/unit	40.60	1739.85	ND	4.55	2.03	6.37	44.87	ND	ND	ND	5.88
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3379, 585, 1440

Weight:
0.2106g

Extraction date:
03/19/25 10:33:19

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084478POT

Instrument Used : DA-LC-002

Analyzed Date : 03/20/25 09:10:06

Batch Date : 03/19/25 08:25:46

Dilution : 400

Reagent : 031225.R13; 012725.01; 031825.R17

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rntz x Jlsy (I)
Rntz x Jlsy (I)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50318018-013
Harvest/Lot ID: 9550369206184689

Batch# : 9550369206184689 Sample Size Received : 5 units
Sampled : 03/18/25 Total Amount : 675 units
Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	158.20	2.260	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	52.22	0.746	VALENCENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	22.47	0.321	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	21.42	0.306	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	19.81	0.283	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	16.03	0.229	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	4.69	0.067	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	4.48	0.064	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	4.06	0.058	Analyzed by: 4851, 4448, 585, 1440				
FENCHYL ALCOHOL	0.007	TESTED	3.57	0.051	Weight: 1.015g				
ALPHA-TERPINEOL	0.007	TESTED	3.57	0.051	Extraction date: 03/19/25 10:23:37				
TRANS-NEROLIDOL	0.005	TESTED	3.15	0.045	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	TESTED	2.73	0.039	Analytical Batch : DA0844827ER				
3-CARENE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-008				
BORNEOL	0.013	TESTED	ND	ND	Analyzed Date : 03/20/25 09:10:08				
CAMPHERE	0.007	TESTED	ND	ND	Dilution : 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent : 022525.47				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette : DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	TESTED	ND	ND	Batch Date : 03/19/25 08:58:28				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				2.260					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rntz x Jlsy (I)
Rntz x Jlsy (I)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50318018-013

Harvest/Lot ID: 9550369206184689

Batch# : 9550369206184689

Sampled : 03/18/25

Ordered : 03/18/25

Sample Size Received : 5 units

Total Amount : 675 units

Completed : 03/21/25 Expires: 03/21/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.9182g	Extraction date: 03/19/25 11:11:14	Extracted by: 4640,450,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084490PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					Batch Date : 03/19/25 09:25:45
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/20/25 09:56:45					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 031725.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.9182g	Extraction date: 03/19/25 11:11:14	Extracted by: 4640,450,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084492VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011					Batch Date : 03/19/25 09:28:24
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/20/25 09:55:44					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 031725.R01; 081023.01; 031025.R43; 031025.R44					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rntz x Jlsy (I)
Rntz x Jlsy (I)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50318018-013
Harvest/Lot ID: 9550369206184689

Batch# : 9550369206184689 Sample Size Received : 5 units
Sampled : 03/18/25 Total Amount : 675 units
Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
Sample Method : SOP.T.20.010

Page 4 of 5

<div>Microbial</div> <div>PASSED</div>						<div><div></div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	1120	PASS	100000	Analyzed by:	3621, 585, 1440	Weight:	0.9182g	Extraction date:	03/19/25 11:11:14
Analyzed by: 4520, 585, 1440 Weight: 1.058g Extraction date: 03/19/25 10:29:08 Extracted by: 4777,4520						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084491MYC Batch Date : 03/19/25 09:27:38 Instrument Used : N/A Analyzed Date : 03/20/25 10:27:44					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084464MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analysis Date : 03/20/25 10:26:45						Dilution : 250 Reagent : 031725.R01; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A					
Dilution : 10 Reagent : 020125.08; 020125.09; 021925.R61; 093024.02 Consumables : 7580002043 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
						<div><div></div>Heavy Metals</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2	ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5	LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2193g Extraction date: 03/19/25 09:23:44 Extracted by: 4056						Analyzed by: 1022, 585, 1440 Weight: 0.2193g Extraction date: 03/19/25 09:23:44 Extracted by: 4056					
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084467TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analysis Date : 03/21/25 09:59:26						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084458HEA Instrument Used : DA-ICPMS-005 Batch Date : 03/18/25 11:44:55 Analyzed Date : 03/20/25 10:27:33					
Dilution : 10 Reagent : 020125.08; 020125.09; 022625.R53 Consumables : N/A Pipette : N/A						Dilution : 50 Reagent : 012925.R32; 022425.R19; 031725.R13; 030525.R29; 031725.R11; 031725.R12; 120324.07; 030625.R25 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rntz x Jlsy (I)
Rntz x Jlsy (I)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50318018-013
Harvest/Lot ID: 9550369206184689

Batch# : 9550369206184689 Sample Size Received : 5 units
Sampled : 03/18/25 Total Amount : 675 units
Ordered : 03/18/25 Completed : 03/21/25 Expires: 03/21/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level		
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	11.5	PASS	15		
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/19/25 10:57:04			Extracted by: 1879		Analyzed by: 4797, 585, 1440	Weight: 0.488g	Extraction date: 03/19/25 09:44:04			Extracted by: 4797			
Analysis Method : SOP.T.40.090 Analytical Batch : DA084493FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/19/25 12:13:45						Batch Date : 03/19/25 10:48:06		Analysis Method : SOP.T.40.021 Analytical Batch : DA084484MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/19/25 14:50:45						Batch Date : 03/19/25 09:07:27	
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066									

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.517	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.912g	Extraction date: 03/19/25 09:32:37	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084485WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 03/19/25 09:07:49		
Analyzed Date : 03/19/25 14:49:35					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/25