

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50318018-015

# Kaycha Labs

Supply Shake 14g - Anml Cks x Glto (I) Anml Cks x Glto (I)

Matrix: Flower

Classification: High THC Type: Flower-Cured

**Production Method: Cured** 

Harvest/Lot ID: 4144418044295075 Batch#: 4144418044295075

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 8616684969222837

**Harvest Date: 03/10/25** 

Sample Size Received: 7 units Total Amount: 1525 units

Retail Product Size: 14 gram Retail Serving Size: 14 gram

Servings: 1

Ordered: 03/18/25 Sampled: 03/18/25

Completed: 03/21/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

indiantown, FL, 34956, US SAFETY RESULTS



22205 Sw Martin Hwv





Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Sunnyside

Residuals Solvents **NOT TESTED** 



Filth **PASSED** 

Batch Date: 03/19/25 08:25:46



Water Activity **PASSED** 



Moisture **PASSED** 



MISC.

Terpenes **TESTED** 

**TESTED** 



## Cannabinoid

Mar 21, 2025 | Sunnyside

**Total THC** 



**Total CBD** 

Total CBD/Container: 12.320 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 4134.060

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA084478POT Instrument Used: DA-LC-002

Analyzed Date: 03/20/25 09:10:18

Reagent: 031225.R13; 012725.01; 031825.R17

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Label Claim** 

**PASSED** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50318018-015 Harvest/Lot ID: 4144418044295075

Sampled: 03/18/25 Ordered: 03/18/25

Batch#: 4144418044295075 Sample Size Received: 7 units Total Amount: 1525 units Completed: 03/21/25 Expires: 03/21/26 Sample Method: SOP.T.20.010

Page 2 of 5



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	234.64	1.676		SABINENE HYDRATE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	47.60	0.340		VALENCENE	0.007	TESTED	ND	ND	
SETA-CARYOPHYLLENE	0.007	TESTED	44.24	0.316		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
IMONENE	0.007	TESTED	40.04	0.286		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	17.50	0.125		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
UAIOL	0.007	TESTED	16.52	0.118		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	13.72	0.098		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	11.48	0.082		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	10.78	0.077		Analyzed by:	Weigh	t:	Extractio	on date:	Extracted by:
ETA-PINENE	0.007	TESTED	10.22	0.073		4451, 4444, 585, 1440	1.018	9	03/19/25	10:23:37	4451
LPHA-BISABOLOL	0.007	TESTED	8.82	0.063		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
LPHA-PINENE	0.007	TESTED	6.02	0.043		Analytical Batch : DA084482TER Instrument Used : DA-GCMS-008				Batch Date : 03/19/25 08:58:	30
ARNESENE	0.007	TESTED	4.20	0.030	1	Analyzed Date: 03/20/25 09:10:21				<b>BALLII DALE</b> 1 U3/19/25 U6:56:.	20
RANS-NEROLIDOL	0.005	TESTED	3.50	0.025	ĺ	Dilution: 10					
CARENE	0.007	TESTED	ND	ND		Reagent: 022525.47					
ORNEOL	0.013	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 0000355	309				
AMPHENE	0.007	TESTED	ND	ND		Pipette : DA-065					
AMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography N	rass Spectrometry	. For all Flower sai	mpies, the Total	rerpenes % is ary-weight corrected.	
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND	ĺ						
UCALYPTOL	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND	ĺ						
OBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
ABINENE	0.007	TESTED	ND	ND							
otal (%)				1 676							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

LOD Units

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50318018-015 Harvest/Lot ID: 4144418044295075

Pass/Fail Result

Batch#: 4144418044295075 Sample Size Received: 7 units Sampled: 03/18/25

Total Amount: 1525 units Ordered: 03/18/25 Completed: 03/21/25 Expires: 03/21/26 Sample Method: SOP.T.20.010

Page 3 of 5



### **Pesticides**

# **PASSED**

		Lev	el		Pesticide		Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PE	STICIDES) 0.010		PASS	ND	OXAMYL	0.010	mag (	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm 0.2	PASS	ND	PACLOBUTRAZOL		ppm ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm 0.1	PASS	ND			ppm ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm 0.5	PASS	ND	PHOSMET					
TOTAL SPINETORAM	0.010	ppm 0.2	PASS	ND	PIPERONYL BUTOXIDE		) ppm	3	PASS	ND
TOTAL SPINOSAD	0.010	ppm 0.1	PASS	ND	PRALLETHRIN		) ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm 0.1	PASS	ND	PROPICONAZOLE	0.010	) ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm 0.1	PASS	ND	PROPOXUR	0.010	) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm 0.1	PASS	ND	PYRIDABEN	0.010	) ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm 0.1	PASS	ND	SPIROMESIFEN	0.010	) ppm	0.1	PASS	ND
ALDICARB	0.010	ppm 0.1	PASS	ND	SPIROTETRAMAT	0.010	) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm 0.1	PASS	ND	SPIROXAMINE		) ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm 0.1	PASS	ND	TEBUCONAZOLE		ppm ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm 0.1	PASS	ND			ppm ppm	0.1	PASS	ND
BOSCALID	0.010	ppm 0.1	PASS	ND	THIACLOPRID					
CARBARYL	0.010	ppm 0.5	PASS	ND	THIAMETHOXAM		) ppm	0.5	PASS	ND
CARBOFURAN	0.010	ppm 0.1	PASS	ND	TRIFLOXYSTROBIN		) ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm 1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	* 0.010	) ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm 1	PASS	ND	PARATHION-METHYL *	0.010	) ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm 0.1	PASS	ND	CAPTAN *	0.070	) ppm	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm 0.2	PASS	ND	CHLORDANE *	0.010	) ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm 0.1	PASS	ND	CHLORFENAPYR *	0.010	mag (	0.1	PASS	ND
DAMINOZIDE	0.010	ppm 0.1	PASS	ND	CYFLUTHRIN *		) ppm	0.5	PASS	ND
DIAZINON	0.010	ppm 0.1	PASS	ND	CYPERMETHRIN *		ppm ppm	0.5	PASS	ND
DICHLORVOS	0.010	ppm 0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm 0.1	PASS	ND	Analyzed by: Weight 3621, 585, 1440 0.9055		on date: 5 11:11:15		Extracted by 4640,450,585	
ETHOPROPHOS	0.010	ppm 0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.	J, ., .	11.11.13		4040,430,36.	,
ETOFENPROX	0.010	ppm 0.1	PASS	ND	Analytical Batch : DA084490PES	1.40.102.11				
ETOXAZOLE	0.010	ppm 0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batcl	Date: 03/19	/25 09:25:45	
FENHEXAMID	0.010	ppm 0.1	PASS	ND	Analyzed Date: 03/20/25 09:56:46					
FENOXYCARB	0.010	ppm 0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010	ppm 0.1	PASS	ND	Reagent: 031725.R01; 081023.01					
FIPRONIL	0.010	ppm 0.1	PASS	ND	Consumables: 040724CH01; 6822423-0 Pipette: N/A	2				
FLONICAMID	0.010	ppm 0.1	PASS	ND	Testing for agricultural agents is performed	Lutilizina Liquid Chro	matography T	rinla Auadrusa	lo Macc Sportro	motn/ in
FLUDIOXONIL	0.010	ppm 0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ucinzing Liquiu Cnro	macograpily I	ripie-Quaurupo	ne mass spectror	nedy III
HEXYTHIAZOX	0.010	ppm 0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted by	
IMAZALIL	0.010	ppm 0.1	PASS	ND	<b>450, 585, 1440</b> 0.9055g				4640,450,585	
IMIDACLOPRID	0.010	ppm 0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOI	P.T.40.151.FL				
KRESOXIM-METHYL	0.010	ppm 0.1	PASS	ND	Analytical Batch : DA084492VOL					
MALATHION	0.010	ppm 0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch D	ate:03/19/25	09:28:24	
METALAXYL	0.010	ppm 0.1	PASS	ND	Analyzed Date : 03/20/25 09:55:45					
METHIOCARB	0.010	ppm 0.1	PASS	ND	Dilution: 250 Reagent: 031725.R01; 081023.01; 0310	25 DA3- 031025 DA	1			
METHOMYL	0.010	ppm 0.1	PASS	ND	Consumables: 040724CH01; 6822423-0		•			
MEVINPHOS	0.010	ppm 0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	_,, 5501				
MYCLOBUTANIL	0.010	ppm 0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Gas Chroma	atography Trip	ole-Quadrupole	Mass Spectrome	etry in
NALED	0.010	ppm 0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.		'			-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## Kaycha Labs ■ Supply Shake 14g - Anml Cks x Glto (I) Anml Cks x Glto (I) Matrix: Flower Type: Flower-Cured

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50318018-015 Harvest/Lot ID: 4144418044295075

Sampled: 03/18/25 Ordered: 03/18/25

Batch#: 4144418044295075 Sample Size Received: 7 units Total Amount: 1525 units Completed: 03/21/25 Expires: 03/21/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 03/19/25 09:27:38



### **Microbial**

Batch Date: 03/19/25 07:08:30



Action

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Α
ASPERGILLUS TERREUS			Not Present	PASS		Α
ASPERGILLUS NIGER			Not Present	PASS		Α
ASPERGILLUS FUMIGATUS			Not Present	PASS		C
ASPERGILLUS FLAVUS			Not Present	PASS		Α
SALMONELLA SPECIFIC GENE			Not Present	PASS		Α
ECOLI SHIGELLA			Not Present	PASS		Aı
TOTAL YEAST AND MOLD	10	CFU/g	310	PASS	100000	36

Analyzed by:	Weight:	Extraction date:	Extracted by:
1520, 585, 1440	0.959g	03/19/25 10:29:09	4777,4520

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA084464MIC \\ \end{array}$ 

**Batch Date :** 03/19/25 **Instrument Used :** PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 03/20/25 10:26:47

Dilution: 10

Reagent: 020125.08; 020125.09; 021925.R61; 093024.02

Consumables: 7580002043 Pipette: N/A

Analyzed by: 1520, 4044, 585, 1440	Weight: 0.959g	Extraction date: 03/19/25 10:29:09	Extracted by: 4777,4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084467TYM

Instrument Used : Incubator (25\*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 03/21/25 09:59:28

Dilution: 10

Reagent: 020125.08; 020125.09; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

<b>%</b>	Mycotoxins				PAS	3
Analyte		LOD	Units	Result	Pass / Fail	-
AFLATOXIN I	32	0.002	ppm	ND	PASS	
AFLATOXIN I	B1	0.002	ppm	ND	PASS	

				Fail	Level
AFLATOXIN B2		0.002 ppm	ND	PASS	0.02
AFLATOXIN B1		0.002 ppm	ND	PASS	0.02
OCHRATOXIN A		0.002 ppm	ND	PASS	0.02
AFLATOXIN G1		0.002 ppm	ND	PASS	0.02
AFLATOXIN G2		0.002 ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:	Ext	tracted by	y:
3621, 585, 1440	0.9055a	03/19/25 11:11:15	46	40.450.5	85

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA084491MYC Instrument Used : N/A

**Analyzed Date :** 03/20/25 09:05:23

Dilution: 250

Reagent: 031725.R01; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

# **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	< 0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

**Extraction date:** Extracted by: 1022, 585, 1440 0.2733g 03/19/25 09:24:36

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL Analytical Batch : DA084458HEA

Instrument Used: DA-ICPMS-005 Batch Date: 03/18/25 11:44:55 Analyzed Date: 03/20/25 10:27:34

Dilution: 50

Reagent: 012925.R32; 022425.R19; 031725.R13; 030525.R29; 031725.R11; 031725.R12; 120324.07; 030625.R25

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50318018-015 Harvest/Lot ID: 4144418044295075

Sampled: 03/18/25 Ordered: 03/18/25

Batch#: 4144418044295075 Sample Size Received: 7 units Total Amount: 1525 units Completed: 03/21/25 Expires: 03/21/26 Sample Method: SOP.T.20.010

Page 5 of 5



### Filth/Foreign **Material**

# **PASSED**



Dilution: N/A

Consumables : N/A

Pipette: DA-066

Analysis Method: SOP.T.40.021

Reagent: 092520.50; 120324.07

### Moisture

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

**PASSED** 

Batch Date: 03/19/25 09:07:27

Analyte	LOD	Units	Result	P/F	<b>Action Level</b>	Analyte	LOD	Units	Result	P/F	<b>Action Level</b>
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	10.6	PASS	15

Analyzed by: 1879, 585, 1440 Analyzed by: 4797, 585, 1440 Extraction date Weight: Extraction date: Weight: 03/19/25 10:57:04 1g 1879 0.5g 03/19/25 09:46:02 4797

Analysis Method: SOP.T.40.090

Analytical Batch : DA084493FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 03/19/25 12:13:44

Batch Date: 03/19/25 10:48:06

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Analytical Batch: DA084484MOI Instrument Used: DA-003 Moisture Analyzer Analyzed Date: 03/19/25 14:50:47

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

## **Water Activity**

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.520	PASS	0.65
Analyzed by:	Weight:	Fx	traction d	late:	Fx	tracted by:

4797, 585, 1440 03/19/25 09:32:45

Analysis Method: SOP.T.40.019 Analytical Batch: DA084485WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 03/19/25 09:07:49 Analyzed Date: 03/19/25 14:49:37

Dilution: N/A Reagent: 101724.36

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)