

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50320019-001

# Kaycha Labs

FloraCal Live Rosin Chews Wld Brry 100mg (10pk)

Wild Berry Matrix: Edible

Classification: High THC Type: Soft Chew

Production Method: Other - Not Listed Harvest/Lot ID: 3664129815057852

Batch#: 3664129815057852

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 9040100427529826

Harvest Date: 03/13/25

Sample Size Received: 12 units

Total Amount: 2005 units

Retail Product Size: 41.2735 gram Retail Serving Size: 4.1 gram

> Servings: 10 Ordered: 03/20/25

Sampled: 03/20/25 Completed: 03/25/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 03/21/25 08:50:41



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes NOT **TESTED** 

TESTED



## Cannabinoid

Mar 25, 2025 | Sunnyside

**Total THC** 

0.241%Total THC/Container: 99.469 mg



**Total CBD** 

Total CBD/Container: 0.000 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 104.009

	0.241 ND ND ND ND 0.008 ND ND ND 0.003  1g/unit 99.47 ND 1.24  0D 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	nalyzed by: 335, 1665, 585	i. 1440			Weight: 3.0425q		Extraction date: 03/21/25 11:44:	27			Extracted by: 3335	
0.241 ND ND ND ND 0.008 ND ND ND ND 0.003 /unit 99.47 ND 1.24	0.241 ND ND ND ND 0.008 ND ND ND ND 0.003  1g/unit 99.47 ND 1.24		%	%	%	%	%	%	%	%	%	%	%
0.241 ND ND ND ND 0.008 ND ND ND ND 0.003	0.241 ND ND ND ND 0.008 ND ND ND ND 0.003	OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
		ng/unit	99.47	ND	ND	ND	ND	3.30	ND	ND	ND	ND	1.24
D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	%	0.241	ND	ND	ND	ND	0.008	ND	ND	ND	ND	0.003
			D9-ТНС	THCA	CBD	CBDA	D8-ТНС	CBG	CBGA	СВИ	тнсу	CBDV	СВС

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA084563POT Instrument Used: DA-LC-007 Analyzed Date: 03/25/25 11:22:04

Dilution: 40
Reagent: 030125.01; 090924.05; 012725.02
Consumables: 947.110; 04312111; 062224CH01; 0000355309
Pipette: DA-079; DA-108; DA-078

**Label Claim** 

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 03/25/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.





**PASSED** 

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50320019-001 Harvest/Lot ID: 3664129815057852

Sampled: 03/20/25 Ordered: 03/20/25

Batch#: 3664129815057852 Sample Size Received: 12 units Total Amount: 2005 units Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 2 of 5



#### **Pesticides**

## **PASSED**

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE	0.010	mag	3	PASS	ND
TAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TAL SPINOSAD	0.010		3	PASS	ND	PROPICONAZOLE		ppm	1	PASS	ND
AMECTIN B1A	0.010	1.1	0.3	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
EPHATE	0.010		3	PASS	ND				3	PASS	
EQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		ppm			ND
ETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		ppm	3	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	3	PASS	ND
OXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	1.1	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
ENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010		3	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
RBARYL	0.010	1.1	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
RBOFURAN	0.010		0.1	PASS PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.2	PASS	ND
LORANTRANILIPROLE	0.010		3	PASS	ND	PARATHION-METHYL *		ppm	0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		3 0.1	PASS	ND ND	CAPTAN *		mag	3	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND			1.1.	0.1	PASS	ND
DFENTEZINE	0.010		0.5	PASS		CHLORDANE *		ppm			
UMAPHOS	0.010 0.010		0.1	PASS	ND ND	CHLORFENAPYR *		ppm	0.1	PASS	ND
MINOZIDE			3	PASS	ND	CYFLUTHRIN *		ppm	1	PASS	ND
ZINON	0.010			PASS		CYPERMETHRIN *	0.050	ppm	1	PASS	ND
HLORVOS	0.010		0.1		ND ND	Analyzed by: Weight:	Extract	ion date:		Extracted	by:
IETHOATE	0.010		0.1	PASS PASS	ND	<b>3621, 585, 1440</b> 1.0192g	03/21/2	5 11:45:42		450,585	
HOPROPHOS	0.010			PASS		Analysis Method: SOP.T.30.102.FL, SOP.T.40.10	2.FL				
DFENPROX	0.010 0.010		0.1 1.5	PASS	ND ND	Analytical Batch : DA084586PES					
DXAZOLE			3	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 03/24/25 08:04:08		Batc	h Date: 03/21/	25 10:18:11	
NHEXAMID	0.010		0.1	PASS	ND	Dilution: 250					
NOXYCARB	0.010		2	PASS	ND	Reagent: 032025.R16; 081023.01					
NPYROXIMATE PRONIL	0.010		0.1	PASS	ND	Consumables: 040724CH01; 6822423-02					
	0.010	1.1	2	PASS	ND	Pipette: N/A					
ONICAMID		1.1	3	PASS	ND	Testing for agricultural agents is performed utilizing	g Liquid Chror	matography T	riple-Quadrupo	le Mass Spectror	netry in
UDIOXONIL	0.010					accordance with F.S. Rule 64ER20-39.					
XYTHIAZOX	0.010		2 0.1	PASS	ND ND	Analyzed by: Weight		raction dat		Extracte	d by:
AZALIL	0.010 0.010		0.1	PASS	ND ND	450, 4640, 585, 1440 1.0192g		21/25 11:45	42	450,585	
DACLOPRID ESOXIM-METHYL	0.010		1	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP.T.40.1 Analytical Batch: DA084590VOL	JI.FL				
LATHION	0.010	1.1	2	PASS	ND	Instrument Used : DA-GCMS-010		Batch D	ate:03/21/25	10:21:34	
	0.010		3	PASS	ND ND	Analyzed Date : 03/24/25 08:01:44					
TALAXYL	0.010		0.1	PASS	ND	Dilution: 250					
THIOCARB			0.1	PASS	ND	Reagent: 032025.R16; 081023.01; 031025.R43		ļ.			
THOMYL	0.010			PASS		Consumables: 040724CH01; 6822423-02; 1747	3601				
VINPHOS	0.010		0.1		ND	Pipette : DA-080; DA-146; DA-218					
CLOBUTANIL LED	0.010	ppm	3 0.5	PASS PASS	ND ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	g Gas Chroma	tography Tri	oie-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50320019-001 Harvest/Lot ID: 3664129815057852

Batch#: 3664129815057852 Sample Size Received: 12 units

Sampled: 03/20/25 Ordered: 03/20/25

Total Amount: 2005 units Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 3 of 5



## **Residual Solvents**

Solvents	LOD	Units	Action Leve	l Pass/Fail	Result	
1,1-DICHLOROETHENE				PASS		
	0.800	ppm	8		ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm		TESTED	<2500.000	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:	4		Extracted by:	

850, 585, 1440 03/24/25 10:34:04 0.0257g

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084594SOL Instrument Used: DA-GCMS-002 **Analyzed Date :**  $03/24/25\ 11:19:20$ 

Dilution: 1 Reagent: 030420.09

Consumables: 430596; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Batch Date: 03/21/25 14:21:24

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample: DA50320019-001 Harvest/Lot ID: 3664129815057852

Sampled: 03/20/25 Ordered: 03/20/25

Batch#: 3664129815057852 Sample Size Received: 12 units Total Amount: 2005 units Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 03/21/25 10:20:30



### **Microbial**

Batch Date: 03/21/25 07:26:09



# PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
				_	

Analyzed by: 4571, 4531, 585, 1440 Weight: **Extraction date:** Extracted by: 0.909g 03/21/25 09:02:19

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084552MIC

**Instrument Used :** PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/21/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 03/24/25 08:05:31

Dilution: 10

Reagent: 020125.09; 020125.11; 021925.R61; 093024.02

Consumables: 7580002032

Pipette : N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4571, 4777, 585, 1440	0.909g	03/21/25 09:02:19	4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084553TYM

Instrument Used : Incubator (25\*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 03/24/25 08:06:23

Dilution: 10

Reagent: 020125.09; 020125.11; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

246	MyCotoxiiis		'	JLD	
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	A 0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440	Weight:	Extraction date: 03/21/25 11:45:42		Extracted	by:	
AFLATOXIN G2		0.002 ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002 ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002 ppm	ND	PASS	0.02	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA084589MYC Instrument Used : N/A

**Analyzed Date :** 03/24/25 08:03:22

Dilution: 250

Reagent: 032025.R16; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

# **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5	
ARSENIC	0.020	ppm	ND	PASS	1.5	
CADMIUM	0.020	ppm	ND	PASS	0.5	
MERCURY	0.020	ppm	ND	PASS	3	
LEAD	0.020	ppm	ND	PASS	0.5	

**Extraction date:** Extracted by: 1022, 585, 1440 0.2749g 03/21/25 10:53:14

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL Analytical Batch : DA084546HEA

Instrument Used: DA-ICPMS-004 Batch Date: 03/21/25 07:14:05 Analyzed Date: 03/24/25 08:00:13

Dilution: 50

Reagent: 012925.R32; 031725.R14; 031725.R13; 032025.R07; 031725.R11; 031725.R12; 120324.07; 030625.R25

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50320019-001 Harvest/Lot ID: 3664129815057852

Batch#: 3664129815057852 Sample Size Received: 12 units

Sampled: 03/20/25 Ordered: 03/20/25

Total Amount : 2005 units Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Analyte

(RSD)

Page 5 of 5

Pass/Fail

Batch Date: 03/21/25 07:15:09



#### Filth/Foreign **Material**

# **PASSED**

### Homogeneity

Amount of tests conducted: 22

**PASSED** 

Action Level

Result

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: Extraction date Extracted by: 1g 03/21/25 14:53:42 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA084596FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 03/21/25 14:50:08

Analyzed Date: 03/24/25 03:53:31

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Units

**TOTAL THC - HOMOGENEITY** 0.001 % **PASS** 2.509 25

LOD

Average Analyzed by Extraction date: Extracted By: Weight 3335, 585, 1440 3.979g 03/21/25 10:51:05

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA084547HOM Instrument Used : DA-LC-006

Analyzed Date: 03/24/25 08:45:41

Reagent: 030125.01; 031225.R14; 090924.05; 031825.R20

Consumables: 947.110; 04312111; 062224CH01; 1009429049; 1009468945; 0000355309

Pipette: DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.746 0.85 Extraction date: 03/21/25 10:29:01 Analyzed by: 4797, 585, 1440 Extracted by: 4797

Analysis Method: SOP.T.40.019 Analytical Batch: DA084574WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 03/21/25 09:39:52

Analyzed Date: 03/21/25 13:32:56

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164