

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50320019-005



Mar 24, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

22.087%

Total THC/Container : 3092.180 mg



Total CBD

0.049%

Total CBD/Container : 6.860 mg



Total Cannabinoids

25.754%

Total Cannabinoids/Container : 3605.560 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.394	24.736	ND	0.057	0.024	0.097	0.364	ND	ND	ND	0.082
mg/unit	55.16	3463.04	ND	7.98	3.36	13.58	50.96	ND	ND	ND	11.48
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.207g

Extraction date:
03/21/25 11:55:07

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084557POT

Instrument Used : DA-LC-001

Analyzed Date : 03/24/25 08:06:59

Batch Date : 03/21/25 08:14:27

Dilution : 400

Reagent : 031225.R13; 012725.02; 031825.R17

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Goofiez (S)
Goofiez (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50320019-005

Harvest/Lot ID: 1345435147078936

Batch# : 1345435147078936

Sampled : 03/20/25

Ordered : 03/20/25

Sample Size Received : 3 units

Total Amount : 382 units

Completed : 03/24/25 Expires: 03/24/26

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	283.08	2.022		VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	73.22	0.523		ALPHA-BISABOLOL	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	71.54	0.511		ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	45.50	0.325		ALPHA-PHILLANDRENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	27.58	0.197		ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	22.54	0.161		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	22.26	0.159		CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	6.44	0.046		GAMMA-TERPINENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	6.16	0.044						
ALPHA-PINENE	0.007	TESTED	4.06	0.029		Analysis by:	Weight:	Extraction date:		Extracted by:
ALPHA-TERPINEOL	0.007	TESTED	3.78	0.027		6846, 4451, 585, 1440	1.0096g	03/21/25 11:28:45		4444
3-CARENE	0.007	TESTED	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	ND	ND		Analytical Batch : DA084560TER				
CAMPHERE	0.007	TESTED	ND	ND		Instrument Used : DA-GCMS-008				Batch Date : 03/21/25 08:37:12
CAMPHOR	0.007	TESTED	ND	ND		Analyzed Date : 03/24/25 09:31:52				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Dilution : 10				
CEDROL	0.007	TESTED	ND	ND		Reagent : 022525.47				
EUCALYPTOL	0.007	TESTED	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
FENCHONE	0.007	TESTED	ND	ND		Pipette : DA-065				
FENCHYL ALCOHOL	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND						
GERANYL ACETATE	0.007	TESTED	ND	ND						
GUAJOL	0.007	TESTED	ND	ND						
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND						
ISOBORNEOL	0.007	TESTED	ND	ND						
ISOPULEGOL	0.007	TESTED	ND	ND						
NEROL	0.007	TESTED	ND	ND						
OCIMENE	0.007	TESTED	ND	ND						
PULEGONE	0.007	TESTED	ND	ND						
SABINENE	0.007	TESTED	ND	ND						
SABINENE HYDRATE	0.007	TESTED	ND	ND						
Total (%)				2.022						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Goofiez (S)
Goofiez (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50320019-005

Harvest/Lot ID: 1345435147078936

Batch# : 1345435147078936

Sampled : 03/20/25

Ordered : 03/20/25

Sample Size Received : 3 units

Total Amount : 382 units

Completed : 03/24/25 Expires: 03/24/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.0261g	Extraction date: 03/21/25 12:10:40	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084582PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/21/25 09:56:44	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/24/25 09:40:19					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 032025.R16; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0261g	Extraction date: 03/21/25 12:10:40	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084584VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 03/21/25 09:58:06	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/24/25 09:39:31					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 032025.R16; 081023.01; 031025.R43; 031025.R44					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Goofiez (S)
Goofiez (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50320019-005
Harvest/Lot ID: 1345435147078936

Batch# : 1345435147078936 Sample Size Received : 3 units
Sampled : 03/20/25 Total Amount : 382 units
Ordered : 03/20/25 Completed : 03/24/25 Expires: 03/24/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED			Mycotoxins					PASSED						
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS					Not Present	PASS		AFLATOXIN B2			0.002	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER					Not Present	PASS		AFLATOXIN B1			0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS					Not Present	PASS		OCHRATOXIN A			0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS					Not Present	PASS		AFLATOXIN G1			0.002	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE					Not Present	PASS		AFLATOXIN G2			0.002	ppm	ND	PASS	0.02					
ECOLI SHIGELLA					Not Present	PASS		Analyzed by: 3621, 585, 1440			Weight: 1.0261g	Extraction date: 03/21/25 12:10:40		Extracted by: 450,585						
TOTAL YEAST AND MOLD			10	CFU/g	70	PASS	100000	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL												
Analyzed by: 4571, 4531, 585, 1440			Weight: 1.049g	Extraction date: 03/21/25 09:02:20		Extracted by: 4520		Analytical Batch : DA084583MYC												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL								Instrument Used : N/A								Batch Date : 03/21/25 09:57:46				
Analytical Batch : DA084552MIC								Analyzed Date : 03/24/25 08:09:31												
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)								Batch Date : 03/21/25 07:25:05												
Analyzed Date : 03/24/25 08:05:34								Dilution : 250												
								Reagent : 032025.R16; 081023.01												
								Consumables : 040724CH01; 6822423-02												
								Pipette : N/A												
Dilution : 10								Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
Reagent : 020125.09; 020125.11; 021925.R61; 093024.02																				
Consumables : 7580002032																				
Pipette : N/A																				
Analyzed by: 4571, 4777, 585, 1440			Weight: 1.049g	Extraction date: 03/21/25 09:02:20		Extracted by: 4520										Heavy Metals		PASSED		
Analysis Method : SOP.T.40.209.FL								Metal								LOD	Units	Result	Pass / Fail	Action Level
Analytical Batch : DA084553TYM								TOTAL CONTAMINANT LOAD METALS								0.080	ppm	ND	PASS	1.1
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]								ARSENIC								0.020	ppm	ND	PASS	0.2
Analyzed Date : 03/24/25 08:06:26								CADMIUM								0.020	ppm	ND	PASS	0.2
Dilution : 10								MERCURY								0.020	ppm	ND	PASS	0.2
Reagent : 020125.09; 020125.11; 022625.R53								LEAD								0.020	ppm	ND	PASS	0.5
Consumables : N/A								Analyzed by: 1022, 585, 1440								Weight: 0.2315g	Extraction date: 03/21/25 11:01:39		Extracted by: 4056	
Pipette : N/A								Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL												
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								Analytical Batch : DA084546HEA												
								Instrument Used : DA-ICPMS-004								Batch Date : 03/21/25 07:14:05				
								Analyzed Date : 03/24/25 08:00:20												
								Dilution : 50												
								Reagent : 012925.R32; 031725.R14; 031725.R13; 032025.R07; 031725.R11; 031725.R12; 120324.07; 030625.R25												
								Consumables : 040724CH01; J609879-0193; 179436												
								Pipette : DA-061; DA-191; DA-216												
								Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Goofiez (S)
Goofiez (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50320019-005

Harvest/Lot ID: 1345435147078936

Batch# : 1345435147078936

Sampled : 03/20/25

Ordered : 03/20/25

Sample Size Received : 3 units

Total Amount : 382 units

Completed : 03/24/25 Expires: 03/24/26

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign
Material**

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	13.9	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/21/25 14:53:42			Extracted by: 1879	Analyzed by: 4797, 585, 1440	Weight: 0.502g	Extraction date: 03/21/25 10:05:52			Extracted by: 4797,585
Analysis Method : SOP.T.40.090 Analytical Batch : DA084596FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/24/25 03:53:29						Analysis Method : SOP.T.40.021 Analytical Batch : DA084567MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/21/25 13:29:27					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.539	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.502g	Extraction date: 03/21/25 10:09:38	Extracted by: 4797,585		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084568WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 03/21/25 09:32:13		
Analyzed Date : 03/21/25 13:17:00					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/24/25