



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50320019-006



Mar 24, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

27.276%

Total THC/Container : 1909.320 mg



Total CBD

0.068%

Total CBD/Container : 4.760 mg



Total Cannabinoids

32.759%

Total Cannabinoids/Container : 2293.130 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.303	30.756	ND	0.078	0.025	0.053	1.377	ND	ND	ND	0.167
mg/unit	21.21	2152.92	ND	5.46	1.75	3.71	96.39	ND	ND	ND	11.69
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.217g

Extraction date:
03/21/25 11:55:07

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084557POT

Instrument Used : DA-LC-001

Analyzed Date : 03/24/25 08:10:03

Batch Date : 03/21/25 08:14:27

Dilution : 400

Reagent : 031225.R13; 012725.02; 031825.R17

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50320019-006
Harvest/Lot ID: 0081516505057687

Batch# : 0081516505057687 Sample Size Received : 5 units
Sampled : 03/20/25 Total Amount : 335 units
Ordered : 03/20/25 Completed : 03/24/25 Expires: 03/24/26
Sample Method : SOP.T.20.010

Page 2 of 5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50320019-006

Harvest/Lot ID: 0081516505057687

Batch# : 0081516505057687

Sampled : 03/20/25

Ordered : 03/20/25

Sample Size Received : 5 units

Total Amount : 335 units

Completed : 03/24/25 Expires: 03/24/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.1317g	Extraction date: 03/21/25 12:10:40	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084582PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/21/25 09:56:44	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/24/25 09:40:19					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 032025.R16; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.1317g	Extraction date: 03/21/25 12:10:40	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084584VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 03/21/25 09:58:06	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/24/25 09:39:32					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 032025.R16; 081023.01; 031025.R43; 031025.R44					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50320019-006
Harvest/Lot ID: 0081516505057687

Batch# : 0081516505057687 Sample Size Received : 5 units
Sampled : 03/20/25 Total Amount : 335 units
Ordered : 03/20/25 Completed : 03/24/25 Expires: 03/24/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED			Mycotoxins					PASSED			
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS					Not Present	PASS		AFLATOXIN B2			0.002	ppm	ND	PASS	0.02		
ASPERGILLUS NIGER					Not Present	PASS		AFLATOXIN B1			0.002	ppm	ND	PASS	0.02		
ASPERGILLUS FUMIGATUS					Not Present	PASS		OCHRATOXIN A			0.002	ppm	ND	PASS	0.02		
ASPERGILLUS FLAVUS					Not Present	PASS		AFLATOXIN G1			0.002	ppm	ND	PASS	0.02		
SALMONELLA SPECIFIC GENE					Not Present	PASS		AFLATOXIN G2			0.002	ppm	ND	PASS	0.02		
ECOLI SHIGELLA					Not Present	PASS		Analyzed by:									
TOTAL YEAST AND MOLD			10	CFU/g	40	PASS	100000	3621, 585, 1440			Weight:	1.1317g	Extraction date:		03/21/25 12:10:40	Extracted by:	450,585
Analyzed by:			Weight:	Extraction date:		Extracted by:		Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL									
4571, 4531, 585, 1440			1.05g	03/21/25 09:02:20		4520		Analytical Batch : DA084583MYC									
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL								Instrument Used : N/A								Batch Date : 03/21/25 09:57:46	
Analytical Batch : DA084552MIC								Analyzed Date : 03/24/25 08:09:32									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems								Dilution : 250									
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block								Reagent : 032025.R16; 081023.01									
(95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)								Consumables : 040724CH01; 6822423-02									
Analyzed Date : 03/24/25 08:05:35								Pipette : N/A									
Dilution : 10								Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									
Reagent : 020125.09; 020125.11; 021925.R61; 093024.02																	
Consumables : 7580002032																	
Pipette : N/A																	
Analyzed by:			Weight:	Extraction date:		Extracted by:		<div><div><div>Hg</div></div></div> <div>Heavy Metals</div> <div>PASSED</div>									
4571, 4777, 585, 1440			1.05g	03/21/25 09:02:20		4520											
Analysis Method : SOP.T.40.209.FL																	
Analytical Batch : DA084553TYM																	
Instrument Used : Incubator (25°C) DA- 328 [calibrated with					Batch Date : 03/21/25 07:26:09			Metal									
DA-382]								TOTAL CONTAMINANT LOAD METALS									
Analyzed Date : 03/24/25 08:06:26								ARSENIC									
Dilution : 10								CADMIUM									
Reagent : 020125.09; 020125.11; 022625.R53								MERCURY									
Consumables : N/A								LEAD									
Pipette : N/A								Analyzed by:									
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								1022, 585, 1440		Weight:	0.2396g	Extraction date:		03/21/25 09:47:00	Extracted by:	4056	
								Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL									
								Analytical Batch : DA084564HEA									
								Instrument Used : DA-ICPMS-004				Batch Date : 03/21/25 09:13:54					
								Analyzed Date : 03/24/25 10:33:22									
								Dilution : 50									
								Reagent : 012925.R32; 031725.R14; 031725.R13; 032025.R07; 031725.R11; 031725.R12; 120324.07; 030625.R25									
								Consumables : 040724CH01; J609879-0193; 179436									
								Pipette : DA-061; DA-191; DA-216									
								Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50320019-006

Harvest/Lot ID: 0081516505057687

Batch# : 0081516505057687

Sampled : 03/20/25

Ordered : 03/20/25

Sample Size Received : 5 units

Total Amount : 335 units

Completed : 03/24/25 Expires: 03/24/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level	
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	11.7	PASS	15	
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/21/25 14:53:43			Extracted by: 1879		Analyzed by: 4797, 585, 1440	Weight: 0.494g	Extraction date: 03/21/25 10:11:47			Extracted by: 4797,585		
Analysis Method : SOP.T.40.090 Analytical Batch : DA084596FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/24/25 03:53:28						Batch Date : 03/21/25 14:50:08	Analysis Method : SOP.T.40.021 Analytical Batch : DA084567MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/21/25 13:29:28						Batch Date : 03/21/25 09:31:46	
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066								

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.510	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.494g	Extraction date: 03/21/25 10:12:42	Extracted by: 4797,585		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084568WAT					
Instrument Used : DA-028 Rotronic HygroPalm			Batch Date : 03/21/25 09:32:13		
Analyzed Date : 03/21/25 13:17:02					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/24/25