

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

### Kaycha Labs

Type: Extract for Inhalation

Supply Vape Cartridge 500mg - Brry Rntz (H) Brry Rntz (H) Matrix: Derivative Classification: High THC



Production Method: Other - Not Listed **Certificate of Analysis** Harvest/Lot ID: 7208071411644905 Batch#: 7208071411644905 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Laboratory Sample ID: DA50321010-005 Source Facility: FL - Indiantown (4430) Seed to Sale#: 0603867593444724 Harvest Date: 03/13/25 Sample Size Received: 31 units Total Amount: 450 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram Servings: 1 Ordered: 03/21/25 Sampled: 03/21/25 Completed: 03/25/25 Sampling Method: SOP.T.20.010 Mar 25, 2025 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. Ο Hg 0 Terpenes Pesticides Heavy Metals Microbials **Mycotoxins** Residuals Filth Water Activity Moisture TESTED PASSED PASSED PASSED PASSED Solvents PASSED PASSED NOT TESTED PASSED TESTED Cannabinoid Total THC Total CBD **Total Cannabinoids** 90.192% 0.174% 94 .515% Total Cannabinoids/Container : 472.575 Total THC/Container : 450.960 mg Total CBD/Container : 0.870 mg mg THCA CBD CBDA D8-THC CBG CBGA CBN тнсу CBDV CBC D9-THC 0.588 0.347 90.136 0.064 0.164 0.012 ND 3.154 ND 0.050 ND % 450.68 0.32 0.82 0.06 ND 15.77 ND 2.94 1.74 ND 0.25 mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 1440 Extraction date: 03/24/25 12:18:36 Extracted by: 3335 Weight: 0.1076q Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA084654POT Instrument Used : DA-LC-003 Batch Date : 03/24/25 07:56:06

Analyzed Date : 03/25/25 11:30:15 Dilution : 400 Reagent: 031425.R03; 012725.02; 021825.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

PASSED

Signature 03/25/25



. Supply Vape Cartridge 500mg - Brry Rntz (H) Brry Rntz (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

# PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50321010-005 Harvest/Lot ID: 7208071411644905 Batch#: 7208071411644905 Sample Size Received: 31 units Sampled : 03/21/25 Ordered : 03/21/25

Total Amount : 450 units Completed : 03/25/25 Expires: 03/25/26 Sample Method : SOP.T.20.010

Page 2 of 6

6

Terpenes

erpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	18.55	3.709		SABINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	6.28	1.256		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	3.55	0.710		VALENCENE	0.007	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	1.84	0.368		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	1.84	0.368		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.33	0.266		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	0.80	0.160		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
AMPHENE	0.007	TESTED	0.50	0.100		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	0.44	0.087		Analyzed by:	Weight:		Extraction date		Extracted by:
INCHYL ALCOHOL	0.007	TESTED	0.39	0.078		4451, 585, 1440	0.2261g		03/24/25 10:49	:40	4451
LPHA-TERPINEOL	0.007	TESTED	0.32	0.063	1	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.	061A.FL				
ARYOPHYLLENE OXIDE	0.007	TESTED	0.24	0.047		Analytical Batch : DA084617TER Instrument Used : DA-GCMS-004				Batch Date : 03/22/25 12:07:40	
ENCHONE	0.007	TESTED	0.21	0.041		Analyzed Date : 03/25/25 11:30:16				Batch Date 103/22/23 12:07:40	
LPHA-BISABOLOL	0.007	TESTED	0.20	0.040		Dilution : 10					
LPHA-TERPINOLENE	0.007	TESTED	0.20	0.039		Reagent : 022525.47					
ARNESENE	0.001	TESTED	0.18	0.035		Consumables : 947.110; 04312111; 2240626; 0 Pipette : DA-065	000355309				
EXAHYDROTHYMOL	0.007	TESTED	0.14	0.028							
AMMA-TERPINENE	0.007	TESTED	0.12	0.023		Terpenoid testing is performed utilizing Gas Chromato	grapny Mass Spectrometry	. For all Flower sa	imples, the Total	Terpenes % is dry-weight corrected.	
CARENE	0.007	TESTED	ND	ND							
DRNEOL	0.013	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
DROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
ULEGONE	0.007	TESTED	ND	ND							
otal (%)				3.709							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/25/25



Supply Vape Cartridge 500mg - Brry Rntz (H) Brry Rntz (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

#### Sample : DA50321010-005 Harvest/Lot ID: 7208071411644905

Sampled : 03/21/25 Ordered : 03/21/25

Batch#: 7208071411644905 Sample Size Received: 31 units Total Amount : 450 units Completed : 03/25/25 Expires: 03/25/26 Sample Method : SOP.T.20.010

Page 3 of 6



## **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET			ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	1.1.	0.5	PASS	ND	PIPERONYL BUTOXIDE			ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND				ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE						
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR			ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN			ppm	0.2	PASS	ND
ACETAMIPRID	0.010	1.1.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	1.1.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM			ppm	0.5	PASS	ND
CARBARYL	0.010	1.1.	0.5	PASS	ND	TRIFLOXYSTROBIN			ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND				mag	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *		1.1.		PASS	
CHLORMEQUAT CHLORIDE	0.010	1.1.	1	PASS	ND	PARATHION-METHYL *			ppm	0.1		ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *			ppm	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *			ppm	0.1	PASS	ND
COUMAPHOS	0.010	1.1.	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by:	
DIMETHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	0.2534g	03/23/25			4640,3379,450	0
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.	FL, SOP.T.4	0.102.FL				
ETOFENPROX	0.010	1.1.	0.1	PASS	ND	Analytical Batch : DA084625PES						
ETOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 Analyzed Date : 03/25/25 09:08:4			Batc	h Date :03/22	/25 12:44:52	
FENHEXAMID	0.010		0.1	PASS	ND	Dilution : 250	19					
FENOXYCARB	0.010	1.1.	0.1	PASS	ND	Reagent : 081023.01; 032225.R0	11					
FENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 040724CH01; 222						
FIPRONIL	0.010		0.1	PASS	ND	Pipette : N/A						
FLONICAMID	0.010	1.1.	0.1	PASS	ND ND	Testing for agricultural agents is pe		lizing Liquid Chror	matography 1	Friple-Quadrupo	le Mass Spectror	metry in
FLUDIOXONIL	0.010			PASS	ND	accordance with F.S. Rule 64ER20-						
HEXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by:	Weig		action date:		Extracted by	
IMAZALIL	0.010	1.1.	0.1	PASS	ND	4640, 450, 585, 1440	0.253		3/25 10:38:3	5	4640,3379,4	150
IMIDACLOPRID			0.4	PASS	ND	Analysis Method : SOP.T.30.151A Analytical Batch : DA084626VOL		40.151.FL				
KRESOXIM-METHYL	0.010 0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			Batch D	ate:03/22/25	12:47:14	
MALATHION	0.010		0.2	PASS	ND	Analyzed Date :03/25/25 09:07:4						
METALAXYL	0.010		0.1	PASS	ND	Dilution : 250						
METHIOCARB			0.1	PASS	ND	Reagent: 081023.01; 031025.R4			L			
METHOMYL	0.010		0.1	PASS	ND	Consumables : 040724CH01; 223		473601				
MEVINPHOS MYCLOBUTANIL	0.010 0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-21						
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is pe accordance with F.S. Rule 64ER20-3		iizing Gas Chroma	ilography Iri	pie-Quadrupole	mass Spectrome	eury in
NALED	0.010	hhu	0.25	PA33	ND	accordance with L.S. Rule 04ER20-						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25

## PASSED

PASSED



. . . . . . . . . . . . . . . . . Supply Vape Cartridge 500mg - Brry Rntz (H) Brry Rntz (H) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50321010-005 Harvest/Lot ID: 7208071411644905 Batch#: 7208071411644905 Sample Size Received: 31 units Sampled : 03/21/25 Ordered : 03/21/25

Total Amount : 450 units Completed : 03/25/25 Expires: 03/25/26 Sample Method : SOP.T.20.010

Page 4 of 6



# **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0203g	Extraction date: 03/24/25 12:20:50		<b>E</b> x 85	tracted by: 50
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA084641SOL nstrument Used : DA-GCMS-002 Nalyzed Date : 03/25/25 09:04:21			Batch Date : 03/22/25 1	5:00:01	

Reagent : 030420.09 Consumables : 430596: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25



Supply Vape Cartridge 500mg - Brry Rntz (H) Brry Rntz (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50321010-005 Harvest/Lot ID: 7208071411644905

Sampled : 03/21/25 Ordered : 03/21/25

Batch#: 7208071411644905 Sample Size Received: 31 units Total Amount : 450 units Completed : 03/25/25 Expires: 03/25/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ç	Microb	ial			PAS	SED	သို့	M	ycoto	xins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN I	2		0.002	maa S	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN I			0.002	1. I.	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002		ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	i1		0.002	2 ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	i2		0.002	2 ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction date		Extr	acted by:	
OTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		D	0.2534g	03/23/25 10:38			0,3379,45	0
nalyzed by: 520, 585, 144	0 0.9130		action date: 22/25 09:41:4	10	Extracted 4520	by:				OP.T.40.102.FL				
nalysis Metho	od : SOP.T.40.056C, h : DA084597MIC	· ·			4320		Analytical Bate Instrument Use Analyzed Date	d:DA-L	CMS-003 (MY	C) I	Batch Date	e:03/22/2	5 12:48:4	6
ilution: 10	,DA-402 Thermo Sc : 03/25/25 11:29:15 L25.10; 022625.54; 7581001074	5					Consumables : Pipette : N/A Mycotoxins test accordance with	ng utilizir	ng Liquid Chrom	atography with Tripl	e-Quadrupc	ole Mass Spe	ectrometry	in
ipette : N/A nalyzed by: 520, 4777, 58		Weight: 0.913q	Extraction d 03/22/25 09		Extracte 4520	ed by:	[Hg]	Не	avy M	letals			PAS	SEC
	od : SOP.T.40.209.FL	5	03/22/23 09	.41.40	4320		Metal			LOD	Units	Posult	Pass /	Action
	h : DA084598TYM d : Incubator (25*C	) DCC AD (	alibrated wit	h Batah Da	te:03/22/2	05.07.50.4				200	onics	Result	Fail	Level
A-3821		.) DA- 320 [C	andrated wit	Batch Da	te: 03/22/2	.5 07.59.4	TOTAL CONT		IT LOAD MET	rals 0.080	) ppm	ND	PASS	1.1
nalyzed Date	: 03/25/25 09:06:01	1					ARSENIC			0.020	) ppm	ND	PASS	0.2
lution : 10							CADMIUM			0.020	) ppm	ND	PASS	0.2
	L25.10; 022625.54;	022625.R53	3				MERCURY			0.020	1.1.	ND	PASS	0.2
onsumables :	N/A						LEAD			0.020	) ppm	ND	PASS	0.5
	mold testing is perform	ned utilizing M	IPN and traditi	onal culture base	ed techniques	s in	Analyzed by: 1022, 585, 144	D	Weight: 0.2572g	Extraction da 03/22/25 15:			<b>xtracted k</b> 879,4056	
cordance with	F.S. Rule 64ER20-39.						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA08 d:DA-10	4621HEA CPMS-004	OP.T.40.082.FL	ch Date : (	03/22/25 1	.2:13:41	
							120324.07; 03	L725.R1 040724	5 CH01; J609879	031725.R13; 032 9-0193; 179436	025.R07; (	031725.R1	.1; 03172	5.R12;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25



Supply Vape Cartridge 500mg - Brry Rntz (H) Brry Rntz (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

## PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA50321010-005 Harvest/Lot ID: 7208071411644905 Batch#: 7208071411644905 Sample 3:03/21/25 Sample 3:03/21/25 Total Amount : 450 units

 Batch#:7208071411644905
 Sample Size Received :31 units

 Sampled:03/21/25
 Total Amount : 450 units

 Ordered:03/21/25
 Completed:03/25/25 Expires:03/25/26

 Sample Method:SOP.T.20.010

 Filth/Foreign
 PASSED

 Material

Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	<b>Units</b> %	<b>Result</b> ND	P/F PASS	Action Level		
Analyzed by: 1879, 585, 1440	Weight: 1g		action da 24/25 04:	odate:         Extracted b           04:00:13         1879				
Analytical Batch nstrument Usec	I: SOP.T.40.090 : DA084652FIL I: Filth/Foreign Mater 03/24/25 04:08:55	ial Micro	scope	Batch I	<b>)ate :</b> 03/24	4/25 03:50:00		
Dilution: N/A Reagent: N/A Consumables: N Pipette: N/A	I/A							
	naterial inspection is per cordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope		
$(\bigcirc)$	Water A	ctiv	ity		ΡΑ	SSED		
Analyte	1	LOD	Units	Result	P/F	Action Level		

Water Activity	0	.010 aw	0.488	PASS	0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.4467g	Extraction d 03/23/25 11			tracted by: 97
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA- Analyzed Date : 03/24	84611WAT 028 Rotronic Hyg	ıropalm	Batch Dat	te:03/22/2	25 10:57:30
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25

Page 6 of 6