

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

SUNNYSIDE DA50321010-010

Laboratory Sample ID: DA50321010-010

Kaycha Labs X

Cresco Premium Flower 3.5g - Blue Pave (I)

Blue Pave (I) Matrix: Flower

Classification: High THC Type: Flower-Cured

Production Method: Other - Not Listed Harvest/Lot ID: 1975250706931245

Batch#: 1975250706931245

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 0649714682473036

Harvest Date: 03/18/25 Sample Size Received: 9 units Total Amount: 1970 units

Retail Product Size: 3.5 gram Servings: 1

Ordered: 03/21/25 Sampled: 03/21/25

Completed: 03/25/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents NOT TESTED



PASSED

Batch Date: 03/24/25 08:32:24



Water Activity **PASSED**



Moisture **PASSED**



Terpenes **TESTED**

TESTED



Cannabinoid

Mar 25, 2025 | Sunnyside

Total THC



Total CBD 0.018%

Total CBD/Container: 0.630 mg



Total Cannabinoids

Total Cannabinoids/Container: 902.825

							ilig					
		-										
		-										
		-										
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС	
	0.769	24.527	ND	0.021	0.063	0.089	0.236	ND	ND	ND	0.090	
g/unit	26.92	858.45	ND	0.74	2.21	3.12	8.26	ND	ND	ND	3.15	
OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
	%	%	%	%	%	%	%	%	%	%	%	
lyzed by: 5, 585, 1440			Weigh 0.217		Extraction date: 03/24/25 12:09:27			Extracted by: 3335				

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA084659POT Instrument Used : DA-LC-002

Analyzed Date: 03/25/25 09:22:56

Label Claim

Dilution: 400 Reagent: 031225.R13; 012725.02; 031825.R17

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 03/25/25



kaycha°

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Cresco Premium Flower 3.5g - Blue Pave (I)

Blue Pave (I) Matrix: Flower

Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50321010-010 Harvest/Lot ID: 1975250706931245

Sampled: 03/21/25 Ordered: 03/21/25

Batch#: 1975250706931245 Sample Size Received: 9 units Total Amount: 1970 units Completed: 03/25/25 Expires: 03/25/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Tepmes												
MAINTENNEN 1												
ALPHA-CEDENIE 0.007 TSTST0 31.0 0.897 ALPHA-CEDENIE 0.007 TSTST0 ND ND ALPHA-HUBILANDENIE 0.007 TSTST0 ND ND ND ALPHA-HUBILANDENIE 0.007 T												
Although 1871 18 18 18 18 18 18												
ALPHA-TERPHINE												
MAPH-MEMBER 0.07										ND		
MAH-M-MINITE 0.077 TESTID 0.51 0.165 1.065										ND	ND	
MAN-PANIENE 10,07												
Mark-Medicol	ALPHA-BISABOLOL	0.007	TESTED	6.51	0.186		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
Marken M	LPHA-PINENE		TESTED				GAMMA-TERPINENE	0.007	TESTED	ND	ND	
Mask-Methodoloo							Analyzed by:	Weight:		xtraction date		Extracted by:
RAMPINE ALGONIA 10,007 15715 13,0 10,006 Assignicial Batch 10,006 10,005 10		0.005	TESTED	4.97	0.142		4451, 585, 1440	1.0783g	(3/22/25 14:19	9:18	4451
Part Company	ALPHA-TERPINEOL	0.007	TESTED	3.47	0.099			0.061A.FL				
Analyzer District 1.6		0.007	TESTED	3.36	0.096						Patrick Patrick 02/22/25 12:05:27	
AMMERINE 0,07 1571 1570 0,09 0,09 0 Inlation 1 10 Inlation 1 I	CIMENE	0.007	TESTED	1.68	0.048						Date: 03/22/23 12:03:27	
Accordance Control C				1.02	0.029							
MANUFRICE 0,007 TISTID 10			TESTED	ND	ND		Reagent: 022525.47					
Mary	ORNEOL	0.013	TESTED	ND	ND			0000355309				
MARVOWYLLENE OXDDE 0.007 TESTED NO	AMPHENE	0.007	TESTED	ND	ND							
MINING M	AMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chroma	stography Mass Spectrometry.	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
UCALYPOIL 0,07 TESTED NO NO NO PERMANDE CONTROLL OF STETED NO	ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
MANUAL M	EDROL	0.007	TESTED	ND	ND							
REANIN_CET 0.007 TESTED NO	UCALYPTOL	0.007	TESTED	ND	ND							
READYL ACEATYE 0.07	ENCHONE	0.007	TESTED	ND	ND							
UABOL 0.007 TESTED NO	ERANIOL	0.007	TESTED	ND	ND							
PEXAMPROPRIMENDED 10,007 TESTED 10 10 10 10 10 10 10 1	ERANYL ACETATE	0.007	TESTED	ND	ND							
DIRECTION DIRE	UAIOL	0.007	TESTED	ND	ND							
SOPULEGOL 0.007 TESTED NO NO NO NO NO NO NO NO NO NO NO NO NO NO NO NO	IEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
RROL 0.007 TESTED ND ND NUCLEONE 0.007 TESTED ND	OBORNEOL	0.007	TESTED	ND	ND							
ULEGONE 0.007 TESTED ND ND ABINEME 0.007 TESTED ND ND	SOPULEGOL	0.007	TESTED	ND	ND							
ABINENE 0.007 TESTED NO NO	IEROL	0.007	TESTED	ND	ND							
	ULEGONE	0.007	TESTED	ND	ND							
	ABINENE	0.007	TESTED	ND	ND							

Total (%)

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/25/25