



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50321010-016



Mar 26, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
NOT TESTED

Filth
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED

MISC.


Cannabinoid
TESTED


Total THC

19.571%

Total THC/Container : 2739.940 mg



Total CBD

0.049%

Total CBD/Container : 6.860 mg



Total Cannabinoids

22.592%

Total Cannabinoids/Container : 3162.880 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.784	21.423	ND	0.056	0.044	0.077	0.170	ND	ND	ND	0.038
mg/unit	109.76	2999.22	ND	7.84	6.16	10.78	23.80	ND	ND	ND	5.32
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 3605, 585, 1440

Weight:
0.2142g

Extraction date:
03/24/25 12:09:27

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084659POT

Instrument Used : DA-LC-002

Analyzed Date : 03/26/25 08:29:52

Batch Date : 03/24/25 08:32:24

Dilution : 400

Reagent : 031225.R13; 012725.02; 031825.R17

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50321010-016

Harvest/Lot ID: 0284260863756091

Batch# : 0284260863756091

Sampled : 03/21/25

Ordered : 03/21/25

Sample Size Received : 6 units

Total Amount : 1241 units

Completed : 03/26/25 Expires: 03/26/26

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	292.18	2.087	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	78.96	0.564	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	53.46	0.382	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	35.96	0.257	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	27.02	0.193	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	22.40	0.160	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	20.30	0.145	CIS-NEROLIDOL	0.003	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	13.44	0.096	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENICYL ALCOHOL	0.007	TESTED	11.90	0.085					
ALPHA-TERPINEOL	0.007	TESTED	11.62	0.083					
BETA-PINENE	0.007	TESTED	9.52	0.068					
ALPHA-PINENE	0.007	TESTED	7.56	0.054					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)					2.087				

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
SABINENE HYDRATE	0.007	TESTED	ND	ND
VALENCENE	0.007	TESTED	ND	ND
ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
CIS-NEROLIDOL	0.003	TESTED	ND	ND
GAMMA-TERPINENE	0.007	TESTED	ND	ND
Analyzed by: 4451, 385, 5440		Weight: 1.1453g	Extraction date: 03/22/25 14:19:18	Extracted by: 4451
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
Analytical Batch : DA0846167ER				
Instrument Used : DA-GCMS-008				
Analysis Date : 03/25/25 09:49:29				
Batch Date : 03/22/25 12:05:27				
Dilution : 10				
Reagent : 022525.47				
Consumables : 947.110; 04312111; 2240626; 0000355309				
Pipette : DA-065				
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50321010-016

Harvest/Lot ID: 0284260863756091

Batch# : 0284260863756091

Sampled : 03/21/25

Ordered : 03/21/25

Sample Size Received : 6 units

Total Amount : 1241 units

Completed : 03/26/25 Expires: 03/26/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.9961g	Extraction date: 03/23/25 10:40:40	Extracted by: 4640,450,3379		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084631PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 03/22/25 13:23:55	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analized Date : 03/25/25 09:47:30					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 032025.R05; 031925.R36; 032225.R01; 031825.R01; 012925.R01; 031925.R04; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 4640, 450, 585, 1440	Weight: 0.9961g	Extraction date: 03/23/25 10:40:40	Extracted by: 4640,450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084633VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 03/22/25 13:26:00	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized Date : 03/25/25 09:45:44					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 032225.R01; 081023.01; 031025.R43; 031025.R44					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 6822423-02; 17473601; 040724CH01					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/26/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50321010-016

Harvest/Lot ID: 0284260863756091

Batch# : 0284260863756091

Sampled : 03/21/25

Ordered : 03/21/25



Sample Size Received : 6 units

Total Amount : 1241 units

Completed : 03/26/25 Expires: 03/26/26

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED						
Analyte			Analyte								
ASPERGILLUS TERREUS	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	40	PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 0.9961g	Extraction date: 03/23/25 10:40:40	Extracted by: 4640,450,3379		
Analyzed by: 4520, 585, 1440	Weight: 0.899g	Extraction date: 03/22/25 09:41:49		Extracted by: 4520		Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA084632MYC					
Analytical Batch : DA084597MIC						Instrument Used : DA-LCMS-004 (MYC)					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Batch Date : 03/22/25 13:25:58					
Batch Date : 03/22/25 07:58:24						Analyzed Date : 03/25/25 09:46:33					
Analyzed Date : 03/25/25 11:29:25						Dilution : 250					
Dilution : 10						Reagent : 032025.R05; 031925.R36; 032225.R01; 031825.R01; 012925.R01; 031925.R04; 081023.01					
Reagent : 020125.10; 022625.54; 021925.R61; 093024.02						Consumables : 6822423-02					
Consumables : 7581001074						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4520, 4777, 585, 1440						Weight: 0.899g					
Extraction date: 03/22/25 09:41:49						Extracted by: 4520					
Analysis Method : SOP.T.40.209.FL						Heavy Metals					
Analytical Batch : DA084598TYM											
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]											
Batch Date : 03/22/25 07:59:44											
Analyzed Date : 03/25/25 09:06:10						Metal					
Dilution : 10						TOTAL CONTAMINANT LOAD METALS					
Reagent : 020125.10; 022625.54; 022625.R53						0.080 ppm ND PASS 1.1					
Consumables : N/A						0.020 ppm ND PASS 0.2					
Pipette : N/A						0.020 ppm ND PASS 0.2					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						0.020 ppm ND PASS 0.5					
						Analyzed by: 1022, 585, 1440					
						Weight: 0.2745g					
						Extraction date: 03/22/25 14:02:40					
						Extracted by: 1879,4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA084618HEA						Analytical Batch : DA084618HEA					
Instrument Used : DA-ICPMS-004						Instrument Used : DA-ICPMS-004					
Batch Date : 03/22/25 12:11:08						Batch Date : 03/22/25 12:11:08					
Analyzed Date : 03/25/25 09:54:35						Analyzed Date : 03/25/25 09:54:35					
Dilution : 50						Dilution : 50					
Reagent : 012925.R32; 031725.R14; 031725.R13; 032025.R07; 031725.R11; 031725.R12; 120324.07; 031725.R15						Reagent : 012925.R32; 031725.R14; 031725.R13; 032025.R07; 031725.R11; 031725.R12; 120324.07; 031725.R15					
Consumables : 040724CH01; J609879-0193; 179436						Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50321010-016

Harvest/Lot ID: 0284260863756091

Batch# : 0284260863756091

Sampled : 03/21/25

Ordered : 03/21/25

Sample Size Received : 6 units

Total Amount : 1241 units

Completed : 03/26/25 Expires: 03/26/26

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign
Material**

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	13.0	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/24/25 04:00:16	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.5g	Extraction date: 03/23/25 09:02:46	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA084652FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/24/25 04:08:47						Analysis Method : SOP.T.40.021 Analytical Batch : DA084610MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/25/25 09:14:33					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.527	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.5g	Extraction date: 03/23/25 12:16:34	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA084612WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 03/25/25 09:16:35					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/25