

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - White RNTZ (H) White RNTZ (H) Matrix: Derivative Classification: High THC Type: Extract for Inhalation



Production Method: Other - Not Listed **Certificate of Analysis** Harvest/Lot ID: 6563799222750777 Batch#: 6563799222750777 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Laboratory Sample ID: DA50324001-006 Seed to Sale#: 0555791694849125 Harvest Date: 03/17/25 Sample Size Received: 16 units Total Amount: 746 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 03/24/25 Sampled: 03/24/25 Completed: 03/27/25 Revision Date: 04/02/25 Sampling Method: SOP.T.20.010 Apr 02, 2025 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. R₹ Hg 0 Microbials **Mvcotoxins** Water Activity Pesticides Heavy Metals Residuals Filth Moisture Terpenes PASSED PASSED PASSED PASSED Solvents PASSED PASSED **NOT TESTED TESTED** PASSED TESTED Cannabinoid Total THC Total CBD **Total Cannabinoids** 90.985% 0.174% g 5.499% Total THC/Container : 909.850 mg Total CBD/Container : 1.740 mg Total Cannabinoids/Container : 954.990 ma THCA CBD CBDA D8-THC CBGA CBN тнсу CBDV СВС D9-THC CBG 90.865 0.137 0.174 ND ND 3.282 ND 0.616 0.358 0.067 ND 908.65 ND 32.82 ND 3.58 1.37 1.74 ND 6.16 ND 0.67 mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 4351, 1440 Weight: 0.1114a Extraction date Extracted by: 03/25/25 14:57:01 3335 Analysis Method : SOP.T.40.031. SOP.T.30.031 Analytical Batch : DA084695POT Batch Date : 03/25/25 11:15:55 Instrument Used : DA-LC-003 Analyzed Date : 04/02/25 08:21:27 Dilution: 400 Reagent : 012725.02; 032425.R11; 021825.R03 Consumables : 947.110; 04312111; 062224CH01; 0000355309 Pipette : DA-079; DA-108; DA-078 Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

PASSED



..... Supply Vape Cartridge 1g - White RNTZ (H) White RNTZ (H) White RNTZ (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

### PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50324001-006 Harvest/Lot ID: 6563799222750777 Batch#:6563799222750777 Sample Size Received:16 units Sampled : 03/24/25 Ordered : 03/24/25

Total Amount : 746 units Completed : 03/27/25 Expires: 04/02/26 Sample Method : SOP.T.20.010

Page 2 of 6

බී

Terpenes

erpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	43.84	4.384	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	21.50	2.150	ALPHA-HUMULENE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	14.05	1.405	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	2.76	0.276	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	2.26	0.226	ALPHA-TERPINEOL	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	0.88	0.088	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
MPHENE	0.007	TESTED	0.73	0.073	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
NALOOL	0.007	TESTED	0.70	0.070	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
IMENE	0.007	TESTED	0.30	0.030	Analyzed by:	Weigh	t	Extract	ion date:	Extracted by
PHA-BISABOLOL	0.007	TESTED	0.24	0.024	4444, 4451, 585, 1440	0.2492	2g		15 13:15:50	4444
ENCHYL ALCOHOL	0.007	TESTED	0.21	0.021	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.0	061A.FL				
LPHA-TERPINOLENE	0.007	TESTED	0.21	0.021	Analytical Batch : DA084676TER Instrument Used : DA-GCMS-009				Batch Date : 03/25/25 09:	41.27
CARENE	0.007	TESTED	ND	ND	Analyzed Date : 03/27/25 09:00:34				batch bate ( 03/25/25 09)	91.37
DRNEOL	0.013	TESTED	ND	ND	Dilution : 10					
MPHOR	0.007	TESTED	ND	ND	Reagent : 022525.47					
RYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 00	000355309				
DROL	0.007	TESTED	ND	ND	Pipette : DA-065					
CALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromato	graphy Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight correcter	d.
RNESENE	0.007	TESTED	ND	ND						
INCHONE	0.007	TESTED	ND	ND						
ERANIOL	0.007	TESTED	ND	ND						
RANYL ACETATE	0.007	TESTED	ND	ND						
UAIOL	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
OBORNEOL	0.007	TESTED	ND	ND						
OPULEGOL	0.007	TESTED	ND	ND						
EROL	0.007	TESTED	ND	ND						
JLEGONE	0.007	TESTED	ND	ND						
BINENE	0.007	TESTED	ND	ND						
BINENE HYDRATE	0.007	TESTED	ND	ND						
ALENCENE	0.007	TESTED	ND	ND						
otal (%)				4.384						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2



Supply Vape Cartridge 1g - White RNTZ (H) White RNTZ (H) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sample : DA50324001-006

Sampled : 03/24/25

Ordered : 03/24/25

Harvest/Lot ID: 6563799222750777

Batch#:6563799222750777 Sample Size Received:16 units

Total Amount : 746 units

Sample Method : SOP.T.20.010

Completed : 03/27/25 Expires: 04/02/26

Page 3 of 6

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sunnyside

R;

0

### Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND			ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE				PASS	
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		ppm	0.1		ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *		ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1 0.1	PASS	ND ND	CAPTAN *		ppm	0.7	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND				0.1	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		ppm			
COUMAPHOS	0.010 0.010		0.1	PASS	ND	CHLORFENAPYR *		ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		ppm	0.5	PASS	ND
DIAZINON DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Wei		traction date		Extracted	l by:
ETHOPROPHOS	0.010		0.1	PASS	ND	<b>3379, 3621, 585, 1440</b> 0.27		/25/25 14:24:5	51	450,3379	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.	.102.FL				
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA084675PES Instrument Used : DA-LCMS-003 (PES)		Batch	Date :03/25/2	25 00.30.02	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :03/26/25 10:39:30		Duten	<b>Date</b> 105/25/2	10 00.000.02	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 081023.01					
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utiliz accordance with F.S. Rule 64ER20-39.	ing Liquid Chroi	matography Iri	ple-Quadrupol	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extraction	on date:		Extracted b	
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>450, 585, 1440</b> 0.2737g		14:24:51		450.3379	у.
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.4					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084678VOL					
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch Da	te:03/25/25	09:43:27	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/26/25 10:38:29					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 081023.01					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17	473601				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utiliz	zing Gas Chroma	tography Triple	e-Quadrupole I	Mass Spectrome	try in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2



..... Supply Vape Cartridge 1g - White RNTZ (H) White RNTZ (H) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50324001-006 Harvest/Lot ID: 6563799222750777 Batch#:6563799222750777 Sample Size Received:16 units Sampled : 03/24/25 Ordered : 03/24/25

Total Amount : 746 units Completed : 03/27/25 Expires: 04/02/26 Sample Method : SOP.T.20.010

Page 4 of 6



#### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
FOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
analyzed by: 350, 585, 1440	Weight: 0.0212g	Extraction date: 03/26/25 12:28:51		<b>E</b> x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084708SOL nstrument Used : DA-GCMS-002 Analyzed Date : 03/26/25 13:09:29			Batch Date : 03/25/25 1	2:16:31	

Reagent : 030420.09 Consumables : 430596: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 03/27/25

PASSED



Supply Vape Cartridge 1g - White RNTZ (H) White RNTZ (H) White RNTZ (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

### PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50324001-006 Harvest/Lot ID: 6563799222750777 Batch#:6563799222750777 Sample Size Received:16 units Sampled : 03/24/25 Ordered : 03/24/25

Total Amount : 746 units Completed : 03/27/25 Expires: 04/02/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ę	Microbi	al			PAS	SED	သို့	Мусо	toxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN I	32		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S NIGER			Not Present	PASS		AFLATOXIN I	31		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLUS	S FLAVUS			Not Present	PASS		AFLATOXIN	<b>31</b>		0.002	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA T AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 3621, 58	5, 1440	Weight: 0.2737g	Extraction 03/25/25			<b>Extracted</b> 450,3379	
nalyzed by: 777, 4520, 58			xtraction d		Extracted 4520.453			d:SOP.T.30.102		T.40.102.FL				
Analysis Metho	d:SOP.T.40.056C, S h:DA084671MIC	5	-,,		4320,433	1	Instrument Use	h:DA084677MY( ed:N/A :03/26/25 08:28:		Batch	Date:03	3/25/25 09	9:42:54	
2720 Thermocy 95*C) DA-049	ed: PathogenDx Scar ycler DA-010,Fisher S ,DA-402 Thermo Scie : 03/26/25 10:03:32	Scientific Iso	temp Heat	Block 07:	<b>ch Date :</b> 0 43:13	3/25/25	Dilution : 250 Reagent : 0810 Consumables : Pipette : N/A	023.01 040724CH01; 68	22423-02	2				
vilution : 10 leagent : 0201 consumables : ipette : N/A	.25.07; 022625.52; 0 7580002048	93024.02; (	031525.R03	3				ing utilizing Liquid ( n F.S. Rule 64ER20-3		raphy with Triple	Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 777, 4571, 45	31, 585, 1440	Weight: 0.922g	Extracti 03/25/2	on date: 5 09:34:59	<b>Extracte</b> 4520,45		Hg	Heavy	Me	etals			PAS	SED
nalytical Batc	d: SOP.T.40.209.FL h: DA084672TYM ed: Incubator (25*C)	DA- 328 [ca	alibrated wi	th Batch Dat	e:03/25/2	5 07:46:4	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-382]		Dir 020 [cc	mbracea m	butter but	<b>C</b> 1 00/20/2	.5 07.40.4	TOTAL CONT	AMINANT LOAD	METALS		ppm	ND	PASS	1.1
nalyzed Date	: 03/27/25 13:14:37						ARSENIC			0.020	ppm	ND	PASS	0.2
ilution:10							CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :	.25.07; 022625.52; 0 N/A	22625.R53					MERCURY LEAD			0.020 0.020	ppm ppm	ND ND	PASS PASS	0.2 0.5
	mold testing is performe	ed utilizing MI	PN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 144	0 0.24		Extraction date 03/25/25 13:3			<b>xtracted b</b> 022,4056	y:
iccordance with	F.S. Rule 64ER20-39.						Analytical Bato	d:SOP.T.30.082 h:DA084679HEA ed:DA-ICPMS-004 :03/26/25 10:49	4 1		<b>h Date :</b> 0	3/25/25 0	9:47:37	
							032425.R06; 0 Consumables :	324.07; 012925.R 31725.R15 040724CH01; J6( 51; DA-191; DA-2	)9879-01		5.R07; 03	2025.R07	; 032425.	R05;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2



Page 6 of 6

Supply Vape Cartridge 1g - White RNTZ (H) White RNTZ (H) White RNTZ (H) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Eilth/Foreign

# **Certificate of Analysis**

### PASSED

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Harvest/Lot ID: 6563799222750777 Batch#:6563799222750777 Sample Size Received:16 units Sampled : 03/24/25 Ordered : 03/24/25

DACCED

Total Amount : 746 units Completed : 03/27/25 Expires: 04/02/26 Sample Method : SOP.T.20.010

	Materia		n		PA	33ED		
Analyte Filth and Forei	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level		
Analyzed by: 1879, 585, 1440	Weight: 1g		action da 26/25 11:2		Extracted by: 1879			
Analyzed Date : ( Dilution : N/A Reagent : N/A Consumables : N/	: DA084742FIL : Filth/Foreign Mater )3/26/25 11:30:50	rial Micro	oscope	Batch I	<b>Date :</b> 03/20	6/25 11:00:59		
	aterial inspection is pe ordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope		
$(\bigcirc)$	Water A	ctiv	ity		ΡΑ	SSED		
Analyte		LOD	Units	Result	P/F	Action Level		

Water Activity	C	0.010 aw	0.505	PASS 0.85	5			
Analyzed by: 3379, 585, 1440	Weight: 0.291g	Extraction 03/25/25 1		Extracted by: 3379				
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA- Analyzed Date : 03/26	84709WAT 028 Rotronic Hyg	gropalm	Batch Dat	<b>e :</b> 03/25/25 12:1	8:04			
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A								
Water Activity is perform	od using a Potronic	HygroPalm HP 2	3-AW in accord	ance with E.S. Bule A	S/EP20-30			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2