



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50326003-005



Production Method: Cured
Harvest/Lot ID: 4083510565780098
Batch#: 4083510565780098
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 1631755810126376
Harvest Date: 03/24/25
Sample Size Received: 3 units
Total Amount: 494 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 03/26/25
Sampled: 03/26/25
Completed: 03/29/25
Sampling Method: SOP.T.20.010

Mar 29, 2025 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
23.786%

Total THC/Container : 3330.040 mg



Total CBD
0.035%

Total CBD/Container : 4.900 mg



Total Cannabinoids
29.042%

Total Cannabinoids/Container : 4065.880 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.418	26.646	ND	0.041	0.021	0.067	1.803	ND	ND	ND	0.046
mg/unit	58.52	3730.44	ND	5.74	2.94	9.38	252.42	ND	ND	ND	6.44
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2099g

Extraction date:
03/27/25 12:31:31

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084752POT

Instrument Used : DA-LC-001

Analyzed Date : 03/28/25 08:34:55

Batch Date : 03/27/25 08:56:07

Dilution : 400

Reagent : 032425.R12; 012725.02; 032625.R39

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
03/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Bscetti Mnt Shrbt (I)
Bscetti Mnt Shrbt (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50326003-005
Harvest/Lot ID: 4083510565780098

Batch# : 4083510565780098 Sample Size Received : 3 units
Sampled : 03/26/25 Total Amount : 494 units
Ordered : 03/26/25 Completed : 03/29/25 Expires: 03/29/26
Sample Method : SOP.T.20.010

Page 2 of 5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Smalls 14g - Bscetti Mnt Shrbrt (I)
Bscetti Mnt Shrbrt (I)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50326003-005

Harvest/Lot ID: 4083510565780098

Batch# : 4083510565780098

Sampled : 03/26/25

Ordered : 03/26/25

Sample Size Received : 3 units

Total Amount : 494 units

Completed : 03/29/25 Expires: 03/29/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.9982g	Extraction date: 03/27/25 13:23:44	Extracted by: 3379,4640		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084768PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/27/25 09:43:59	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/28/25 09:34:16					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 032225.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9982g	Extraction date: 03/27/25 13:23:44	Extracted by: 3379,4640		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084771VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 03/27/25 09:51:54	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/28/25 09:33:13					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 032225.R01; 081025.R43; 031025.R44					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Bsccti Mnt Shrbrt (I)
Bsccti Mnt Shrbrt (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50326003-005
Harvest/Lot ID: 4083510565780098

Batch# : 4083510565780098 Sample Size Received : 3 units
Sampled : 03/26/25 Total Amount : 494 units
Ordered : 03/26/25 Completed : 03/29/25 Expires: 03/29/26
Sample Method : SOP.T.20.010

Page 4 of 5

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3621, 585, 1440 Weight: 0.9982g Extraction date: 03/27/25 13:23:44 Extracted by: 3379,4640					
TOTAL YEAST AND MOLD	10	CFU/g	60	PASS	100000	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084770MYC Instrument Used : N/A Batch Date : 03/27/25 09:50:51 Analyzed Date : 03/28/25 08:40:35					
Analyzed by: 4520, 4531, 585, 1440 Weight: 0.927g Extraction date: 03/27/25 09:08:49 Extracted by: 4520						Dilution : 250 Reagent : 032225.R01; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084748MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 03/28/25 12:48:54						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : 10 Reagent : 020125.07; 013025.14; 031525.R03; 093024.02 Consumables : 7581001062 Pipette : N/A						Heavy Metals PASSED					
Analyzed by: 4520, 4531, 585, 1440 Weight: 0.927g Extraction date: 03/27/25 09:08:49 Extracted by: 4520						Metal	LOD	Units	Result	Pass / Fail	Action Level
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084749TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 03/29/25 13:47:38						TOTAL CONTAMINANT LOAD METALS					
Dilution : 10 Reagent : 020125.07; 013025.14; 022625.R53 Consumables : N/A Pipette : N/A						ARSENIC	0.020	ppm	<0.100	PASS	0.2
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						CADMIUM	0.020	ppm	ND	PASS	0.2
						MERCURY	0.020	ppm	ND	PASS	0.2
						LEAD	0.020	ppm	ND	PASS	0.5
						Analyzed by: 1022, 585, 1440 Weight: 0.2331g Extraction date: 03/27/25 11:28:05 Extracted by: 1022,4056					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084791HEA Instrument Used : DA-ICPMS-004 Batch Date : 03/27/25 10:27:35 Analyzed Date : 03/28/25 10:57:11					
						Dilution : 50 Reagent : 032525.R31; 031725.R14; 032425.R07; 032525.R30; 032425.R05; 032425.R06; 120324.07; 031725.R15 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
03/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Bscitti Mnt Shrbt (I)
Bscitti Mnt Shrbt (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50326003-005

Harvest/Lot ID: 4083510565780098

Batch# : 4083510565780098

Sampled : 03/26/25

Ordered : 03/26/25

Sample Size Received : 3 units

Total Amount : 494 units

Completed : 03/29/25 Expires: 03/29/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	11.3	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/27/25 11:13:03			Extracted by: 1879	Analyzed by: 4797, 585, 1440	Weight: 0.5g	Extraction date: 03/27/25 14:16:50			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA084796FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/29/25 13:15:47						Analysis Method : SOP.T.40.021 Analytical Batch : DA084745MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/28/25 08:32:22					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066					

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.537	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.963g	Extraction date: 03/27/25 16:02:25	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084746WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 03/27/25 07:12:04		
Analyzed Date : 03/28/25 08:42:28					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/29/25