

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50327012-003

Kaycha Labs

Supply Shake 14g - Lmn Bean x Italian Ice (S) +

Lmn Bean x Italian Ice (S)

Classification: High THC



Production Method: Other - Not Listed Harvest/Lot ID: 8457279985214468

Batch#: 8457279985214468

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 4690288528573871

Harvest Date: 03/25/25

Sample Size Received: 5 units Total Amount: 1066 units

Retail Product Size: 14 gram Retail Serving Size: 14 gram

Servings: 1

Ordered: 03/27/25 Sampled: 03/27/25

Completed: 03/31/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins Residuals **PASSED** Solvents **NOT TESTED**



Sunnyside

Filth **PASSED**

Batch Date: 03/28/25 08:23:30



Water Activity **PASSED**



Moisture **PASSED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Mar 31, 2025 | Sunnyside

Total THC 19.876%

Total THC/Container : 2782.640 mg



Total CBD 0.052%

Total CBD/Container: 7.280 mg



Total Cannabinoids

Total Cannabinoids/Container: 3263.120



Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA084808POT Instrument Used: DA-LC-002 Analyzed Date: 03/31/25 08:18:33

Label Claim

Reagent: 032425.R13; 012725.02; 032625.R40

Consumables: 947.110; 04312111; 062224CH01; 0000355309 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs Supply Shake 14g - Lmn Bean x Italian Ice (S) Lmn Bean x Italian Ice (S) Matrix : Flower Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50327012-003 Harvest/Lot ID: 8457279985214468

Sampled: 03/27/25 Ordered: 03/27/25

Batch#: 8457279985214468 Sample Size Received: 5 units Total Amount: 1066 units Completed: 03/31/25 Expires: 03/31/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		
TOTAL TERPENES	0.007	TESTED	210.98	1.507		VALENCENE	0.007	TESTED	ND	ND		
BETA-CARYOPHYLLENE	0.007	TESTED	66.78	0.477		ALPHA-CEDRENE	0.005	TESTED	ND	ND		
LIMONENE	0.007	TESTED	34.58	0.247		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND		
LINALOOL	0.007	TESTED	25.90	0.185		ALPHA-TERPINENE	0.007	TESTED	ND	ND		
BETA-MYRCENE	0.007	TESTED	21.98	0.157		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND		
ALPHA-HUMULENE	0.007	TESTED	20.02	0.143		CIS-NEROLIDOL	0.003	TESTED	ND	ND		
ALPHA-BISABOLOL	0.007	TESTED	8.68	0.062		GAMMA-TERPINENE	0.007	TESTED	ND	ND		
FENCHYL ALCOHOL	0.007	TESTED	8.12	0.058		TRANS-NEROLIDOL	0.005	TESTED	ND	ND		
BETA-PINENE	0.007	TESTED	7.98	0.057		Analyzed by:	Weigh	ь	Extractio	on date:	Ext	racted by:
ALPHA-TERPINEOL	0.007	TESTED	7.56	0.054		4444, 4451, 585, 1440	1.0192	g	03/28/29	5 11:57:14	444	14
FARNESENE	0.007	TESTED	4.76	0.034		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A	l.FL					
ALPHA-PINENE	0.007	TESTED	4.62	0.033		Analytical Batch : DA084822TER Instrument Used : DA-GCMS-009				Batch Date : 03/28/25 09	1.20.26	
3-CARENE	0.007	TESTED	ND	ND		Analyzed Date : 03/31/25 09:51:40				BALLII DACE 1 U3/20/23 US	9.30.20	
BORNEOL	0.013	TESTED	ND	ND		Dilution: 10						
CAMPHENE	0.007	TESTED	ND	ND		Reagent : 022525.47						
CAMPHOR	0.007	TESTED	ND	ND		Consumables: 947.110; 04312111; 2240626; 0000	355309					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Pipette : DA-065						
CEDROL	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograp	hy Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight correcti	ed.	
EUCALYPTOL	0.007	TESTED	ND	ND								
FENCHONE	0.007	TESTED	ND	ND								
GERANIOL	0.007	TESTED	ND	ND								
GERANYL ACETATE	0.007	TESTED	ND	ND								
GUAIOL	0.007	TESTED	ND	ND								
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND								
ISOBORNEOL	0.007	TESTED	ND	ND								
ISOPULEGOL	0.007	TESTED	ND	ND								
NEROL	0.007	TESTED	ND	ND								
OCIMENE	0.007	TESTED	ND	ND								
PULEGONE	0.007	TESTED	ND	ND								
SABINENE	0.007	TESTED	ND	ND								
SABINENE HYDRATE	0.007	TESTED	ND	ND								
Total (%)				1 507								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50327012-003 Harvest/Lot ID: 8457279985214468

Pacc/Eail Pacult

Sampled: 03/27/25 Ordered: 03/27/25

Batch#: 8457279985214468 Sample Size Received: 5 units Total Amount: 1066 units Completed: 03/31/25 Expires: 03/31/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	0.2	PASS	ND					0.1	PASS	ND
TOTAL PERMETHRIN		ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010				
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL SPINETORAM		ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD		ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE				0.1	PASS	
BIFENTHRIN		ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010				ND
BOSCALID		ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND				111	0.1	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050				
DICHLORVOS		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DIMETHOATE		ppm	0.1	PASS	ND		Veight:		ctraction da		Extract	ed by:
ETHOPROPHOS		ppm	0.1	PASS	ND		.0022g	03	3/28/25 12:0	4:15	3621	
ETOFENPROX		ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.102.FL, SOP.T.4 Analytical Batch: DA084828PES	40.102.FL					
ETOXAZOLE		ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Ratch	Date: 03/28/	25.09-52-33	
FENHEXAMID		ppm	0.1	PASS	ND	Analyzed Date: 03/31/25 07:52:01			Dutti	Date 103/20/	25 05.52.55	
FENOXYCARB		ppm	0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE		ppm	0.1	PASS	ND	Reagent: 032225.R01; 081023.01						
FIPRONIL		ppm	0.1	PASS	ND	Consumables: 040724CH01; 6822423-02						
FLONICAMID		ppm	0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut accordance with F.S. Rule 64ER20-39.	tilizing Liquid	d Chron	natography T	riple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX		ppm	0.1	PASS	ND	Analyzed by: Weight:		Evene	tion date:		Extracte	d lave
IMAZALIL		ppm	0.1	PASS	ND	4640, 585, 1440 1.0022q			25 12:04:15		3621	a by:
IMIDACLOPRID		ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T		00,20,2	.5 12:01:125		3021	
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analytical Batch : DA084832VOL						
MALATHION		mag	0.2	PASS	ND	Instrument Used : DA-GCMS-010			Batch D	ate:03/28/25	09:55:17	
METALAXYL		ppm	0.1	PASS	ND	Analyzed Date : 03/31/25 07:50:03						
METHIOCARB		ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL		ppm	0.1	PASS	ND	Reagent: 032225.R01; 081023.01; 031025 Consumables: 040724CH01: 6822423-02:		25.R44				
MEVINPHOS		ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218	1/4/3001					
	0.010			PASS	ND			`h				
MYCLOBUTANIL	0.010	mag	0.1									trv in
MYCLOBUTANIL NALED	0.010	ppm ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut accordance with F.S. Rule 64ER20-39.	illizing Gas C	nromai	tograpny irip	ie-Quadrupoie	Mass Spectrome	etry in
							ilizing Gas C	.nromai	tograpny i rip	ie-Quadrupoie	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Supply Shake 14g - Lmn Bean x Italian Ice (S) Lmn Bean x Italian Ice (S) Matrix: Flower Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample: DA50327012-003 Harvest/Lot ID: 8457279985214468

Batch Date: 03/28/25 08:11:02

Sampled: 03/27/25 Ordered: 03/27/25

Batch#: 8457279985214468 Sample Size Received: 5 units Total Amount: 1066 units Completed: 03/31/25 Expires: 03/31/26 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		,
ASPERGILLUS NIGER			Not Present	PASS		4
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		,
ECOLI SHIGELLA			Not Present	PASS		_
TOTAL YEAST AND MOLD	10	CFU/g	1310	PASS	100000	3

Analyzed by: 3390, 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.8609g 03/28/25 10:19:14 4571,4044

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA084804MIC \\ \end{array}$

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/28/25 08:08:17

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 03/31/25 07:53:02

Dilution: 10

Reagent: 013025.14; 021725.23; 031525.R03; 062624.20

Consumables: 7581001076

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 4777, 585, 1440	0.8609g	03/28/25 10:19:14	4571,4044

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084806TYM Instrument Used : Incubator DA-188 (36*C)

Analyzed Date: 03/31/25 07:55:11

Dilution: 10

Reagent: 013025.14; 021725.23; 022625.R53

Consumables: N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

	LOD	Units	Result	Pass / Fail	Action Level
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
Weight: 1.0022g				Extracte 3621	d by:
		0.002 0.002 0.002 0.002 0.002 Weight: Extractio	0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm	0.002 ppm ND	0.002 ppm ND PASS 0.002 ppm ND PASS

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA084831MYC Instrument Used: DA-LCMS-004 (MYC)

Analyzed Date: 03/31/25 07:50:49

Dilution: 250

Reagent: 032225.R01; 081023.01 Consumables: 040724CH01; 6822423-02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Batch Date: 03/28/25 09:54:52

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	< 0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by Weight: Extraction date: Extracted by: 1022, 585, 1440 0.2831g 03/28/25 11:26:19 4056.1879

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL

Analytical Batch : DA084830HEA Instrument Used: DA-ICPMS-004 Batch Date: 03/28/25 09:53:32

Dilution: 50

Reagent: 032525.R31; 031725.R14; 032425.R07; 032525.R30; 032425.R05; 032425.R06; 120324.07; 031725.R15

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Analyzed Date: 03/29/25 14:01:04

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50327012-003 Harvest/Lot ID: 8457279985214468

Sampled: 03/27/25 Ordered: 03/27/25

Batch#: 8457279985214468 Sample Size Received: 5 units Total Amount: 1066 units Completed: 03/31/25 Expires: 03/31/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Dilution: N/A

Analysis Method: SOP.T.40.021

Analyzed Date: 03/31/25 07:54:24

Analytical Batch: DA084810MOI
Instrument Used: DA-003 Moisture Analyzer

Moisture

PASSED

Batch Date: 03/28/25 08:32:58

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.6	PASS	15

Analyzed by: 1879, 585, 1440 Analyzed by: 4797, 585, 1440 Extraction date: Extracted by: Extraction date 03/28/25 12:23:05 03/28/25 11:24:52 1g 1879 0.501q4797.585

Analysis Method: SOP.T.40.090 Analytical Batch : DA084841FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 03/29/25 22:05:02

Dilution: N/AReagent: N/A

Consumables : N/A Pipette: N/A

Batch Date: 03/28/25 12:17:13

Batch Date: 03/28/25 08:34:44

Reagent: 092520.50; 030125.01 Consumables : N/A Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.545	PASS	0.65
Analyzed by: 4797, 585, 1440		raction d		Ex 47	tracted by:	

Analysis Method: SOP.T.40.019 Analytical Batch: DA084811WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 03/28/25 14:13:57

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Signature Testing 97164 03/31/25