

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50327012-007

Kaycha Labs X

Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H)

Mt. Ripsmore (H) Matrix: Derivative Classification: High THC Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 4238455934043041

Batch#: 4238455934043041

Cultivation Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 6417437327922730

Harvest Date: 03/19/25

Sample Size Received: 31 units

Total Amount: 1300 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 03/27/25 Sampled: 03/27/25

Completed: 03/31/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



PASSED

Batch Date: 03/28/25 09:14:10



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Mar 31, 2025 | Sunnyside

Total THC

81.197% Total THC/Container : 405.985 mg




Total CBD 0.122%

Total CBD/Container: 0.610 mg



Total Cannabinoids

Total Cannabinoids/Container: 417.390



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084820POT Instrument Used : DA-LC-007

Analyzed Date: 03/31/25 07:58:34

Reagent: 032425.R11; 012725.02; 030725.R03

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim **PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/31/25





4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Cresco Liquid Live Resin Cartridge 500mg - Mt. Ripsmore (H)

Mt. Ripsmore (H)

Matrix: Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50327012-007 Harvest/Lot ID: 4238455934043041

Sampled: 03/27/25 Ordered: 03/27/25

Batch#: 4238455934043041 Sample Size Received: 31 units Total Amount: 1300 units **Completed:** 03/31/25 **Expires:** 03/31/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

Т	E	S	Т	E	

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	20.37	4.074		PULEGONE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	4.88	0.976		SABINENE	0.007	TESTED	ND	ND	
LINALOOL	0.007	TESTED	3.43	0.686		VALENCENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	3.12	0.624		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.88	0.375		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ARNESENE	0.001	TESTED	1.85	0.369		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.11	0.222		BETA-CARYOPHYLLENE	0.007	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	0.67	0.133		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.64	0.127	İ	Analyzed by:	Weigh	t-	Extracti	ion date:	Extracted by:
RANS-NEROLIDOL	0.005	TESTED	0.46	0.091	The state of the s	4444, 4451, 585, 1440	0.212	lg	03/28/2	25 11:59:55	4444
BORNEOL	0.013	TESTED	0.40	0.079		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
GERANIOL	0.007	TESTED	0.36	0.071		Analytical Batch : DA084823TER Instrument Used : DA-GCMS-004				Batch Date: 03/28/25 09:40:17	
BETA-PINENE	0.007	TESTED	0.32	0.064		Analyzed Date : 03/31/25 08:50:42				Batch Date: 03/28/25 09:40:17	
ARYOPHYLLENE OXIDE	0.007	TESTED	0.27	0.053		Dilution: 10					
LPHA-PINENE	0.007	TESTED	0.24	0.048		Reagent: 022525.47					
ENCHONE	0.007	TESTED	0.23	0.045		Consumables: 947.110; 04312111; 2240626; 0000355	309				
ALPHA-TERPINOLENE	0.007	TESTED	0.16	0.032		Pipette : DA-065					
CIMENE	0.007	TESTED	0.15	0.029		Terpenoid testing is performed utilizing Gas Chromatography N	lass Spectrometry	. For all Flower sa	mples, the Total	I Terpenes % is dry-weight corrected.	
ABINENE HYDRATE	0.007	TESTED	0.14	0.027							
SAMMA-TERPINENE	0.007	TESTED	0.12	0.023							
B-CARENE	0.007	TESTED	ND	ND		İ					
CAMPHENE	0.007	TESTED	ND	ND		İ					
CAMPHOR	0.007	TESTED	ND	ND							
CEDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
ISOPULEGOL	0.007	TESTED	ND	ND							
NEROL	0.007	TESTED	ND	ND							
Total (%)				4.074							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/31/25