

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50328022-002

# Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Alpine Guav (H)

Alpine Guav (H)

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 7059465589871352

Batch#: 7059465589871352

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 7108918257869000

Harvest Date: 03/20/25

Sample Size Received: 31 units Total Amount: 1190 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 03/28/25 Sampled: 03/28/25

Completed: 04/01/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

**Certificate of Analysis** 

Apr 01, 2025 | Sunnyside 22205 Sw Martin Hwy

indiantown, FL, 34956, US



SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes **TESTED** 

TESTED

CBC

0.809

0.001

**PASSED** 

%

4.05



mg/unit

LOD

## Cannabinoid

Total THC 77.659%

0.001

Total THC/Container: 388.295 mg



CBDA

ND

ND

%

0.001

D8-THC

ND

ND

%

0.001

**Total CBD** 0.363%

Total CBD/Container: 1.815 mg

5.688

28.44

0.001

Extraction date: 03/31/25 11:10:34

%



CBN

ND

ND

0.001

THCV

0.742

3.71

0.001

%

**Total Cannabinoids** 

CBDV

ND

ND

%

Extracted by: 3335

0.001

Total Cannabinoids/Container: 426.425



, -	
Analyzed by: 3335, 1665, 585, 1440	
Analysis Mothod : SOP T 40 031	SOP T 30

0.001

Batch Date: 03/31/25 07:44:06

CBGA

ND

ND

0.001

Analytical Batch : DA084899POT Instrument Used : DA-LC-003 Analyzed Date: 04/01/25 09:44:58

Reagent: 032425.R11; 012725.03; 030725.R03

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.363

1.82

0.001

%

**Label Claim** 

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 04/01/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



### Kaycha Labs FloraCal Live Rosin Cartridge 500mg - Alpine Guav (H) Alpine Guav (H) Matrix : Derivative Type: Extract for Inhalation

# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50328022-002 Harvest/Lot ID: 7059465589871352

Batch#: 7059465589871352 Sample Size Received: 31 units Sampled: 03/28/25

Total Amount: 1190 units Ordered: 03/28/25 Completed: 04/01/25 Expires: 04/01/26 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	ma/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	21.84	4.368		SABINENE	0.007	TESTED	ND.	ND	
BETA-MYRCENE	0.007	TESTED	5.12	1.024		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	4.61	0.922		VALENCENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	3.54	0.708		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.91	0.382		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.49	0.298		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
UAIOL	0.007	TESTED	1.13	0.226		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.96	0.191	To the second se	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	0.59	0.117	i i	Analyzed by:	Weight:		Extraction of	date:	Extracted by:
LPHA-TERPINEOL	0.007	TESTED	0.43	0.085		4444, 4451, 585, 1440	0.2095g		03/30/25 1	0:32:34	1879,4444
ENCHYL ALCOHOL	0.007	TESTED	0.42	0.083		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
DRNEOL	0.013	TESTED	0.36	0.072		Analytical Batch : DA084858TER Instrument Used : DA-GCMS-004				Batch Date : 03/29/25 11:26:16	
ARNESENE	0.001	TESTED	0.27	0.053		Instrument Used : DA-GCMS-004 Analyzed Date : 04/01/25 09:45:00				Batch Date: 03/29/25 11:26:16	
RANIOL	0.007	TESTED	0.21	0.042		Dilution: 10					
NCHONE	0.007	TESTED	0.21	0.041		Reagent : N/A					
ETA-PINENE	0.007	TESTED	0.18	0.035		Consumables: 947.110; 04402004; 2240626; 0000355	309				
AMPHENE	0.007	TESTED	0.17	0.033		Pipette : DA-065					
LPHA-TERPINOLENE	0.007	TESTED	0.16	0.032		Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
AMMA-TERPINENE	0.007	TESTED	0.12	0.024							
CARENE	0.007	TESTED	ND	ND							
MPHOR	0.007	TESTED	ND	ND							
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND		İ					
JCALYPTOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### Kaycha Labs FloraCal Live Rosin Cartridge 500mg - Alpine Guav (H) Alpine Guav (H) Matrix : Derivative

Type: Extract for Inhalation



# **Certificate of Analysis**

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50328022-002 Harvest/Lot ID: 7059465589871352

Pacc/Eail Pacult

Sampled: 03/28/25 Ordered: 03/28/25

Batch#: 7059465589871352 Sample Size Received: 31 units Total Amount: 1190 units

**Completed:** 04/01/25 **Expires:** 04/01/26 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

## **PASSED**

Dage/Eail Beauth

Pesticide	LOD U	Jnits Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 pr		PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 pr		PASS	ND			0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010 pr	. 0.1	PASS	ND	PACLOBUTRAZOL				0.1		
TOTAL PYRETHRINS	0.010 pr		PASS	ND			0.010			PASS	ND
TOTAL SPINETORAM	0.010 pr		PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010 pr		PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 pr		PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 pr		PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 pr		PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 pr		PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010 pr		PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010 pr		PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010 pr		PASS	ND			0.010		0.1	PASS	ND
BIFENTHRIN	0.010 pr		PASS	ND	TEBUCONAZOLE						
BOSCALID	0.010 pr		PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL	0.010 pr	P	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN	0.010 pr	P .	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 pr		PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 pr		PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010 pr	pm 0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 pr		PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010 pr		PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE	0.010 pr		PASS	ND	CYFLUTHRIN *		0.050	1.1.	0.5	PASS	ND
DIAZINON	0.010 pr		PASS	ND			0.050		0.5	PASS	ND
DICHLORVOS	0.010 pr		PASS	ND	CYPERMETHRIN *						
DIMETHOATE	0.010 pr		PASS	ND		Veight:		raction date		Extracted	
ETHOPROPHOS	0.010 pr	pm 0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.	.2564g	03/.	30/25 11:14:	04	4640,337	9
ETOFENPROX	0.010 pr	pm 0.1	PASS	ND	Analytical Batch : DA084855PES	.40.102.FL					
ETOXAZOLE	0.010 pp	ppm 0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch	Date: 03/29/	25 11:17:50	
FENHEXAMID	0.010 pp	pm 0.1	PASS	ND	Analyzed Date : 04/01/25 09:43:03						
FENOXYCARB	0.010 pr	pm 0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010 pp	ppm 0.1	PASS	ND	Reagent: 032725.R25; 032925.R01; 08103	23.01					
FIPRONIL	0.010 pp	pm 0.1	PASS	ND	Consumables: 040724CH01; 221021DD Pipette: N/A						
FLONICAMID	0.010 pp	pm 0.1	PASS	ND	•	AREA CONTRACTOR	d Ch			l- M C	
FLUDIOXONIL	0.010 pp	pm 0.1	PASS	ND	Testing for agricultural agents is performed u accordance with F.S. Rule 64ER20-39.	itilizing Liquit	Chron	latograpny II	ripie-Quadrupo	ie Mass Spectror	netry in
HEXYTHIAZOX	0.010 pp	pm 0.1	PASS	ND		eiaht:	Extr	action date		Extracted	bv:
IMAZALIL	0.010 pp	pm 0.1	PASS	ND		2564g		0/25 11:14:0		4640,3379	
IMIDACLOPRID	0.010 pp	pm 0.4	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP.	T.40.151.FL					
KRESOXIM-METHYL	0.010 pp	pm 0.1	PASS	ND	Analytical Batch : DA084859VOL						
MALATHION	0.010 pp	pm 0.2	PASS	ND	Instrument Used : DA-GCMS-011			Batch D	ate:03/29/25	11:27:03	
METALAXYL	0.010 pp	pm 0.1	PASS	ND	Analyzed Date : 03/31/25 15:07:07						
METHIOCARB	0.010 pp	pm 0.1	PASS	ND	Dilution: 250 Reagent: 032725.R25; 032925.R01; 0810	23 01- 0210	25 0/2	031035 04	1		
METHOMYL	0.010 pp	pm 0.1	PASS	ND	Consumables: 040724CH01: 221021DD	23.01, 0310	2J.N43	, UJIUZJ.K44	*		
MEVINPHOS	0.010 pp	pm 0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
MYCLOBUTANIL	0.010 pp	pm 0.1	PASS	ND	Testing for agricultural agents is performed u	itilizing Gas (	Chromat	ography Trip	le-Quadrupole	Mass Spectrome	try in
NALED	0.010 pp	pm 0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.						-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50328022-002 Harvest/Lot ID: 7059465589871352

Batch#: 7059465589871352 Sample Size Received: 31 units Sampled: 03/28/25 Ordered: 03/28/25

Total Amount: 1190 units **Completed:** 04/01/25 **Expires:** 04/01/26 Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4571, 850, 585, 1440	<b>Weight:</b> 0.0264g	<b>Extraction d</b> 03/30/25 10			Extracted by: 1571

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA084885SOL Instrument Used: DA-GCMS-002

**Analyzed Date:** 03/31/25 13:49:21

Dilution: 1

Reagent: 030420.09 Consumables: 430855: 315545 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Batch Date: 03/29/25 14:21:46

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### Kaycha Labs ■ FloraCal Live Rosin Cartridge 500mg - Alpine Guav (H) Alpine Guav (H) Matrix : Derivative

Type: Extract for Inhalation



# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50328022-002 Harvest/Lot ID: 7059465589871352

Sampled: 03/28/25 Ordered: 03/28/25

Batch#: 7059465589871352 Sample Size Received: 31 units Total Amount: 1190 units Completed: 04/01/25 Expires: 04/01/26 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**

Batch Date: 03/29/25 07:29:31



# PASSED

Analyte	LO	D Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:	Weight:	Extraction	date:		Extracted	l by:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		0.2564g	03/30/25			4640,337	
Analyzed by:	Weight:	Extraction d	ate:	Extracted	by:	Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL						

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 4777, 585, 1440 0.876g 03/29/25 09:47:26 4520,4531

 $\begin{array}{l} \textbf{Analysis Method:} SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL \\ \textbf{Analytical Batch:} DA084846MIC \end{array}$ 

**Instrument Used :** PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 03/29/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 07:28:20

(95\*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

**Analyzed Date :** 03/31/25 15:08:59

Dilution: 10

Reagent: 021725.18; 021725.23; 031525.R03; 062624.20

Consumables: 7581001075

Pipette : N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4777, 585, 1440	0.876g	03/29/25 09:47:26	4520,4531

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084847TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 04/01/25 09:44:22

Dilution: 10

Reagent: 021725.18; 021725.23; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

246	Prycocoxiiis				I AS	
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN I	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN I	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02

Analytical Batch : DA084860MYC Instrument Used : DA-LCMS-004 (MYC)

Dilution: 250

Reagent: 032725.R25; 032925.R01; 081023.01 Consumables: 040724CH01; 221021DD

Analyzed Date: 04/01/25 09:41:47

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

# **PASSED**

Batch Date: 03/29/25 11:28:44

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	

Weight: **Extraction date:** Extracted by: 1022, 585, 1440 0.2426g 03/30/25 11:05:51 1022.4056

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL Analytical Batch : DA084865HEA

Instrument Used: DA-ICPMS-004 **Batch Date:** 03/29/25 11:43:15 Analyzed Date: 04/01/25 09:40:34

Dilution: 50

Reagent: 032525.R31; 031725.R14; 032425.R07; 032525.R30; 032425.R05; 032425.R06; 120324.07; 031725.R15

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50328022-002 Harvest/Lot ID: 7059465589871352

Batch#: 7059465589871352 Sample Size Received: 31 units Sampled: 03/28/25

Total Amount: 1190 units Ordered: 03/28/25 Completed: 04/01/25 Expires: 04/01/26 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 03/29/25 22:13:07 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA084887FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 03/29/25 21:59:19 Analyzed Date: 03/31/25 17:06:28

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Analyte Water Activity		LOD	Units	Result	P/F PASS	Action Level
		0.010		0.103		0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.6161g		raction d 29/25 14			<b>acted by:</b> 7,585

Analysis Method: SOP.T.40.019

Analytical Batch: DA084870WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 03/29/25 11:49:16 **Analyzed Date:** 03/31/25 13:47:25

Dilution: N/A

Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164