



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50328022-006



Production Method: Other - Not Listed

Harvest/Lot ID: 3711986160926963

Batch#: 3711986160926963

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 7708178764894775

Harvest Date: 03/20/25

Sample Size Received: 16 units

Total Amount: 761 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/28/25

Sampled: 03/28/25

Completed: 04/02/25

Sampling Method: SOP.T.20.010

Apr 02, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
85.307%

Total THC/Container : 853.070 mg



Total CBD
ND

Total CBD/Container : 0.000 mg



Total Cannabinoids
96.750%

Total Cannabinoids/Container : 967.500 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	7.484	88.738	ND	ND	ND	0.375	0.047	ND	ND	ND	0.106
mg/unit	74.84	887.38	ND	ND	ND	3.75	0.47	ND	ND	ND	1.06
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4351, 1440

Weight:
0.1134g

Extraction date:
03/31/25 11:10:34

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084899POT

Instrument Used : DA-LC-003

Analyzed Date : 04/02/25 08:10:30

Batch Date : 03/31/25 07:44:06

Dilution : 400

Reagent : 032425.R11; 012725.03; 030725.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50328022-006
Harvest/Lot ID: 3711986160926963

Batch# : 3711986160926963 Sample Size Received : 16 units
Sampled : 03/28/25 Total Amount : 761 units
Ordered : 03/28/25 Completed : 04/02/25 Expires: 04/02/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	19.44	1.944	SABINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	3.72	0.372	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	3.30	0.330	VALENENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	2.49	0.249	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.25	0.225	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	1.24	0.124	ALPHA-TERPINENE	0.007	TESTED	ND	ND
FARNESENE	0.001	TESTED	1.13	0.113	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.75	0.075	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	0.65	0.065	Analyzed by: 4444, 4451, 585, 1440				
BORNEOL	0.013	TESTED	0.59	0.059	Weight: 0.2077g		Extraction date: 03/30/25 10:32:34		Extracted by: 1879,4444
FENCHYL ALCOHOL	0.007	TESTED	0.57	0.057	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANIOL	0.007	TESTED	0.53	0.053	Analytical Batch : DA0844859TER				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.49	0.049	Instrument Used : DA-GCMS-004				
TRANS-NEROLIDOL	0.005	TESTED	0.46	0.046	Analyzed Date : 04/02/25 08:50:45				
BETA-PINENE	0.007	TESTED	0.40	0.040	Dilution : 10				
FENCHONE	0.007	TESTED	0.37	0.037	Reagent : N/A				
ALPHA-TERPINOLENE	0.007	TESTED	0.26	0.026	Consumables : 947.110; 04402004; 2240626; 0000355309				
ALPHA-PINENE	0.007	TESTED	0.24	0.024	Pipette : DA-065				
3-CARENE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				1.944					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50328022-006

Harvest/Lot ID: 3711986160926963

Batch# : 3711986160926963

Sampled : 03/28/25

Ordered : 03/28/25

Sample Size Received : 16 units

Total Amount : 761 units

Completed : 04/02/25 Expires: 04/02/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 3621, 585, 1440 Weight: 0.2514g Extraction date: 03/30/25 11:14:05 Extracted by: 4640,3379 Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch :DA084855PES Instrument Used :DA-LCMS-004 (PES) Batch Date :03/29/25 11:17:50 Analyzed Date :04/01/25 09:43:05 Dilution : 250 Reagent : 032725.R25; 032925.R01; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 795, 585, 1440 Weight: 0.2514g Extraction date: 03/30/25 11:14:05 Extracted by: 4640,3379 Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch :DA084859VOL Instrument Used :DA-GCMS-011 Batch Date :03/29/25 11:27:03 Analyzed Date :03/31/25 15:07:10 Dilution : 250 Reagent : 032725.R25; 032925.R01; 081023.01; 031025.R43; 031025.R44 Consumables : 040724CH01; 221021DD Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Live Sgr 1g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Derivative
Type: Rosin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50328022-006

Harvest/Lot ID: 3711986160926963

Batch# : 3711986160926963

Sampled : 03/28/25

Ordered : 03/28/25

Sample Size Received : 16 units

Total Amount : 761 units

Completed : 04/02/25 Expires: 04/02/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4571, 850, 585, 1440

Weight:
0.029g

Extraction date:
03/30/25 10:33:24

Extracted by:
4571

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA084885SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/31/25 13:49:25

Batch Date : 03/29/25 14:21:46

Dilution : 1
Reagent : 030420.09
Consumables : 430855; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Derivative
Type: Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50328022-006

Harvest/Lot ID: 3711986160926963

Batch# : 3711986160926963

Sampled : 03/28/25

Ordered : 03/28/25

Sample Size Received : 16 units

Total Amount : 761 units

Completed : 04/02/25 Expires: 04/02/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED									
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level				
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02				
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02				
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02				
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02				
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02				
ASPERGILLUS NIGER			Not Present	PASS											
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 3621, 585, 1440	Weight: 0.2514g	Extraction date: 03/30/25 11:14:05	Extracted by: 4640,3379						
Analyzed by: 4520, 4777, 585, 1440						Weight: 0.993g						Extraction date: 03/29/25 09:47:27		Extracted by: 4520,4531	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA084846MIC						Batch Date : 03/29/25 11:28:44			
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Batch Date : 03/29/25 07:28:20									
Analyzed Date : 03/31/25 15:09:02						Dilution : 250						Reagent : 032725.R25; 032925.R01; 081023.01			
Dilution : 10						Reagent : 021725.18; 021725.23; 031525.R03; 062624.20						Consumables : 040724CH01; 221021DD			
Reagent : 021725.18; 021725.23; 031525.R03; 062624.20						Consumables : 7581001075						Pipette : N/A			
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									
Analyzed by: 4520, 4777, 585, 1440						Weight: 0.993g						Extraction date: 03/29/25 09:47:27		Extracted by: 4520,4531	
Analysis Method : SOP.T.40.209.FL						Analytical Batch : DA084847TYM						Batch Date : 03/29/25 07:29:31			
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Analyzed Date : 04/01/25 09:44:26									
Dilution : 10						Reagent : 021725.18; 021725.23; 022625.R53									
Reagent : 021725.18; 021725.23; 022625.R53						Consumables : N/A						Pipette : N/A			
Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.									

	Heavy Metals					PASSED									
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2				
ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2				
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2				
MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5				
LEAD	0.020	ppm	ND	PASS	0.5										
Analyzed by: 1022, 585, 1440						Weight: 0.2822g						Extraction date: 03/30/25 11:08:24		Extracted by: 1022,4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA084865HEA						Batch Date : 03/29/25 11:43:15			
Instrument Used : DA-ICPMS-004						Analyzed Date : 04/01/25 09:40:37									
Dilution : 50						Reagent : 032525.R31; 031725.R14; 032425.R07; 032525.R30; 032425.R05; 032425.R06; 120324.07; 031725.R15									
Reagent : 032525.R31; 031725.R14; 032425.R07; 032525.R30; 032425.R05; 032425.R06; 120324.07; 031725.R15						Consumables : 040724CH01; J609879-0193; 179436									
Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216									
Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Live Sgr 1g - Mt. Ripshire (H)
Mt. Ripshire (H)
Matrix : Derivative
Type: Rosin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50328022-006

Harvest/Lot ID: 3711986160926963

Batch# : 3711986160926963

Sampled : 03/28/25

Ordered : 03/28/25

Sample Size Received : 16 units

Total Amount : 761 units

Completed : 04/02/25 Expires: 04/02/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 03/29/25 22:13:07	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA084887FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 03/29/25 21:59:19

Analyzed Date : 03/31/25 17:06:22

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.453	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 1.0246g	Extraction date: 03/29/25 14:38:39	Extracted by: 4797,585
---------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA084870WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 03/29/25 11:49:16

Analyzed Date : 03/31/25 13:47:27

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/02/25