

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50331010-001



Production Method: Cured
Harvest/Lot ID: 2618625459931316
Batch#: 2618625459931316
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 4909190238307251
Harvest Date: 03/24/25
Sample Size Received: 26 units
Total Amount: 1700 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 03/31/25
Sampled: 03/31/25
Completed: 04/03/25
Revision Date: 04/05/25
Sampling Method: SOP.T.20.010

Apr 05, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
25.331%

Total THC/Container : 253.310 mg



Total CBD
0.064%

Total CBD/Container : 0.640 mg



Total Cannabinoids
29.923%

Total Cannabinoids/Container : 299.230 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.280	28.565	ND	0.074	ND	0.260	0.621	ND	0.036	0.025	0.062
mg/unit	2.80	285.65	ND	0.74	ND	2.60	6.21	ND	0.36	0.25	0.62
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 3335, 585, 1440

Weight:
0.1986g

Extraction date:
04/01/25 12:52:28

Extracted by:
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084927POT

Instrument Used : DA-LC-002

Analyzed Date : 04/03/25 08:33:43

Batch Date : 04/01/25 08:47:52

Dilution : 400

Reagent : 032825.R13; 012725.03; 032625.R40

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/03/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Whole Flower Pre-Roll 1g - Strwb Guav (S)
Strwb Guav (S)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50331010-001
Harvest/Lot ID: 2618625459931316

Batch# : 2618625459931316 Sample Size Received : 26 units
Sampled : 03/31/25 Total Amount : 1700 units
Ordered : 03/31/25 Completed : 04/03/25 Expires: 04/05/26
Sample Method : SOP.T.20.010

Page 2 of 2

<

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/03/25