

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50331010-003



**Production Method:** Cured  
**Harvest/Lot ID:** 8536908228347480

**Batch#:** 8536908228347480

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 1745233030481012

**Harvest Date:** 03/26/25

**Sample Size Received:** 6 units

**Total Amount:** 1202 units

**Retail Product Size:** 7 gram

**Retail Serving Size:** 7 gram

**Servings:** 1

**Ordered:** 03/31/25

**Sampled:** 03/31/25

**Completed:** 04/03/25

**Sampling Method:** SOP.T.20.010

Apr 03, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



**Total THC**

**23.303%**

Total THC/Container : 1631.210 mg



**Total CBD**

**0.063%**

Total CBD/Container : 4.410 mg



**Total Cannabinoids**

**27.542%**

Total Cannabinoids/Container : 1927.940 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.473	26.032	ND	0.072	ND	0.136	0.756	ND	ND	ND	0.073
mg/unit	33.11	1822.24	ND	5.04	ND	9.52	52.92	ND	ND	ND	5.11
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
4351, 3335, 585, 1440

Weight:  
0.199g

Extraction date:  
04/01/25 12:52:29

Extracted by:  
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084927POT

Instrument Used : DA-LC-002

Analyzed Date : 04/02/25 09:16:03

Batch Date : 04/01/25 08:47:52

Dilution : 400

Reagent : 032825.R13; 012725.03; 032625.R40

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/03/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50331010-003  
Harvest/Lot ID: 8536908228347480

Batch# : 8536908228347480 Sample Size Received : 6 units  
Sampled : 03/31/25 Total Amount : 1202 units  
Ordered : 03/31/25 Completed : 04/03/25 Expires: 04/03/26  
Sample Method : SOP.T.20.010

Page 2 of 5

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	119.49	1.707	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	28.77	0.411	ALPHA-BISABOLOL	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	26.88	0.384	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	11.20	0.160	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	8.96	0.128	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	8.47	0.121	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
OCIMENE	0.007	TESTED	7.00	0.100	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	6.86	0.098	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	6.37	0.091	Analyzed by:	Weight:	Extraction date:		Extracted by:
BETA-PINENE	0.007	TESTED	6.02	0.086	4444, 4451, 585, 1440	1.0315g	04/01/25 10:43:36		4444
ALPHA-TERPINEOL	0.007	TESTED	3.92	0.056	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	TESTED	3.22	0.046	Analytical Batch : DA084935TER				
TRANS-NEROLIDOL	0.005	TESTED	1.82	0.026	Instrument Used : DA-GCMS-009				
3-CARENE	0.007	TESTED	ND	ND	Analyzed Date : 04/02/25 09:22:08				
BORNEOL	0.013	TESTED	ND	ND	Dilution : 10				
CAMPHERE	0.007	TESTED	ND	ND	Reagent : 120224.01				
CAMPHOR	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Pipette : DA-065				
CEDROL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)				1.707					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164


Signature  
04/03/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50331010-003  
Harvest/Lot ID: 853690828347480

Batch# : 853690828347480 Sample Size Received : 6 units  
Sampled : 03/31/25 Total Amount : 1202 units  
Ordered : 03/31/25 Completed : 04/03/25 Expires: 04/03/26  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.0491g	Extraction date: 04/01/25 11:26:36	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084932PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 04/01/25 09:28:28	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/02/25 15:28:22					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 032725.R10; 032625.R29; 032925.R01; 033125.R01; 012925.R01; 032625.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440	Weight: 1.0491g	Extraction date: 04/01/25 11:26:36	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA084934VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 04/01/25 09:30:11	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/02/25 09:15:25					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 032725.R10; 032625.R29; 032925.R01; 033125.R01; 012925.R01; 032625.R01; 081023.01					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.


**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/03/25



Supply Shake 7g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Flower-Cured





# PASSED

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
**Telephone:** (772) 631-0257  
**Email:** [Julio.Chavez@crescolabs.com](mailto:Julio.Chavez@crescolabs.com)

Sample : DA50331010-003  
Harvest/Lot ID: 8536908228347480  
Batch #: 8536908228347480  
Sampled : 03/31/25  
Ordered : 03/31/25

Sample Size Received : 6 units  
Total Amount : 1202 units  
Completed : 04/03/25 Expires: 04/03/26  
Sample Method : SOP-T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>19000</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 4777, 4520, 585, 1440</td><td>Weight: 1.014g</td><td>Extraction date: 04/01/25 09:26:09</td><td>Extracted by: 4520,4892</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084915MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 04/02/25 10:24:36</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 022625.56; 021725.19; 031525.R03; 062624.20 Consumables : 7581001033; 7581001075 Pipette : N/A</td></tr><tr><td>Analyzed by: 4777, 4571, 585, 1440</td><td>Weight: 1.014g</td><td>Extraction date: 04/01/25 09:26:09</td><td>Extracted by: 4520,4892</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084916TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 04/03/25 09:55:13</td></tr><tr><td colspan="6">Dilution : 10 Reagent : 022625.56; 021725.19; 022625.R53 Consumables : N/A Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	19000	PASS	100000	Analyzed by: 4777, 4520, 585, 1440	Weight: 1.014g	Extraction date: 04/01/25 09:26:09	Extracted by: 4520,4892	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084915MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 04/02/25 10:24:36						Dilution : 10 Reagent : 022625.56; 021725.19; 031525.R03; 062624.20 Consumables : 7581001033; 7581001075 Pipette : N/A						Analyzed by: 4777, 4571, 585, 1440	Weight: 1.014g	Extraction date: 04/01/25 09:26:09	Extracted by: 4520,4892	Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084916TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 04/03/25 09:55:13						Dilution : 10 Reagent : 022625.56; 021725.19; 022625.R53 Consumables : N/A Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3621, 585, 1440</td><td>Weight: 1.0491g</td><td>Extraction date: 04/01/25 11:26:36</td><td>Extracted by: 3621</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084933MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 04/02/25 15:27:07</td></tr><tr><td colspan="6">Dilution : 250 Reagent : 032725.R10; 032625.R29; 032925.R01; 033125.R01; 012925.R01; 032625.R01; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3621, 585, 1440	Weight: 1.0491g	Extraction date: 04/01/25 11:26:36	Extracted by: 3621	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084933MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 04/02/25 15:27:07						Dilution : 250 Reagent : 032725.R10; 032625.R29; 032925.R01; 033125.R01; 012925.R01; 032625.R01; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																													
TOTAL YEAST AND MOLD	10	CFU/g	19000	PASS	100000																																																																																																																																												
Analyzed by: 4777, 4520, 585, 1440	Weight: 1.014g	Extraction date: 04/01/25 09:26:09	Extracted by: 4520,4892																																																																																																																																														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA084915MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 04/02/25 10:24:36																																																																																																																																																	
Dilution : 10 Reagent : 022625.56; 021725.19; 031525.R03; 062624.20 Consumables : 7581001033; 7581001075 Pipette : N/A																																																																																																																																																	
Analyzed by: 4777, 4571, 585, 1440	Weight: 1.014g	Extraction date: 04/01/25 09:26:09	Extracted by: 4520,4892																																																																																																																																														
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA084916TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 04/03/25 09:55:13																																																																																																																																																	
Dilution : 10 Reagent : 022625.56; 021725.19; 022625.R53 Consumables : N/A Pipette : N/A																																																																																																																																																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																												
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																												
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																												
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																												
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																												
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																												
Analyzed by: 3621, 585, 1440	Weight: 1.0491g	Extraction date: 04/01/25 11:26:36	Extracted by: 3621																																																																																																																																														
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA084933MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 04/02/25 15:27:07																																																																																																																																																	
Dilution : 250 Reagent : 032725.R10; 032625.R29; 032925.R01; 033125.R01; 012925.R01; 032625.R01; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219																																																																																																																																																	
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																	
	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																																																																															
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2265g</td><td>Extraction date: 04/01/25 10:34:21</td><td>Extracted by: 4056</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084928HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/02/25 11:26:45</td></tr><tr><td colspan="6">Dilution : 50 Reagent : 032525.R31; 033125.R19; 032525.R30; 033125.R17; 033125.R18; 033125.R16; 120324.07 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2265g	Extraction date: 04/01/25 10:34:21	Extracted by: 4056	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084928HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/02/25 11:26:45						Dilution : 50 Reagent : 032525.R31; 033125.R19; 032525.R30; 033125.R17; 033125.R18; 033125.R16; 120324.07 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2265g</td><td>Extraction date: 04/01/25 10:34:21</td><td>Extracted by: 4056</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084928HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/02/25 11:26:45</td></tr><tr><td colspan="6">Dilution : 50 Reagent : 032525.R31; 033125.R19; 032525.R30; 033125.R17; 033125.R18; 033125.R16; 120324.07 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2265g	Extraction date: 04/01/25 10:34:21	Extracted by: 4056	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084928HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/02/25 11:26:45						Dilution : 50 Reagent : 032525.R31; 033125.R19; 032525.R30; 033125.R17; 033125.R18; 033125.R16; 120324.07 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																	
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																												
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																												
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																												
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																												
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																												
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																												
Analyzed by: 1022, 585, 1440	Weight: 0.2265g	Extraction date: 04/01/25 10:34:21	Extracted by: 4056																																																																																																																																														
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084928HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/02/25 11:26:45																																																																																																																																																	
Dilution : 50 Reagent : 032525.R31; 033125.R19; 032525.R30; 033125.R17; 033125.R18; 033125.R16; 120324.07 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216																																																																																																																																																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																	
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																												
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																												
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																												
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																												
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																												
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																												
Analyzed by: 1022, 585, 1440	Weight: 0.2265g	Extraction date: 04/01/25 10:34:21	Extracted by: 4056																																																																																																																																														
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA084928HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/02/25 11:26:45																																																																																																																																																	
Dilution : 50 Reagent : 032525.R31; 033125.R19; 032525.R30; 033125.R17; 033125.R18; 033125.R16; 120324.07 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216																																																																																																																																																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/03/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50331010-003  
Harvest/Lot ID: 8536908228347480

Batch# : 8536908228347480 Sample Size Received : 6 units  
Sampled : 03/31/25 Total Amount : 1202 units  
Ordered : 03/31/25 Completed : 04/03/25 Expires: 04/03/26  
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.1	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/02/25 09:14:27	Extracted by: 1879			Analyzed by: 4571, 585, 1440	Weight: 0.506g	Extraction date: 04/01/25 11:28:04	Extracted by: 4571		
Analysis Method : SOP.T.40.090 Analytical Batch : DA084967FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/03/25 09:53:56						Analysis Method : SOP.T.40.021 Analytical Batch : DA084938MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:56:53 Moisture Analyzer Analyzed Date : 04/02/25 09:11:40					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.529	PASS	0.65
Analyzed by: 4571, 585, 1440	Weight: 0.26g	Extraction date: 04/01/25 11:23:00	Extracted by: 4571,585		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA084941WAT					
Instrument Used : DA-028 Rotronic HygroPalm			Batch Date : 04/01/25 10:04:14		
Analyzed Date : 04/02/25 09:13:32					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/03/25