

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50401002-003


Production Method: Other - Not Listed

Harvest/Lot ID: 2108705178045283

Batch#: 2108705178045283

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9326047665900172

Harvest Date: 03/28/25

Sample Size Received: 5 units

Total Amount: 1195 units

Retail Product Size: 7 gram

Retail Serving Size: 7 gram

Servings: 1

Ordered: 04/01/25

Sampled: 04/01/25

Completed: 04/04/25

Sampling Method: SOP.T.20.010

Apr 04, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 2

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
21.515%

Total THC/Container : 1506.050 mg


Total CBD
0.066%

Total CBD/Container : 4.620 mg


Total Cannabinoids
24.734%

Total Cannabinoids/Container : 1731.380 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.493	21.690	ND	0.076	0.032	0.066	0.307	0.013	ND	ND	0.057
mg/unit	174.51	1518.30	ND	5.32	2.24	4.62	21.49	0.91	ND	ND	3.99
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1978g

Extraction date:
04/02/25 10:26:31

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084953POT

Instrument Used : DA-LC-002

Analyzed Date : 04/04/25 09:00:50

Batch Date : 04/02/25 08:11:20

Dilution : 400

Reagent : 031225.R13; 012725.03; 032625.R40

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
04/04/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Mt. Ripsmore (H)
Mt. Ripsmore (H)
Matrix : Flower
Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50401002-003
Harvest/Lot ID: 2108705178045283

Batch# : 2108705178045283 Sample Size Received : 5 units
Sampled : 04/01/25 Total Amount : 1195 units
Ordered : 04/01/25 Completed : 04/04/25 Expires: 04/04/26
Sample Method : SOP.T.20.010

Page 2 of 2

<

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/25