



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50403016-004



Production Method: Other - Not Listed

Harvest/Lot ID: 2004552242325333

Batch#: 2004552242325333

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 7627228103475852

Harvest Date: 04/02/24

Sample Size Received: 3 units

Total Amount: 319 units

Retail Product Size: 14 gram

Retail Serving Size: 14 gram

Servings: 1

Ordered: 04/03/25

Sampled: 04/03/25

Completed: 04/07/25

Sampling Method: SOP.T.20.010

Apr 07, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

25.781%

Total THC/Container : 3609.340 mg



Total CBD

0.066%

Total CBD/Container : 9.240 mg



Total Cannabinoids

30.545%

Total Cannabinoids/Container : 4276.300 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.552	28.768	ND	0.076	ND	0.079	0.992	ND	ND	ND	0.078
mg/unit	77.28	4027.52	ND	10.64	ND	11.06	138.88	ND	ND	ND	10.92
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2031g

Extraction date:
04/04/25 12:02:27

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085041POT

Instrument Used : DA-LC-002

Analyzed Date : 04/07/25 09:04:39

Batch Date : 04/04/25 08:22:30

Dilution : 400

Reagent : 031225.R14; 012725.03; 032625.R40

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Dulce de Uva (I)
Dulce de Uva (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50403016-004
Harvest/Lot ID: 2004552242325333

Batch# : 2004552242325333 Sample Size Received : 3 units
Sampled : 04/03/25 Total Amount : 319 units
Ordered : 04/03/25 Completed : 04/07/25 Expires: 04/07/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	344.40	2.460	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	88.76	0.634	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	66.22	0.473	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	54.74	0.391	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	36.40	0.260	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	34.16	0.244	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
GUAIOL	0.007	TESTED	15.68	0.112	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	13.44	0.096	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	10.78	0.077	Analyzed by: 4851, 385, 5440				
ALPHA-TERPINEOL	0.007	TESTED	7.00	0.050	Weight: 1.0757g				
FENCHYL ALCOHOL	0.007	TESTED	6.44	0.046	Extraction date: 04/04/25 11:38:27				
ALPHA-PINENE	0.007	TESTED	6.44	0.046	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	TESTED	4.34	0.031	Analytical Batch: DA0835567ER				
3-CARENE	0.007	TESTED	ND	ND	Instrument Used: DA-GCNE-009				
BORNEOL	0.013	TESTED	ND	ND	Analyzed Date: 04/07/25 09:04:42				
CAMPHERE	0.007	TESTED	ND	ND	Dilution: 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent: 120224.01				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables: 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette: DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Batch Date: 04/04/25 10:04:19				
FARNESENE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				2.460					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Dulce de Uva (I)
Dulce de Uva (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50403016-004

Harvest/Lot ID: 2004552242325333

Batch# : 2004552242325333

Sampled : 04/03/25

Ordered : 04/03/25

Sample Size Received : 3 units

Total Amount : 319 units

Completed : 04/07/25 Expires: 04/07/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	1.0244g	04/04/25 11:31:23	3621		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085044PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 04/04/25 08:41:36	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/07/25 11:04:03					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 040225.R29; 040225.R28; 040225.R85; 033125.R01; 012925.R01; 040225.R01; 081023.01					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	4640, 450, 585, 1440	1.0244g	04/04/25 11:31:23	3621		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analytical Batch : DA085047VOL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 04/04/25 08:45:00	
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed Date : 04/07/25 11:02:04					
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent : 040225.R85; 081023.01; 040225.R32; 040225.R33					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/07/25



Certificate of Analysis

PASSED



Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50403016-004
 Harvest/Lot ID: 2004552242325333

 Batch# : 2004552242325333 Sample Size Received : 3 units
 Sampled : 04/03/25 Total Amount : 319 units
 Ordered : 04/03/25 Completed : 04/07/25 Expires: 04/07/26
 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED						Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level		
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
ASPERGILLUS NIGER			Not Present	PASS									
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 1.0244g	Extraction date: 04/04/25 11:31:23		Extracted by: 3621			
Analyzed by: 4044, 4520, 585, 1440	Weight: 1.147g	Extraction date: 04/04/25 10:15:56		Extracted by: 4520		Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085046MYC Instrument Used : N/A Analyzed Date : 04/07/25 08:54:24 Batch Date : 04/04/25 08:44:57							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085026MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 04/04/25 07:17:23 Analyzed Date : 04/07/25 08:43:32						Dilution : 250 Reagent : 040225.R29; 040225.R28; 040225.R85; 033125.R01; 012925.R01; 040225.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219							
Dilution : 10 Reagent : 021725.10; 021725.15; 031525.R03; 062624.20 Consumables : 7581001031 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Analyzed by: 4044, 4777, 585, 1440	Weight: 1.147g	Extraction date: 04/04/25 10:15:56		Extracted by: 4520		<div><div><div>Hg</div></div></div> Heavy Metals PASSED							
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA085027TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 04/04/25 07:18:29 Analyzed Date : 04/07/25 11:07:03						MetalLODUnitsResultPass / FailAction Level							
Dilution : 10 Reagent : 021725.10; 021725.15; 022625.R53 Consumables : N/A Pipette : N/A						TOTAL CONTAMINANT LOAD METALS0.080ppmNDPASS1.1							
						ARSENIC0.020ppm<0.100PASS0.2							
						CADMIUM0.020ppmNDPASS0.2							
						MERCURY0.020ppmNDPASS0.2							
						LEAD0.020ppmNDPASS0.5							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 4056, 1022, 585, 1440Weight: 0.2823gExtraction date: 04/04/25 11:44:13Extracted by: 4056,4531							
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA085045HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/07/25 08:42:16 Batch Date : 04/04/25 08:42:08							
						Dilution : 50 Reagent : 032525.R31; 031725.R14; 033125.R19; 032525.R30; 033125.R17; 033125.R18; 120324.07; 033125.R16 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216							
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Dulce de Uva (I)
Dulce de Uva (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50403016-004
Harvest/Lot ID: 2004552242325333

Batch# : 2004552242325333 Sample Size Received : 3 units
Sampled : 04/03/25 Total Amount : 319 units
Ordered : 04/03/25 Completed : 04/07/25 Expires: 04/07/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	11.7	PASS	15
Analyzed by: 1879, 585, 1440		Weight: 1g	Extraction date: 04/04/25 14:32:21			Extracted by: 1879	Analyzed by: 4797, 585, 1440		Weight: 0.494g	Extraction date: 04/04/25 13:16:36			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA085063FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/04/25 14:49:13						Batch Date : 04/04/25 14:28:17	Analysis Method : SOP.T.40.021 Analytical Batch : DA085058MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/04/25 23:39:13						
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.520	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.9g	Extraction date: 04/04/25 14:17:36	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA085060WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 04/04/25 10:19:54		
Analyzed Date : 04/04/25 23:40:12					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/07/25