

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50407005-001

Supply Shake 14g - Flo x Zkittles (S)

Flo x Zkittles (S)

Matrix: Flower Classification: High THC Type: Flower-Cured

Kaycha Labs



Harvest/Lot ID: 2088201890043616

Batch#: 2088201890043616

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 4425541808455792 Harvest Date: 04/01/25

Sample Size Received: 5 units

Total Amount: 1002 units Retail Product Size: 14 gram Retail Serving Size: 14 gram

Servings: 1

Ordered: 04/07/25 Sampled: 04/07/25

Completed: 04/10/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins Residuals **PASSED** Solvents



NOT TESTED



Filth **PASSED**

Batch Date: 04/08/25 08:04:43



Water Activity **PASSED**



Moisture **PASSED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Apr 10, 2025 | Sunnyside

Total THC



Total CBD

Total CBD/Container: 8.260 mg



Total Cannabinoids

Total Cannabinoids/Container: 3138.380

		ш									
%	D9-ТНС 0.905	THCA 20.923	CBD ND	CBDA 0.068	D8-THC	св _G 0.072	CBGA 0.319	CBN ND	тнсv 0.045	CBDV ND	свс 0.085
mg/unit	126.70	2929.22	ND	9.52	ND	10.08	44.66	ND	6.30	ND	11.90
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 585, 1665, 1440			Weight: Extraction date: 0.1999g 04/08/25 11:54:50			50	Extracted by: 3335				

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA085150POT Instrument Used: DA-LC-002 Analyzed Date: 04/10/25 14:33:08

Reagent: 032825.R14; 012725.03; 040725.R01 Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/10/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50407005-001 Harvest/Lot ID: 2088201890043616

Sampled: 04/07/25 Ordered: 04/07/25

Batch#: 2088201890043616 Sample Size Received: 5 units Total Amount: 1002 units Completed: 04/10/25 Expires: 04/10/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

erpenes LOD (%) Pass/Fail mg/unit Result (%)	Terpenes	LOD (%)	Pass/Fail		Result (%)	
DTAL TERPENES 0.007 TESTED 225.26 1.609	SABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE 0.007 TESTED 41.02 0.293	VALENCENE	0.007	TESTED	ND	ND	
MONENE 0.007 TESTED 40.88 0.292	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
NALOOL 0.007 TESTED 38.08 0.272	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE 0.007 TESTED 18.20 0.130	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
UAIOL 0.007 TESTED 17.78 0.127	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ETA-MYRCENE 0.007 TESTED 17.36 0.124	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL 0.007 TESTED 12.18 0.087	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-BISABOLOL 0.007 TESTED 11.62 0.083	Analyzed by:	Weight:		Extraction date	Extracted by:	
LPHA-TERPINEOL 0.007 TESTED 11.34 0.081	4451, 585, 1440	1.1079g		04/08/25 11:44	4:25 4451	
ETA-PINENE 0.007 TESTED 7.42 0.053	Analysis Method: SOP.T.30.061A.FL, SOP.	T.40.061A.FL				
RANS-NEROLIDOL 0.005 TESTED 5.18 0.037	Analytical Batch : DA085174TER Instrument Used : DA-GCMS-009				Batch Date: 04/08/25 10:42:38	
LPHA-PINENE 0.007 TESTED 4.20 0.030	Analyzed Date : 04/09/25 11:20:57				Battii Date 104/00/23 10.42:38	
CARENE 0.007 TESTED ND ND	Dilution: 10					
ORNEOL 0.013 TESTED ND ND	Reagent: 022525.49					
AMPHENE 0.007 TESTED ND ND	Consumables: 947.110; 04312111; 22406	526; 0000355309				
AMPHOR 0.007 TESTED ND ND	Pipette : DA-065					
ARYOPHYLLENE OXIDE 0.007 TESTED ND ND	Terpenoid testing is performed utilizing Gas Chr	omatography Mass Spectrometry	. For all Flower sa	amples, the Total	Terpenes % is dry-weight corrected.	
EDROL 0.007 TESTED ND ND						
UCALYPTOL 0.007 TESTED ND ND						
ARNESENE 0.007 TESTED ND ND						
ENCHONE 0.007 TESTED ND ND						
ERANIOL 0.007 TESTED ND ND						
ERANYL ACETATE 0.007 TESTED ND ND						
EXAHYDROTHYMOL 0.007 TESTED ND ND						
OBORNEOL 0.007 TESTED ND ND						
OPULEGOL 0.007 TESTED ND ND						
EROL 0.007 TESTED ND ND						
CIMENE 0.007 TESTED ND ND						
ULEGONE 0.007 TESTED ND ND						
ABINENE 0.007 TESTED ND ND						
221/9/						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/10/25