

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50407005-007



Apr 10, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

Kaycha Labs

Supply Vape Cartridge 1g - Grp Ape (I) Grp Ape (I)

Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 7389647087747577

> > Batch#: 7389647087747577

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1835254930394710

Harvest Date: 04/02/25

Sample Size Received: 16 units Total Amount: 1598 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

> > Ordered: 04/07/25 Sampled: 04/07/25

Completed: 04/10/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 04/08/25 08:22:31



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

84.341%

Total THC/Container: 843.410 mg



Total CBD 0.855%

Total CBD/Container: 8.550 mg



Total Cannabinoids 89.089%

Total Cannabinoids/Container: 890.890



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA085151POT Instrument Used: DA-LC-003 Analyzed Date: 04/09/25 10:16:08

Dilution: 400 Reagent: 040525.R01; 012725.03; 040725.R03

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 04/10/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50407005-007 Harvest/Lot ID: 7389647087747577

Sampled: 04/07/25 Ordered: 04/07/25

Batch#: 7389647087747577 Sample Size Received: 16 units Total Amount: 1598 units Completed: 04/10/25 Expires: 04/10/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	45.42	4.542		PULEGONE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	13.68	1.368		SABINENE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	6.55	0.655		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	5.28	0.528		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	3.33	0.333		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	3.28	0.328		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	2.48	0.248		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
/ALENCENE	0.007	TESTED	2.41	0.241		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
CIMENE	0.007	TESTED	1.73	0.173		Analyzed by:	Weight:		xtraction date:		Extracted by:
LPHA-BISABOLOL	0.007	TESTED	1.26	0.126		4451, 585, 1440	0.201g	04	4/08/25 11:38:	36	4451
ALPHA-HUMULENE	0.007	TESTED	1.24	0.124		Analysis Method: SOP.T.30.061A.FL, SOP.T.4	0.061A.FL				
ARNESENE	0.007	TESTED	1.10	0.110		Analytical Batch : DA085159TER Instrument Used : DA-GCMS-008				Batch Date : 04/08/25 09:25:46	
RANS-NEROLIDOL	0.005	TESTED	0.78	0.078		Analyzed Date: 04/09/25 10:16:10				Batch Date : 04/00/25 09:25:40	
LPHA-TERPINEOL	0.007	TESTED	0.53	0.053		Dilution: 10					
ENCHYL ALCOHOL	0.007	TESTED	0.44	0.044		Reagent: 022525.49					
ARYOPHYLLENE OXIDE	0.007	TESTED	0.40	0.040		Consumables: 947.110; 04312111; 2240626;	; 0000355309				
SERANIOL	0.007	TESTED	0.35	0.035		Pipette : DA-065					
ALPHA-CEDRENE	0.005	TESTED	0.31	0.031		Terpenoid testing is performed utilizing Gas Chroma	atography Mass Spectrometry.	For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
AMPHENE	0.007	TESTED	0.27	0.027		İ					
-CARENE	0.007	TESTED	ND	ND		İ					
ORNEOL	0.013	TESTED	ND	ND		İ					
AMPHOR	0.007	TESTED	ND	ND		ĺ					
CEDROL	0.007	TESTED	ND	ND		İ					
UCALYPTOL	0.007	TESTED	ND	ND		Í					
ENCHONE	0.007	TESTED	ND	ND		Í					
ERANYL ACETATE	0.007	TESTED	ND	ND		İ					
UAIOL	0.007	TESTED	ND	ND		İ					
IEXAHYDROTHYMOL	0.007	TESTED	ND	ND		İ					
SOBORNEOL	0.007	TESTED	ND	ND		Í					
SOPULEGOL	0.007	TESTED	ND	ND							
IEROL	0.007	TESTED	ND	ND		İ					
otal (%)				4 542							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/10/25