

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50407005-011

Kaycha Labs

Supply Vape Cartridge 500mg - Blkbrry Kush (I)

Blkbrry Kush (I) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

Production Method: Other - Not Listed

Harvest/Lot ID: 5546097657415746

Batch#: 5546097657415746

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3627795799988980

Harvest Date: 03/27/25

Sample Size Received: 31 units

Total Amount: 380 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 04/07/25 Sampled: 04/07/25

Revision Date: 04/14/25

Completed: 04/10/25 Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mvcotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Batch Date: 04/08/25 08:22:31



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Apr 14, 2025 | Sunnyside

Total THC

88,624% Total THC/Container : 443.120 mg



Total CBD 0.364%

Total CBD/Container: 1.820 mg



Total Cannabinoids 93.461%

Total Cannabinoids/Container: 467.305

ma



Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch : DA085151POT Instrument Used: DA-LC-003

Analyzed Date: 04/11/25 21:59:47

Reagent: 040525.R01; 012725.03; 040725.R03

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million,

ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED

Signature 04/10/25



Kaycha Labs Supply Vape Cartridge 500mg - Blkbrry Kush (I) Blkbrry Kush (I) Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50407005-011 Harvest/Lot ID: 5546097657415746

Sampled: 04/07/25

Ordered: 04/07/25

Batch#: 5546097657415746 Sample Size Received: 31 units Total Amount: 380 units Completed: 04/10/25 Expires: 04/14/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail		Result (%)	
OTAL TERPENES	0.007	TESTED	19.72	3.943		SABINENE HYDRATE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	8.89	1.777		VALENCENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	6.03	1.206		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	1.37	0.274		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	0.82	0.163		BETA-CARYOPHYLLENE	0.007	TESTED	ND	ND	
AMPHENE	0.007	TESTED	0.61	0.122	Ī	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-TERPINOLENE	0.007	TESTED	0.35	0.069		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	0.31	0.062		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
ENCHONE	0.007	TESTED	0.25	0.050		Analyzed by:	Weight:		Extraction date	н	Extracted by:
LPHA-BISABOLOL	0.007	TESTED	0.20	0.040		4451, 585, 1440	0.2061g		04/08/25 11:38	8:36	4451
-CARENE	0.007	TESTED	0.20	0.039		Analysis Method: SOP.T.30.061A.FL, SOP.T.4	10.061A.FL				
ENCHYL ALCOHOL	0.007	TESTED	0.16	0.031		Analytical Batch : DA085159TER Instrument Used : DA-GCMS-008				Batch Date : 04/08/25 09:25:46	
ARNESENE	0.007	TESTED	0.14	0.028		Analyzed Date: 04/09/25 10:16:34				Battin Date : 04/00/25 09:25:40	
LPHA-HUMULENE	0.007	TESTED	0.14	0.028		Dilution: 10					
LPHA-TERPINENE	0.007	TESTED	0.14	0.027		Reagent: 022525.49					
LPHA-TERPINEOL	0.007	TESTED	0.14	0.027		Consumables: 947.110; 04312111; 2240626	5; 0000355309				
DRNEOL	0.013	TESTED	ND	ND		Pipette : DA-065					
AMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	satography Mass Spectrometry	. For all Flower sa	amples, the Total	Terpenes % is dry-weight corrected.	
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		İ					
EDROL	0.007	TESTED	ND	ND		İ					
UCALYPTOL	0.007	TESTED	ND	ND		İ					
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
SABINENE	0.007	TESTED	ND	ND							
otal (%)				3.943							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50407005-011 Harvest/Lot ID: 5546097657415746

Sampled: 04/07/25 Ordered: 04/07/25

Batch#: 5546097657415746 Sample Size Received: 31 units Total Amount: 380 units **Completed:** 04/10/25 **Expires:** 04/14/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LC	D Units	S	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	mag	5	PASS	ND	OXAMYL	0.0	10 ppm		0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND			10 ppm		0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL						
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		10 ppm		0.1	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		10 ppm		3	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN	0.0	10 ppm		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.0	10 ppm		0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.0	10 ppm		0.1	PASS	ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.0	10 ppm		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.0	10 ppm		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		10 ppm		0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		10 ppm		0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND			10 ppm		0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE						
OSCALID	0.010		0.1	PASS	ND	THIACLOPRID		10 ppm		0.1	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		10 ppm		0.5	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		10 ppm		0.1	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.0	10 ppm		0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.0	10 ppm		0.1	PASS	ND
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.0	70 ppm		0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.0	10 ppm		0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.0	10 ppm		0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		50 ppm		0.5	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		50 ppm		0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND					0.5		
IMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weigh 3621, 585, 1440 0.2357		raction da 08/25 15:0			Extracted 3621	l by:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T		J6/25 15:U	J3:U4		3021	
TOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085165PES	.40.102.1 L					
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch D	Date: 04/08/2	25 10:14:32	
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date: 04/09/25 11:17:10						
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 040225.R29; 040225.R28; 0405	525.R05; 033125	.R01; 012	925.R01	.; 040225.R0	1; 081023.01	
IPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 6822423-02 Pipette: DA-093: DA-094: DA-219						
LONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	stiliaina Liauid Ch	romatoara	anhu Trin	la Ouadauaal	o Mass Chastrar	notni in
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	utilizing Liquid Ci	Torriacogra	арпу ппр	ne-Quaurupon	е маза эресиот	neu y m
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extr	ction dat	te:		Extracted	l bv:
MAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440 0.2357g		3/25 15:03	3:04		3621	,
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.	T.40.151.FL					
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085167VOL						
ALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-011		Ba	tch Dat	e:04/08/25	10:15:50	
ETALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/09/25 11:15:52						
ETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 040525.R05; 081023.01; 04022	5 R32: 040225 I	333				
ETHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 6822423-02; 040724CH01		100				
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	,, 5555					
IYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	utilizing Gas Chro	matograph	hy Triple	-Quadrupole I	Mass Spectrome	try in
IALED	0.010	nnm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	-					-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/10/25





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50407005-011 Harvest/Lot ID: 5546097657415746

Batch#: 5546097657415746 Sample Size Received: 31 units Sampled: 04/07/25 Ordered: 04/07/25

Total Amount: 380 units **Completed:** 04/10/25 **Expires:** 04/14/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 585, 1440	Weight: 0.0239q	Extraction date: 04/08/25 12:07:5	2		ctracted by: 451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA085177SOL Instrument Used: DA-GCMS-003

Analyzed Date: $04/09/25 \ 11:04:31$

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

Batch Date: 04/08/25 10:56:00

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs ■ Supply Vape Cartridge 500mg - Blkbrry Kush (I) Blkbrry Kush (I) Matrix : Derivative Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50407005-011 Harvest/Lot ID: 5546097657415746

Batch#: 5546097657415746 Sample Size Received: 31 units Sampled: 04/07/25 Ordered: 04/07/25

Total Amount: 380 units Completed: 04/10/25 Expires: 04/14/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 04/08/25 10:15:48



Microbial

Extracted by:



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TER	RREUS			Not Present	PASS	
ASPERGILLUS NIC	SER			Not Present	PASS	
ASPERGILLUS FUI	MIGATUS			Not Present	PASS	
ASPERGILLUS FLA	AVUS			Not Present	PASS	
SALMONELLA SPE	CIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA				Not Present	PASS	
TOTAL YEAST ANI	D MOLD	10	CFU/g	<10	PASS	100000
Analyzed by	Woights	Evtr	action dates	Evtractor		hva

4520, 585, 1440 0.9215g 04/08/25 10:23:24 4520

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085144MIC

Weight:

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems **Batch Date:** 04/08/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 04/09/25 11:02:58

Dilution: 10

Reagent: 021725.11; 021725.16; 031525.R03; 101624.14

Consumables: 7581001065

Pipette : N/A Analyzed by:

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02
AFLATOXIN	G1	0.002	ppm	ND	PASS	0.02

AFLATOXIN G2 0.002 ppm PASS Analyzed by: **Extraction date:** Weight: Extracted by: 3621, 585, 1440 0.2357g 04/08/25 15:03:04 3621

Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch : DA085166MYC

Instrument Used : N/A

Analyzed Date: 04/09/25 11:18:08

Dilution: 250

Reagent: 040225.R29; 040225.R28; 040525.R05; 033125.R01; 012925.R01; 040225.R01; 081023.01

Consumables: 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

Heavy Metals

PASSED

Action

Result Pass /

4520, 3390, 585, 1440	0.9215g	04/08/25 10:23	:24 4520
Analysis Method : SOP.T.40.20			
Analytical Batch : DA085145T\ Instrument Used : Incubator (2)		Faalibrated with	Batch Date: 04/08/25 07:24:35
DA-382]	5"C) DA- 320	[Calibrated with	Batch Date: 04/06/25 07:24:55

Extraction date:

Analyzed Date: 04/10/25 13:40:13 Dilution: 10

Reagent: 021725.11; 021725.16; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Omes	Nesuit	Fail	Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

LOD

Units

Analyzed by: 1022, 585, 1440 0.2321g 04/08/25 11:19:31 4056 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA085162HEA Instrument Used : DA-ICPMS-004

Batch Date: 04/08/25 10:08:14 Analyzed Date: 04/09/25 10:23:55

Dilution: 50

Reagent: 032525.R31; 031725.R14; 040725.R09; 040725.R10; 040725.R07; 040725.R08;

120324.07; 033125.R16

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50407005-011 Harvest/Lot ID: 5546097657415746

Sampled: 04/07/25 Ordered: 04/07/25

Batch#: 5546097657415746 Sample Size Received: 31 units Total Amount: 380 units Completed: 04/10/25 Expires: 04/14/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Analyzed by: 585, 1440 Extraction date: Weight: 1g 04/10/25 11:13:39 585

Analysis Method: SOP.T.40.090 Analytical Batch : DA085263FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 04/10/25 11:11:37 **Analyzed Date :** 04/10/25 11:24:22

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		0.010	Units aw	Result 0.471	P/F PASS	Action Level 0.85
Analyzed by: 3379, 585, 1440	Weight: 0.3557g		traction dat /08/25 13:3		E xt	tracted by: 79

Analysis Method: SOP.T.40.019 Analytical Batch: DA085180WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 04/08/25 11:07:16

Analyzed Date: 04/09/25 10:14:59

Dilution : N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164