

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50407005-011

Kaycha Labs

Supply Vape Cartridge 500mg - Blkbrry Kush (I)

Blkbrry Kush (I) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 5546097657415746

> > Batch#: 5546097657415746

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3627795799988980

Harvest Date: 03/27/25

Sample Size Received: 31 units

Total Amount: 380 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram Servings: 1

> Ordered: 04/07/25 Sampled: 04/07/25

Completed: 04/10/25 Revision Date: 04/14/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mvcotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Batch Date: 04/08/25 08:22:31



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Apr 14, 2025 | Sunnyside

Total THC

88,624% Total THC/Container : 443.120 mg



Total CBD 0.364%

Total CBD/Container: 1.820 mg



Total Cannabinoids 93.461%

Total Cannabinoids/Container: 467.305

ma



Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch : DA085151POT Instrument Used: DA-LC-003

Analyzed Date: 04/11/25 21:59:47

Reagent: 040525.R01; 012725.03; 040725.R03

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

PASSED

Signature 04/10/25



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA50407005-011 Harvest/Lot ID: 5546097657415746

Batch#:5546097657415746 Sample Size Received:31 units
Sampled:04/07/25 Total Amount:380 units

 Sampled: 04/07/25
 Total Amount: 380 units

 Ordered: 04/07/25
 Completed: 04/10/25 Explanation

Completed: 04/10/25 Expires: 04/14/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	L	.OD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.	.007	TESTED	19.72	3.943	SABINENE HYDRATE	0.007	TESTED	ND	ND	
IMONENE			TESTED	8.89	1.777	VALENCENE	0.007	TESTED	ND	ND	
BETA-MYRCENE			TESTED	6.03	1.206	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-PINENE	0.	.007	TESTED	1.37	0.274	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.	.007	TESTED	0.82	0.163	BETA-CARYOPHYLLENE	0.007	TESTED	ND	ND	
CAMPHENE	0.	.007	TESTED	0.61	0.122	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-TERPINOLENE	0.	.007	TESTED	0.35	0.069	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL	0.	.007	TESTED	0.31	0.062	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
ENCHONE	0.	.007	TESTED	0.25	0.050	Analyzed by:	Weight:		extraction date:		Extracted by:
LPHA-BISABOLOL	0.	.007	TESTED	0.20	0.040	4451, 585, 1440	0.2061g	ō	04/08/25 11:38	:36	4451
-CARENE	0.	.007	TESTED	0.20	0.039	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.0	061A.FL				
ENCHYL ALCOHOL	0.	.007	TESTED	0.16	0.031	Analytical Batch : DA085159TER Instrument Used : DA-GCMS-008				Batch Date: 04/08/25 09:25:46	
ARNESENE	0.	.007	TESTED	0.14	0.028	Analyzed Date: 04/09/25 10:16:34				Batch Date : 04/08/23 09:23:46	
LPHA-HUMULENE	0.	.007	TESTED	0.14	0.028	Dilution: 10					
LPHA-TERPINENE	0.	.007	TESTED	0.14	0.027	Reagent: 022525.49					
LPHA-TERPINEOL	0.	.007	TESTED	0.14	0.027	Consumables: 947.110; 04312111; 2240626; 0	000355309				
ORNEOL	0.	.013	TESTED	ND	ND	Pipette : DA-065					
AMPHOR	0.	.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromato	graphy Mass Spectrometry.	For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
ARYOPHYLLENE OXIDE	0.	.007	TESTED	ND	ND						
CEDROL	0.	.007	TESTED	ND	ND						
UCALYPTOL	0.	.007	TESTED	ND	ND						
ERANIOL	0.	.007	TESTED	ND	ND						
ERANYL ACETATE	0.	.007	TESTED	ND	ND						
GUAIOL	0.	.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.	.007	TESTED	ND	ND	i i					
SOBORNEOL	0.	.007	TESTED	ND	ND						
SOPULEGOL	0.	.007	TESTED	ND	ND						
EROL	0.	.007	TESTED	ND	ND						
DCIMENE	0.	.007	TESTED	ND	ND						
PULEGONE		.007	TESTED	ND	ND						
		.007	TESTED	ND	ND						

Total (%) 3.94

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/10/25