



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50407005-013


**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 9594177204148410

**Batch#:** 9594177204148410

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 9517912507706274

**Harvest Date:** 04/01/25

**Sample Size Received:** 31 units

**Total Amount:** 380 units

**Retail Product Size:** 0.5 gram

**Retail Serving Size:** 0.5 gram

**Servings:** 1

**Ordered:** 04/07/25

**Sampled:** 04/07/25

**Completed:** 04/10/25

**Sampling Method:** SOP.T.20.010

Apr 10, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**

**Total THC**
**86.269%**

Total THC/Container : 431.345 mg


**Total CBD**
**0.159%**

Total CBD/Container : 0.795 mg


**Total Cannabinoids**
**90.461%**

Total Cannabinoids/Container : 452.305 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.172	0.111	0.159	ND	ND	3.012	ND	0.602	0.336	ND	0.069
mg/unit	430.86	0.56	0.80	ND	ND	15.06	ND	3.01	1.68	ND	0.35
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.1048g

 Extraction date:  
 04/08/25 12:11:37

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085152POT

Instrument Used : DA-LC-003

Analyzed Date : 04/09/25 10:16:43

Batch Date : 04/08/25 08:24:05

Dilution : 400

Reagent : 040525.R01; 012725.03; 040725.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 04/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Extract for Inhalation

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50407005-013  
Harvest/Lot ID: 9594177204148410

Batch# : 9594177204148410 Sample Size Received : 31 units  
Sampled : 04/07/25 Total Amount : 380 units  
Ordered : 04/07/25 Completed : 04/10/25 Expires: 04/10/26  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	20.59	4.118	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	8.45	1.690	VALENCENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	6.73	1.345	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.52	0.304	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.46	0.292	ALPHA-TERPINENE	0.007	TESTED	ND	ND
CAMPHERE	0.007	TESTED	0.48	0.096	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	0.48	0.096	GAMMA-TERPINENE	0.007	TESTED	ND	ND
OCIMENE	0.007	TESTED	0.46	0.092	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	0.28	0.056	Analyzed by: 4851, 385, 5440 Weight: 0.2168g Extraction date: 04/08/25 11:38:36 Extracted by: 4451				
FENCHYL ALCOHOL	0.007	TESTED	0.22	0.043	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0831597ER Instrument Used : DA-GC/MS-008 Batch Date : 04/08/25 09:25:46				
ALPHA-BISABOLOL	0.007	TESTED	0.19	0.037	Dilution : 10 Reagent : 022525.49 Consumables : 947.110; 04312111; 2240626; 0000355309				
ALPHA-HUMULENE	0.007	TESTED	0.17	0.034	Pipette : DA-065				
ALPHA-TERPINEOL	0.007	TESTED	0.17	0.033	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
LINALOOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				4.118					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Spr Sr Diesel (S)

Spr Sr Diesel (S)

Matrix : Derivative

Type: Extract for Inhalation

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50407005-013

Harvest/Lot ID: 9594177204148410

Batch# : 9594177204148410

Sampled : 04/07/25

Ordered : 04/07/25

Sample Size Received : 31 units

Total Amount : 380 units

Completed : 04/10/25 Expires: 04/10/26

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.2486g	Extraction date: 04/08/25 15:03:05	Extracted by: 3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085165PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 04/08/25 10:14:32	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analized Date : 04/09/25 11:17:12					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 040225.R29; 040225.R28; 040525.R05; 033125.R01; 012925.R01; 040225.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2486g	Extraction date: 04/08/25 15:03:05	Extracted by: 3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085167VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 04/08/25 10:15:50	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized Date : 04/09/25 11:15:53					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 040525.R05; 081023.01; 040225.R32; 040225.R33					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Extract for Inhalation

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50407005-013

Harvest/Lot ID: 9594177204148410

Batch# : 9594177204148410

Sampled : 04/07/25

Ordered : 04/07/25

Sample Size Received : 31 units

Total Amount : 380 units

Completed : 04/10/25 Expires: 04/10/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
4451, 585, 1440

Weight:  
0.0253g

Extraction date:  
04/08/25 12:07:52

Extracted by:  
4451

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA085177SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 04/09/25 11:04:33

Batch Date : 04/08/25 10:56:00

Dilution : 1  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Extract for Inhalation

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50407005-013

Harvest/Lot ID: 9594177204148410

Batch# : 9594177204148410

Sampled : 04/07/25

Ordered : 04/07/25


Sample Size Received : 31 units


Total Amount : 380 units


Completed : 04/10/25 Expires: 04/10/26

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA085144MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)					
Batch Date : 04/08/25 07:23:05					
Analyzed Date : 04/09/25 11:03:00					
Dilution : 10					
Reagent : 021725.11; 021725.16; 031525.R03; 101624.14					
Consumables : 7581001065					
Pipette : N/A					
Analysis Method : SOP.T.40.209.FL					
Analytical Batch : DA085145TYM					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]					
Batch Date : 04/08/25 07:24:35					
Analyzed Date : 04/10/25 13:40:15					
Dilution : 10					
Reagent : 021725.11; 021725.16; 022625.R53					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Mycotoxins</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : DA085166MYC					
Instrument Used : N/A					
Batch Date : 04/08/25 10:15:48					
Analyzed Date : 04/09/25 11:18:10					
Dilution : 250					
Reagent : 040225.R29; 040225.R28; 040525.R05; 033125.R01; 012925.R01; 040225.R01; 081023.01					
Consumables : 6822423-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>			
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA085162HEA					
Instrument Used : DA-ICPMS-004					
Batch Date : 04/08/25 10:08:14					
Analyzed Date : 04/09/25 10:23:57					
Dilution : 50					
Reagent : 032525.R31; 031725.R14; 040725.R09; 040725.R10; 040725.R07; 040725.R08; 120324.07; 033125.R16					
Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/10/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 500mg - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Extract for Inhalation

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50407005-013

Harvest/Lot ID: 9594177204148410

Batch# : 9594177204148410

Sampled : 04/07/25

Ordered : 04/07/25

Sample Size Received : 31 units

Total Amount : 380 units

Completed : 04/10/25 Expires: 04/10/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: 1g	Extraction date: 04/10/25 11:13:39	Extracted by: 585
---------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA085263FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/10/25 11:24:25

Batch Date : 04/10/25 11:11:37

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.454	PASS	0.85

Analyzed by: 3379, 585, 1440	Weight: 0.3167g	Extraction date: 04/08/25 13:44:39	Extracted by: 3379
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA085180WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/09/25 10:15:01

Batch Date : 04/08/25 11:07:16

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/10/25