

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50407005-022

## Kaycha Labs

Supply Vape Cartridge 500mg - Strwbrry Cough (S) 🔽

Strwbrry Cough (S) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 6132044653611199

> > Batch#: 6132044653611199

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 6159160785271868

Harvest Date: 04/02/25

Sample Size Received: 31 units

Total Amount: 380 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram Servings: 1

> Ordered: 04/07/25 Sampled: 04/07/25

Completed: 04/10/25

Sampling Method: SOP.T.20.010

PASSED

**Sunnyside** 

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 04/08/25 08:24:05



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes **TESTED** 

TESTED



### Cannabinoid

Apr 10, 2025 | Sunnyside

Total THC **87.016**%

Total THC/Container: 435.080 mg



**Total CBD** 0.165%

Total CBD/Container: 0.825 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 456.320



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA085152POT Instrument Used: DA-LC-003 Analyzed Date: 04/10/25 09:30:54

Dilution: 400 Reagent: 040525.R01; 012725.03; 040725.R03

Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

**Label Claim** 

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 04/10/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

### Kaycha Labs Supply Vape Cartridge 500mg - Strwbrry Cough (S) Strwbrry Cough (S) Matrix : Derivative Type: Extract for Inhalation

# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50407005-022 Harvest/Lot ID: 6132044653611199

Batch#: 6132044653611199 Sample Size Received: 31 units Sampled: 04/07/25

Total Amount: 380 units Ordered: 04/07/25 Completed: 04/10/25 Expires: 04/10/26 Sample Method: SOP.T.20.010

Page 2 of 2



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	22.56	4.512		PULEGONE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	5.62	1.123		SABINENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	4.33	0.865		SABINENE HYDRATE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	2.31	0.461		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	1.68	0.335		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.39	0.278		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.20	0.240		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.18	0.235		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
CIMENE	0.007	TESTED	1.06	0.212		Analyzed by:	Weight:		xtraction date	4	Extracted by:
ALENCENE	0.007	TESTED	0.91	0.181		4451, 585, 1440	0.2129g	(	04/08/25 11:38	:37	4451
INALOOL	0.007	TESTED	0.89	0.178		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.	061A.FL				
ARNESENE	0.007	TESTED	0.45	0.090	1	Analytical Batch : DA085159TER Instrument Used : DA-GCMS-008				Batch Date : 04/08/25 09:25:46	
LPHA-TERPINEOL	0.007	TESTED	0.43	0.086		Analyzed Date : 04/10/25 09:31:07				BALLII DALE : 04/00/23 09:23:40	
ENCHYL ALCOHOL	0.007	TESTED	0.36	0.072	Ì	Dilution: 10					
ARYOPHYLLENE OXIDE	0.007	TESTED	0.25	0.049		Reagent: 022525.49					
LPHA-TERPINOLENE	0.007	TESTED	0.23	0.045		Consumables: 947.110; 04312111; 2240626; 0	0000355309				
LPHA-CEDRENE	0.005	TESTED	0.18	0.035		Pipette : DA-065					
AMPHENE	0.007	TESTED	0.14	0.027		Terpenoid testing is performed utilizing Gas Chromato	ography Mass Spectrometry.	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
-CARENE	0.007	TESTED	ND	ND							
ORNEOL	0.013	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
SERANIOL	0.007	TESTED	ND	ND							
SERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
IEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
NEROL	0.007	TESTED	ND	ND							
otal (%)				4 512							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/10/25