



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50408015-005


Production Method: Other - Not Listed

Harvest/Lot ID: 5717027367148312

Batch#: 5717027367148312

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 0909666598210184

Harvest Date: 04/07/25

Sample Size Received: 16 units

Total Amount: 1017 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 04/08/25

Sampled: 04/08/25

Completed: 04/11/25

Sampling Method: SOP.T.20.010

Apr 11, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filth
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
81.970%
Total THC/Container : 819.700 mg

Total CBD
0.391%
Total CBD/Container : 3.910 mg

Total Cannabinoids
88.155%
Total Cannabinoids/Container : 881.550 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.807	0.186	0.391	ND	0.078	4.307	<0.010	0.051	0.456	ND	0.879
mg/unit	818.07	1.86	3.91	ND	0.78	43.07	<0.10	0.51	4.56	ND	8.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 4571

 Weight:
 0.1036g

 Extraction date:
 04/09/25 12:17:12

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085195POT

Instrument Used : DA-LC-003

Analyzed Date : 04/10/25 10:45:54

Batch Date : 04/09/25 08:43:09

Dilution : 400

Reagent : 012725.03; 040525.R01; 040725.R03

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 04/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Red Pop (I)
Red Pop (I)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50408015-005
Harvest/Lot ID: 5717027367148312

Batch# : 5717027367148312 Sample Size Received : 16 units
Sampled : 04/08/25 Total Amount : 1017 units
Ordered : 04/08/25 Completed : 04/11/25 Expires: 04/11/26
Sample Method : SOP.T.20.010

Page 2 of 6

TESTED


Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	63.09	6.309	SABINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	26.40	2.440	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	9.57	0.957	VALENENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	7.71	0.771	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	5.65	0.565	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
OCIMENE	0.007	TESTED	3.42	0.342	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	2.39	0.239	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	2.04	0.204	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.64	0.164	<div>Analyzed by: 4444, 4451, 585, 4571</div> <div>Weight: 0.1911g</div> <div>Extraction date: 04/09/25 12:07:49</div> <div>Extracted by: 4444</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA085203TER</div> <div>Instrument Used : DA-GCMS-008</div> <div>Analyzed Date : 04/10/25 10:45:56</div> <div>Dilution : 10</div> <div>Reagent : 022525.49</div> <div>Consumables : 947.110; 04402004; 2240626; 0000355309</div> <div>Pipette : DA-065</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
FENCHYL ALCOHOL	0.007	TESTED	1.56	0.156					
TRANS-NEROLIDOL	0.005	TESTED	1.38	0.138					
BETA-PINENE	0.007	TESTED	0.82	0.082					
FENCHONE	0.007	TESTED	0.76	0.076					
BORNEOL	0.013	TESTED	0.70	0.070					
ALPHA-BISABOLOL	0.007	TESTED	0.39	0.039					
ALPHA-TERPINOLENE	0.007	TESTED	0.34	0.034					
CAMPHERE	0.007	TESTED	0.32	0.032					
3-CARENE	0.007	TESTED	ND	ND					
CAMPOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				6.309					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/11/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 Indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA50408015-005

Harvest/Lot ID: 5717027367148312

Batch# : 5717027367148312

Sampled : 04/08/25

Ordered : 04/08/25


Sample Size Received : 16 units

Total Amount : 1017 units

Completed : 04/11/25 Expires: 04/11/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides


PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by: 3621, 585, 4571</div> <div>Weight: 0.2588g</div> <div>Extraction date: 04/09/25 11:44:19</div> <div>Extracted by: 4640,450,3621,585</div> </div>					
DIAZINON	0.010	ppm	0.1	PASS	ND	<div> <div>Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</div> <div>Analytical Batch : DA085209PES</div> <div>Instrument Used : DA-LCMS-003 (PES)</div> <div>Analyzed Date : 04/10/25 10:27:06</div> <div>Dilution : 250</div> <div>Reagent : 040525.R05; 081023.01</div> <div>Consumables : 040724CH01; 6822423-02</div> <div>Pipette : N/A</div> </div>					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<div> <div>Analyzed by: 450, 585, 4571</div> <div>Weight: 0.2588g</div> <div>Extraction date: 04/09/25 11:44:19</div> <div>Extracted by: 4640,450,3621,585</div> </div>					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<div> <div>Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL</div> <div>Analytical Batch : DA085211VOL</div> <div>Instrument Used : DA-GCMS-011</div> <div>Analyzed Date : 04/10/25 10:25:48</div> <div>Dilution : 250</div> <div>Reagent : 040525.R05; 081023.01; 040225.R32; 040225.R33</div> <div>Consumables : 040724CH01; 6822423-02; 17473601</div> <div>Pipette : DA-080; DA-146; DA-218</div> </div>					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<div> <div>Batch Date : 04/09/25 10:00:27</div> </div>					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<div> <div>Batch Date : 04/09/25 10:06:29</div> </div>					
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Red Pop (I)
Red Pop (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50408015-005

Harvest/Lot ID: 5717027367148312

Batch# : 5717027367148312

Sampled : 04/08/25

Ordered : 04/08/25

Sample Size Received : 16 units

Total Amount : 1017 units

Completed : 04/11/25 Expires: 04/11/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 4571

Weight:
0.0208g

Extraction date:
04/09/25 11:33:16

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA085216SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 04/10/25 10:04:19

Batch Date : 04/09/25 10:32:16

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Red Pop (I)
Red Pop (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50408015-005
Harvest/Lot ID: 5717027367148312

Batch# : 5717027367148312 Sample Size Received : 16 units
Sampled : 04/08/25 Total Amount : 1017 units
Ordered : 04/08/25 Completed : 04/11/25 Expires: 04/11/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyzed by: 4777, 4520, 585, 4571	Weight: 0.939g	Extraction date: 04/09/25 10:18:38		Extracted by: 4520,4777			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085184MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 04/10/25 10:44:53							
Dilution : 10 Reagent : 021725.13; 021725.16; 031525.R03; 101624.14 Consumables : 7581001063; 7581001071 Pipette : N/A							
Analyzed by: 4777, 3390, 585, 4571							
Weight: 0.939g							
Extraction date: 04/09/25 10:18:38							
Extracted by: 4520,4777							
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA085187TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 04/09/25 07:25:25 Analyzed Date : 04/11/25 15:05:01							
Dilution : 10 Reagent : 021725.13; 021725.16; 022625.R53 Consumables : N/A Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

	Mycotoxins					PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyzed by: 3621, 585, 4571	Weight: 0.2588g	Extraction date: 04/09/25 11:44:19		Extracted by: 4640,450,3621,585			
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085210MYC Instrument Used : N/A Analyzed Date : 04/10/25 10:32:16							
Dilution : 250 Reagent : 040525.R05; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Heavy Metals					PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analyzed by: 1022, 4531, 585, 4571	Weight: 0.2705g	Extraction date: 04/09/25 10:40:05		Extracted by: 4056			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA085199HEA Instrument Used : DA-ICPMS-005 Batch Date : 04/09/25 09:07:30 Analyzed Date : 04/10/25 10:10:24							
Dilution : 50 Reagent : 032525.R31; 031725.R14; 040725.R09; 040725.R10; 040725.R07; 040725.R08; 120324.07; 033125.R16 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Red Pop (I)
Red Pop (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50408015-005

Harvest/Lot ID: 5717027367148312

Batch# : 5717027367148312

Sampled : 04/08/25

Ordered : 04/08/25

Sample Size Received : 16 units

Total Amount : 1017 units

Completed : 04/11/25 Expires: 04/11/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 4571	Weight: 1g	Extraction date: 04/10/25 12:07:52	Extracted by: 585
---------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA085270FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/10/25 12:10:45

Batch Date : 04/10/25 12:05:37

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.450	PASS	0.85

Analyzed by: 4797, 3379, 585, 4571	Weight: 0.3084g	Extraction date: 04/09/25 14:28:29	Extracted by: 4797,3379,585
---------------------------------------	--------------------	---------------------------------------	--------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA085204WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/10/25 10:09:32

Batch Date : 04/09/25 09:19:43

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/11/25