

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50409006-001

Kaycha Labs

Sunnyside Chews 200mg 10pk Peach 1:1

Peach 1:1

Matrix: Edible

Classification: High THC Type: Other Edible Product

Production Method: Other - Not Listed Harvest/Lot ID: 3260704170840280

Batch#: 3260704170840280

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1962016356454567

Harvest Date: 04/07/25

Sample Size Received: 12 units

Total Amount: 2249 units

Retail Product Size: 42.0424 gram Retail Serving Size: 41 gram

Servings: 1

Ordered: 04/09/25 Sampled: 04/09/25

Completed: 04/12/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 5

indiantown, FL, 34956, US

Apr 12, 2025 | Sunnyside

Sunnyside Chews



SAFETY RESULTS

22205 Sw Martin Hwv





Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 04/10/25 10:55:07



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

TESTED



Cannabinoid

Total THC .252%

Total THC/Container: 105.947 mg



Total CBD 0.239%

Total CBD/Container: 100.481 mg



Total Cannabinoids .516%

Total Cannabinoids/Container: 216.939



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA085261POT Instrument Used: DA-LC-007 Analyzed Date: 04/11/25 09:19:05

Dilution: 40 Reagent: 030125.01; 032825.R13; 090924.05; 040725.R03 Consumables: 947.110; 04312111; 062224CH01; 0000355309 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50409006-001 Harvest/Lot ID: 3260704170840280

Pass/Fail Result

Sampled: 04/09/25 Ordered: 04/09/25

Batch#: 3260704170840280 Sample Size Received: 12 units Total Amount: 2249 units Completed: 04/12/25 Expires: 04/12/26 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	mag	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND			ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PHOSMET					
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN		ppm	0.4	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		ppm	1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIAMETHOXAM		ppm	1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND				3	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.2		ND ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm		PASS	
CHLORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *		ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		ppm	3	PASS	ND
CLOFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
DIAZINON	0.010		3	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted by	:
DIMETHOATE	0.010		0.1	PASS	ND	3621, 585, 4571 1.185g	04/10/25			4640,450,585	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.102.FL, SOP.T.40.	102.FL				
ETOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA085257PES					
ETOXAZOLE	0.010		1.5	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batch	Date: 04/10/	25 10:50:36	
FENHEXAMID	0.010		3	PASS	ND	Analyzed Date : 04/11/25 09:33:41 Dilution : 250					
FENOXYCARB	0.010	P.P.	0.1	PASS	ND	Reagent: 040525.R05; 081023.01					
FENPYROXIMATE	0.010		2	PASS	ND	Consumables: 040724CH01; 6822423-02					
FIPRONIL	0.010		0.1	PASS	ND	Pipette: N/A					
FLONICAMID	0.010	P.P.	2	PASS	ND	Testing for agricultural agents is performed utiliz	ing Liquid Chror	natography Tr	iple-Quadrupol	e Mass Spectron	netry in
FLUDIOXONIL	0.010		3	PASS	ND ND	accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	1.1.	0.1	PASS PASS	ND ND	Analyzed by: Weight:	Extraction			Extracted by:	
IMAZALIL	0.010		1	PASS	ND ND	450, 585, 4571 1.185g	04/10/25 1	.5:04:46		4640,450,585	
IMIDACLOPRID	0.010		1	PASS	ND	Analysis Method: SOP.T.30.151A.FL, SOP.T.40 Analytical Batch: DA085259VOL	1.131.FL				
KRESOXIM-METHYL	0.010		2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Da	te:04/10/25	10:54:12	
MALATHION	0.010		3	PASS	ND ND	Analyzed Date : 04/11/25 09:31:32			, ,		
METALAXYL METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
	0.010		0.1	PASS	ND	Reagent: 040525.R05; 081023.01; 040225.R3		3			
METHOMYL	0.010		0.1	PASS	ND	Consumables: 040724CH01; 6822423-02; 17-	473601				
MEVINPHOS MYCLOBUTANIL	0.010	1.1	3	PASS	ND ND	Pipette: DA-080; DA-146; DA-218	C Ch-		- 0	Mana Caraba	
			0.5	PASS	ND ND	Testing for agricultural agents is performed utilizi accordance with F.S. Rule 64ER20-39.	ing Gas Chroma	lograpny (ripl	e-quadrupole	wass Spectrome	try in
NALED	0.010	ppm	U.5	FA33	ND	accordance with r.b. Rule 04ERZU-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50409006-001 Harvest/Lot ID: 3260704170840280

Batch#: 3260704170840280 Sample Size Received: 12 units Sampled: 04/09/25

Total Amount: 2249 units Ordered: 04/09/25

Completed: 04/12/25 **Expires:** 04/12/26 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 4451, 585, 4571	Weight: 0.0217g	Extraction date: 04/10/25 12:27:0	8	Extracted by: 4451		

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA085265SOL Instrument Used: DA-GCMS-012

Batch Date: 04/10/25 11:39:07

Analyzed Date : 04/11/25 09:37:20Dilution: 1 Reagent: 030420.09

Consumables: 429651: 315545

Pipette : DA-309 25 uL Syringe 35028 Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50409006-001 Harvest/Lot ID: 3260704170840280

Sampled: 04/09/25 Ordered: 04/09/25

Batch#: 3260704170840280 Sample Size Received: 12 units Total Amount: 2249 units Completed: 04/12/25 Expires: 04/12/26 Sample Method: SOP.T.20.010

Page 4 of 5

0.002 ppm

ND

Batch Date: 04/10/25 10:53:28

PASS

0.02



Microbial

Batch Date: 04/10/25 07:35:38



AFLATOXIN G2

Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight:	Extraction of	late:	Extracte	d by:

4044, 4520, 585, 4571 04/10/25 10:00:50 4520

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085224MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems **Batch Date:** 04/10/25 2720 Thermocycler DA-013, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date: 04/11/25 11:15:11

Dilution: 10

Reagent: 021725.13; 021725.21; 031525.R03; 101624.14

Consumables: 7581001063

Pipette : N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4044, 4520, 585, 4571	1.061g	04/10/25 10:00:50	4520

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA085225TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with DA-3821

Analyzed Date: 04/12/25 14:39:40

Dilution: 10

Reagent: 021725.13; 021725.21; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

₹,	i-iy co coxiiis				. Au	
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXII	l B2	0.002	ppm	ND	PASS	0.02
AFLATOXII	l B1	0.002	ppm	ND	PASS	0.02
OCHRATO	(IN A	0.002	ppm	ND	PASS	0.02
AFLATOXII	l G1	0.002	ppm	ND	PASS	0.02

Analyzed by:	Weight:	Extraction date:	Extracted by:
3621, 585, 4571	1.185g	04/10/25 13:04:46	4640,450,585

Analytical Batch : DA085258MYC Instrument Used : DA-LCMS-005 (MYC)

Analyzed Date: 04/11/25 09:32:21

Dilution: 250

Reagent: 040525.R05; 081023.01 Consumables: 040724CH01; 6822423-02

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Bosult Bass / Astion

Analyzed by:	Weight:	Extraction	date:		Extracted	hv:
LEAD		0.020	ppm	ND	PASS	0.5
MERCURY		0.020	ppm	ND	PASS	3
CADMIUM		0.020	ppm	ND	PASS	0.5
ARSENIC		0.020	ppm	ND	PASS	1.5
TOTAL CONTAMINANT LO	AD METALS	0.080	ppm	ND	PASS	5
метаі		LOD	Units	Kesuit	Fail	Level

1022, 4056, 585, 4571 0.2326a 04/10/25 11:42:09 1022.4531

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA085235HEA

Instrument Used: DA-ICPMS-004 Batch Date: 04/10/25 09:23:58 Analyzed Date: 04/11/25 13:24:44

Dilution: 50

Reagent: 032525.R31; 031725.R14; 040725.R09; 040725.R10; 040725.R07; 040725.R08; 120324.07; 033125.R16

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50409006-001 Harvest/Lot ID: 3260704170840280

Sampled: 04/09/25 Ordered: 04/09/25

Batch#: 3260704170840280 Sample Size Received: 12 units Total Amount: 2249 units Completed: 04/12/25 Expires: 04/12/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Amount of tests conducted: 22

Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Ma	aterial	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 4571	Weight:		action dat 1/25 13:2		Extracted by: 1879	

Analysis Method: SOP.T.40.090

Analytical Batch : DA085271FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 04/11/25 19:44:03

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Batch Date: 04/10/25 10:41:29

Batch Date: 04/10/25 12:07:39

Analyte		LOD Units	Result	P/F	Action Level
Water Activity		0.010 aw	0.683	PASS	0.85
Analyzed by: 4797, 585, 4571	Weight: 7.38g	Extraction of 04/10/25 12		Extracted by: 4797	

Analysis Method: SOP.T.40.019 Analytical Batch: DA085252WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 04/11/25 08:43:29

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.782	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	1.810	25

Average Extraction date : Extracted Analyzed by Bv: 1665, 3335, 585, 4571 04/10/25 11:58:13 3335,4351 4.34g

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch: DA085220HOM

Instrument Used : DA-LC-006 Batch Date : 04/10/25 07:26:49

Analyzed Date: 04/11/25 08:30:03

Dilution: 40

Reagent: 030125.01; 032425.R14; 090924.05; 031825.R19

 $\textbf{Consumables:}\ 947.110;\ 04312111;\ 062224CH01;\ 1009487156;\ 1009468945;\ 0000355309$

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164