

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

**COMPLIANCE FOR RETAIL** 

Laboratory Sample ID: DA50409006-002

**Certificate of Analysis** 

### Kaycha Labs

Bloom Classic Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix: Derivative Classification: High THC



Classification: High THC Type: Extract for Inhalation Production Method: Other - Not Listed Harvest/Lot ID: 4999637638951695 Batch#: 4999637638951695 Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 4685673321259835 Harvest Date: 04/08/25 Sample Size Received: 16 units



Retail Serving Size: 1 gram Servings: 1

- Ordered: 04/09/25
- Sampled: 04/09/25

Completed: 04/12/25 Sampling Method: SOP.T.20.010

Pages 1 of 6

### PASSED

Apr 12, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

	ESULTS									MISC.
R 0	[	Hg	Ç	ç	° ?	Ä		$\bigcirc$		Ô
Pesticio PASS		vy Metals ASSED	Microbials PASSED	Mycoto PASS		Residuals Solvents PASSED	Filth <b>PASSED</b>	Water Activi PASSED	ty Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	inoid								TESTED
	Total 90 Total T	THC 5789		E	30.	al CBD 298% CBD/Container :			otal Cannabinoids 92.245% otal Cannabinoids/Cont	) )
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN THC	V CBDV	СВС
%	90.578	ND	0.298	ND	ND	ND	ND	0.790 0.5		ND
mg/unit	905.78	ND	2.98	ND	ND	ND	ND	7.90 5.7	'9 ND	ND
	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001		
LOD	0.001 %	0.001 %	<b>0.001</b> %	0.001 %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	0.001 0.0 % %		0.001 %
	%	<b>0.001</b> %		0.001 % Weight: 0.1096q		0.001 % Extraction date: 04/10/25 12:06:59	%		01 0.001	0.001
LOD Analyzed by: 3335, 1665, 585 Analysis Method Analytical Batch Instrument Used	% , 4571 1: SOP.T.40.031, SC 1: DA085234POT 1: DA-LC-003	% DP.T.30.031		% Weight:		% Extraction date: 04/10/25 12:06:55	%	% %	001 0.001 % Extracted by:	0.001
LOD Analyzed by: 3335, 1665, 585 Analytical Batch Instrument Usec Analyzed Date : Dilution : 400 Reagent : 04052 Consumables : 9	% ,4571 1: SOP.T.40.031, SC 1: DA085234POT 1: DA-LC-003 04/11/25 14:18:10 25.R01; 012725.03;	% DP.T.30.031	%	% Weight:		% Extraction date: 04/10/25 12:06:55	%	% %	001 0.001 % Extracted by:	0.001
LOD Analyzed by: 3335, 1665, 585 Analysis Method Analytical Batch Instrument Usec Analyzed Date : Dilution : 400 Reagent : 04052 Consumables : 9 Pipette : DA-079	% .4571 1: SOP.T.40.031, SC : DA085234POT 1: DA-LC-003 04/11/25 14:18:10 225.R01; 012725.03; 347.110; 04312111; 9; DA-108; DA-078	% DP.T.30.031 040725.R03 062224CH01; 0000	%	% Weight: 0.1096g	%	% Extraction date: 04/10/25 12:06:55	%	% %	001 0.001 % Extracted by:	0.001

Sunnyside\*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/25



Bloom Classic Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

## PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50409006-002 Harvest/Lot ID: 4999637638951695 Batch#: 4999637638951695 Sample Size Received: 16 units Sampled : 04/09/25 Ordered : 04/09/25

Total Amount : 441 units Completed : 04/12/25 Expires: 04/12/26 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

lerpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail		Result (%)	
OTAL TERPENES	0.007	TESTED	76.11	7.611	SABINENE	0.007	TESTED	ND	ND	
LPHA-TERPINOLENE	0.007	TESTED	35.64	3.564	SABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	14.69	1.469	VALENCENE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	5.68	0.568	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
TA-MYRCENE	0.007	TESTED	4.90	0.490	 ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
TA-PINENE	0.007	TESTED	4.67	0.467	 ALPHA-TERPINEOL	0.007	TESTED	ND	ND	
PHA-PINENE	0.007	TESTED	2.82	0.282	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
CARENE	0.007	TESTED	1.39	0.139	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
NALOOL	0.007	TESTED	0.93	0.093	Analyzed by:	Weight:		Extraction of		Extracted by:
LPHA-TERPINENE	0.007	TESTED	0.91	0.091	4444, 4451, 585, 4571	0.2029		04/10/25 12	2:15:57	4444,4451
PHA-BISABOLOL	0.007	TESTED	0.89	0.089	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.F					
XAHYDROTHYMOL	0.007	TESTED	0.84	0.084	Analytical Batch : DA085243TER Instrument Used : DA-GCMS-004				Batch Date : 04/10/25 10:07:	20
NCHYL ALCOHOL	0.007	TESTED	0.53	0.053	Analyzed Date : 04/11/25 14:18:11				Batch Date 104/10/25 10:07.	30
MMA-TERPINENE	0.007	TESTED	0.51	0.051	Dilution : 10					
RYOPHYLLENE OXIDE	0.007	TESTED	0.44	0.044	Reagent : 022525.49					
RANIOL	0.007	TESTED	0.36	0.036	Consumables : 947.110; 04312111; 2240626; 000035 Pipette : DA-065	5309				
ROL	0.007	TESTED	0.34	0.034						
MPHOR	0.007	TESTED	0.32	0.032	Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	/. For all Flower sa	imples, the Total	Terpenes % is dry-weight corrected.	
PHA-HUMULENE	0.007	TESTED	0.25	0.025						
RNEOL	0.013	TESTED	ND	ND						
MPHENE	0.007	TESTED	ND	ND						
DROL	0.007	TESTED	ND	ND						
CALYPTOL	0.007	TESTED	ND	ND						
RNESENE	0.001	TESTED	ND	ND						
NCHONE	0.007	TESTED	ND	ND						
RANYL ACETATE	0.007	TESTED	ND	ND						
IAIOL	0.007	TESTED	ND	ND						
DBORNEOL	0.007	TESTED	ND	ND						
DPULEGOL	0.007	TESTED	ND	ND						
CIMENE	0.007	TESTED	ND	ND						
ULEGONE	0.007	TESTED	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/25



..... Bloom Classic Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sample : DA50409006-002

Sampled : 04/09/25

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

# Ordered : 04/09/25

Harvest/Lot ID: 4999637638951695 Batch#: 4999637638951695 Sample Size Received: 16 units Total Amount : 441 units Completed : 04/12/25 Expires: 04/12/26 Sample Method : SOP.T.20.010

Page 3 of 6

Ĺ	ц: 0
Pestici	de

## **Pesticides**

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOI	0 Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.01	0 ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.01	0 ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.01	0 ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0 ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0 ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND			0 ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE				PASS	
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0 ppm	0.1		ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0 ppm	0.2	PASS	ND
CETAMIPRID	0.010	1.1.	0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.01	0 ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	T P	0.1	PASS	ND	SPIROXAMINE	0.01	0 ppm	0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.01	0 ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.01	0 ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.01	0 ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0 ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0 ppm	0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND				0.1	PASS	ND
HLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0 ppm			
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0 ppm	0.7	PASS	ND
LOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0 ppm	0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.01	0 ppm	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.05	0 ppm	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.05	0 ppm	0.5	PASS	ND
ICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: We	ight: Ex	traction date:		Extracted b	V:
METHOATE	0.010		0.1	PASS	ND			/10/25 13:07:52		4640,450,33	
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.4	0.102.FL				
OFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA085242PES					
TOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date :04/10/2	25 10:05:05	
INHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :04/11/25 10:30:41					
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 040525.R05; 081023.01					
ENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
PRONIL	0.010		0.1	PASS	ND	Pipette : N/A					
LONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed ut	lizing Liquid Chr	omatography Tri	ple-Quadrupol	e Mass Spectron	netry in
LUDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
EXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by:	
IAZALIL	0.010		0.1	PASS	ND	<b>450, 585, 4571</b> 0.2055g	04/10/25	13:07:52		4640,450,3379	
AIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T	40.151.FL				
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA085245VOL Instrument Used : DA-GCMS-011		Ratch Da	te:04/10/25	10.00.13	
ALATHION	0.010		0.2	PASS	ND	Analyzed Date :04/11/25 10:29:21		Datch Da		10.05.15	
ETALAXYL	0.010		0.1	PASS	ND	Dilution : 250					
ETHIOCARB	0.010		0.1	PASS	ND	Reagent : 040525.R05; 081023.01; 040225	R32; 040225.R	33			
ETHOMYL	0.010		0.1	PASS	ND	Consumables : 040724CH01; 6822423-02;	17473601				
IEVINPHOS	0.010	P.P.	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed ut	lizing Gas Chron	atography Triple	e-Quadrupole I	Mass Spectrome	try in
IALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/25

### PASSED

PASSED



Bloom Classic Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50409006-002 Harvest/Lot ID: 4999637638951695 Batch#: 4999637638951695 Sample Size Received: 16 units Sampled : 04/09/25 Ordered : 04/09/25

Total Amount : 441 units Completed : 04/12/25 Expires: 04/12/26 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

0.800 0.200	ppm			
0 200	I= I=	8	PASS	ND
0.200	ppm	2	PASS	ND
50.000	ppm	500	PASS	ND
75.000	ppm	750	PASS	ND
6.000	ppm	60	PASS	ND
0.100	ppm	1	PASS	ND
500.000	ppm	5000	PASS	ND
0.200	ppm	2	PASS	ND
12.500	ppm	125	PASS	ND
500.000	ppm	5000	PASS	ND
40.000	ppm	400	PASS	ND
50.000	ppm	500	PASS	ND
0.500	ppm	5	PASS	ND
500.000	ppm	5000	PASS	ND
25.000	ppm	250	PASS	ND
25.000	ppm	250	PASS	ND
75.000	ppm	750	PASS	ND
500.000	ppm	5000	PASS	ND
15.000	ppm	150	PASS	ND
15.000	ppm	150	PASS	ND
2.500	ppm	25	PASS	ND
Weight: 0.0207g	Extraction date: 04/10/25 12:27:08		<b>Ext</b> 445	racted by:
		Batch Date : 04/10/25 1	1:39:07	
	6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000 0.500 500.000 25.000 25.000 25.000 500.000 15.000 15.000 15.000 2.500	6.000   ppm     0.100   ppm     0.100   ppm     500.000   ppm     0.200   ppm     12.500   ppm     500.000   ppm     500.000   ppm     500.000   ppm     50.000   ppm     0.500   ppm     500.000   ppm     25.000   ppm     25.000   ppm     500.000   ppm     50.000   ppm     50.000   ppm     50.000   ppm     50.000   ppm     50.000   ppm     25.000   ppm     25.000   ppm     25.000   ppm     25.000   ppm     25.000   ppm <td>6.000 ppm 60   0.100 ppm 1   500.000 ppm 5000   0.200 ppm 2   12.500 ppm 125   500.000 ppm 5000   40.000 ppm 5000   50.000 ppm 500   0.500 ppm 500   0.500 ppm 5000   25.000 ppm 250   25.000 ppm 250   25.000 ppm 750   500.000 ppm 5000   15.000 ppm 5000   15.000 ppm 150   15.000 ppm 150   2.500 ppm 25   0.0207g 04/10/25 12:27:08</td> <td>6.000 ppm 60 PASS   0.100 ppm 1 PASS   500.000 ppm 5000 PASS   0.200 ppm 2 PASS   12.500 ppm 125 PASS   500.000 ppm 5000 PASS   40.000 ppm 5000 PASS   40.000 ppm 500 PASS   500.000 ppm 500 PASS   500.000 ppm 500 PASS   50.000 ppm 500 PASS   500.000 ppm 5000 PASS   25.000 ppm 250 PASS   25.000 ppm 750 PASS   500.000 ppm 750 PASS   500.000 ppm 5000 PASS   500.000 ppm 150 PASS   15.000 ppm 150 PASS   15.000 ppm 25 PASS   2.500 ppm 25 PASS   2.500 ppm</td>	6.000 ppm 60   0.100 ppm 1   500.000 ppm 5000   0.200 ppm 2   12.500 ppm 125   500.000 ppm 5000   40.000 ppm 5000   50.000 ppm 500   0.500 ppm 500   0.500 ppm 5000   25.000 ppm 250   25.000 ppm 250   25.000 ppm 750   500.000 ppm 5000   15.000 ppm 5000   15.000 ppm 150   15.000 ppm 150   2.500 ppm 25   0.0207g 04/10/25 12:27:08	6.000 ppm 60 PASS   0.100 ppm 1 PASS   500.000 ppm 5000 PASS   0.200 ppm 2 PASS   12.500 ppm 125 PASS   500.000 ppm 5000 PASS   40.000 ppm 5000 PASS   40.000 ppm 500 PASS   500.000 ppm 500 PASS   500.000 ppm 500 PASS   50.000 ppm 500 PASS   500.000 ppm 5000 PASS   25.000 ppm 250 PASS   25.000 ppm 750 PASS   500.000 ppm 750 PASS   500.000 ppm 5000 PASS   500.000 ppm 150 PASS   15.000 ppm 150 PASS   15.000 ppm 25 PASS   2.500 ppm 25 PASS   2.500 ppm

Reagent: 030420.09 Consumables : 429651: 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/25



Page 5 of 6

••••• Bloom Classic Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50409006-002 Harvest/Lot ID: 4999637638951695 Batch#: 4999637638951695 Sample Size Received: 16 units

Sampled : 04/09/25 Total Amount : 441 units Ordered : 04/09/25 Sample Method : SOP.T.20.010

Completed : 04/12/25 Expires: 04/12/26

Ę,	Microl	bial			PAS	SED	သို့	Мус	otoxir	าร			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	IS TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	1.1.	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS							-		
	T AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3621, 3379, 58	35, 4571	Weight: 0.2055g	Extraction 0 04/10/25 1			tracted b 540,450,3	
Analyzed by: 1044, 4520, 58	35. 4571	Weight: 0.8689g	Extraction d 04/10/25 10		Extracte 4520	ed by:		od:SOP.T.30.1 ch:DA085244		40.102.FL				
Analysis Metho	od : SOP.T.40.0560 ch : DA085224MIC	C, SOP.T.40.0			4520		Instrument Us	ed : DA-LCMS-0 : 04/11/25 10:	03 (MYC)	B	atch Date	:04/10/2	5 10:09:0	2
Dilution : 10	: 04/11/25 11:15: 725.13; 021725.2 : 7581001063		3; 101624.14				accordance wit	ting utilizing Liqu h F.S. Rule 64ER2	20-39.		-Quadrupo		ectrometry PAS	
Analyzed by: 1044, 4520, 58	35, 4571	Weight: 0.8689g	Extraction d 04/10/25 10		Extracte 4520	ed by:	[ Hg	пеач	y Me	Lais			PAS	JED
Analytical Bate	od : SOP.T.40.209. ch : DA085225TYM ed : Incubator (25 <sup>3</sup>	1	calibrated wit	h Batch Dat	<b>e:</b> 04/10/2	5 07:35:3	Metal			LOD	Units	Result	Fail	Action Level
DA-382]		-,						AMINANT LO	AD METALS	0.080	ppm	ND	PASS	1.1
analyzed Date	: 04/12/25 14:39:	42					ARSENIC			0.020	ppm	ND	PASS	0.2
ilution: 10							CADMIUM			0.020	ppm	ND	PASS	0.2
	725.13; 021725.23	1; 022625.R5	3				MERCURY			0.020	ppm	ND	PASS	0.2
Consumables : Pipette : N/A	: N/A						LEAD			0.020	ppm	ND	PASS	0.5
otal yeast and	mold testing is perfo		MPN and traditi	onal culture based	d techniques	s in	- Analyzed by: 1022, 4056, 58	35, 4571	Weight: 0.2622g	Extraction 04/10/25			Extracted 1022,405	
iccordance with	n F.S. Rule 64ER20-3	9.					Analytical Bate	od : SOP.T.30.0 ch : DA0852411 ed : DA-ICPMS- : 04/12/25 09:	1EA 004		h Date : (	04/10/25 0	9:59:36	
							120324.07; 03 Consumables :	525.R31; 0317; 33125.R16 040724CH01;	J609879-0193		25.R10; (	040725.R0	7; 04072	5.R08;

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/25



Bloom Classic Disposable Vape 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**Eilth/Eoroign** 

# **Certificate of Analysis**

## PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50409006-002 Harvest/Lot ID: 4999637638951695 Batch#: 4999637638951695 Sample Size Received: 16 units Sampled : 04/09/25 Ordered : 04/09/25

DACCED

Total Amount : 441 units Completed : 04/12/25 Expires: 04/12/26 Sample Method : SOP.T.20.010

	Material		n		PA	SSED	
Analyte Filth and Foreig	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 4571	Weight: 1g		action dat		Extracted by: 1879		
	: Filth/Foreign Mater 4/11/25 19:44:04	ial Micro	oscope	Batch D	Date: 04/10	0/25 12:07:39	
Filth and foreign m	aterial inspection is pe ordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope	
$\bigcirc$	Water A	ctiv	ity		ΡΑ	SSED	
Analyte Water Activity		<b>LOD</b> 0.010	Units	Result	P/F PASS	Action Level	

Analyzed by: 4797, 585, 4571	<b>Weight:</b> 0.3993g	Extraction date: 04/10/25 12:36:30	<b>Extracted by:</b> 4797,4056
Analysis Method : SOF Analytical Batch : DAG Instrument Used : DA- Analyzed Date : 04/11	85252WAT 028 Rotronic Hy	gropalm Batch Da	te:04/10/25 10:41:29
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 04/12/25

Page 6 of 6