

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50410011-002


Production Method: Other - Not Listed

Harvest/Lot ID: 1796000376680741

Batch#: 1796000376680741

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 6434084899270044

Harvest Date: 04/09/25

Sample Size Received: 16 units

Total Amount: 523 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 04/10/25

Sampled: 04/10/25

Completed: 04/14/25

Sampling Method: SOP.T.20.010

Apr 14, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
90.027%
Total THC/Container : 900.270 mg

Total CBD
0.376%
Total CBD/Container : 3.760 mg

Total Cannabinoids
95.297%
Total Cannabinoids/Container : 952.970 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 89.992 | 0.040 | 0.332 | 0.051 | ND | 2.306 | 0.012 | 0.829 | 0.613 | 0.022 | 1.100 |
| mg/unit | 899.92 | 0.40 | 3.32 | 0.51 | ND | 23.06 | 0.12 | 8.29 | 6.13 | 0.22 | 11.00 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.1005g

 Extraction date:
 04/11/25 12:25:38

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085289POT

Instrument Used : DA-LC-003

Analyzed Date : 04/14/25 09:12:32

Batch Date : 04/11/25 09:18:59

Dilution : 400

Reagent : 041125.R04; 012725.03; 041125.R07

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 04/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50410011-002
Harvest/Lot ID: 1796000376680741

Batch# : 1796000376680741 Sample Size Received : 16 units
Sampled : 04/10/25 Total Amount : 523 units
Ordered : 04/10/25 Completed : 04/14/25 Expires: 04/14/26
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOD (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|--|--------------------------------|------------------------------------|--------------------|------------|
| TOTAL TERPENES | 0.007 | TESTED | 30.69 | 3.069 | SABINENE | 0.007 | TESTED | ND | ND |
| ALPHA-TERPINOLENE | 0.007 | TESTED | 9.95 | 0.995 | SABINENE HYDRATE | 0.007 | TESTED | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | TESTED | 4.32 | 0.432 | ALPHA-CEDRENE | 0.005 | TESTED | ND | ND |
| BETA-MYRCENE | 0.007 | TESTED | 3.18 | 0.318 | ALPHA-HUMULENE | 0.007 | TESTED | ND | ND |
| LIMONENE | 0.007 | TESTED | 2.83 | 0.283 | ALPHA-PHELLANDRENE | 0.007 | TESTED | ND | ND |
| BETA-PINENE | 0.007 | TESTED | 2.06 | 0.206 | CIS-NEROLIDOL | 0.003 | TESTED | ND | ND |
| OCIMENE | 0.007 | TESTED | 1.53 | 0.153 | GAMMA-TERPINENE | 0.007 | TESTED | ND | ND |
| ALPHA-PINENE | 0.007 | TESTED | 1.11 | 0.111 | TRANS-NEROLIDOL | 0.005 | TESTED | ND | ND |
| FARNESENE | 0.007 | TESTED | 0.96 | 0.096 | Analysis by: 6846, 4451, 585, 1440 | Weight: 0.2181g | Extraction date: 04/11/25 13:46:14 | Extracted by: 4444 | |
| VALENCENE | 0.007 | TESTED | 0.86 | 0.086 | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | Batch Date : 04/11/25 10:07:32 | | | |
| ALPHA-BISABOLOL | 0.007 | TESTED | 0.86 | 0.086 | Analytical Batch : DA0833007ER | | | | |
| ALPHA-TERPINEOL | 0.007 | TESTED | 0.63 | 0.063 | Instrument Used : DA-GCMS-009 | | | | |
| LINALOOL | 0.007 | TESTED | 0.60 | 0.060 | Analyzed Date : 04/14/25 09:12:34 | | | | |
| FENCHYL ALCOHOL | 0.007 | TESTED | 0.49 | 0.049 | Dilution : 10 | | | | |
| 3-CARENE | 0.007 | TESTED | 0.45 | 0.045 | Reagent : 022525.49 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | TESTED | 0.34 | 0.034 | Consumables : 947.110; 04312111; 2240626; 0000355309 | | | | |
| ALPHA-TERPINENE | 0.007 | TESTED | 0.31 | 0.031 | Pipette : DA-065 | | | | |
| HEXAHYDROTHYMOL | 0.007 | TESTED | 0.21 | 0.021 | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| BORNEOL | 0.013 | TESTED | ND | ND | | | | | |
| CAMPHERE | 0.007 | TESTED | ND | ND | | | | | |
| CAMPHOR | 0.007 | TESTED | ND | ND | | | | | |
| CEDROL | 0.007 | TESTED | ND | ND | | | | | |
| EUCALYPTOL | 0.007 | TESTED | ND | ND | | | | | |
| FENCHONE | 0.007 | TESTED | ND | ND | | | | | |
| GERANIOL | 0.007 | TESTED | ND | ND | | | | | |
| GERANYL ACETATE | 0.007 | TESTED | ND | ND | | | | | |
| GUAIOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOBORNEOL | 0.007 | TESTED | ND | ND | | | | | |
| ISOPULEGOL | 0.007 | TESTED | ND | ND | | | | | |
| NEROL | 0.007 | TESTED | ND | ND | | | | | |
| PULEGONE | 0.007 | TESTED | ND | ND | | | | | |
| Total (%) | | | 3.069 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50410011-002

Harvest/Lot ID: 1796000376680741

Batch# : 1796000376680741

Sampled : 04/10/25

Ordered : 04/10/25

Sample Size Received : 16 units

Total Amount : 523 units

Completed : 04/14/25 Expires: 04/14/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|----------------|------------------------------------|----------------------------|--------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3621, 585, 1440 | Weight: 0.257g | Extraction date: 04/11/25 12:33:59 | Extracted by: 4640,450,585 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA085304PES | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | | Batch Date : 04/11/25 10:27:43 | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 04/14/25 11:29:45 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 041025.R17; 081023.01 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 040724CH01; 6822423-02 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : N/A | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 | Weight: 0.257g | Extraction date: 04/11/25 12:33:59 | Extracted by: 4640,450,585 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA085306VOL | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-011 | | | | Batch Date : 04/11/25 10:29:42 | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analyzed Date : 04/14/25 11:28:40 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Reagent : 041025.R17; 081023.01; 040225.R32; 040225.R33 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 040724CH01; 6822423-02; 17473601 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 1g - Pnapl Exp (H)

Pnapl Exp (H)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50410011-002

Harvest/Lot ID: 1796000376680741

Batch# : 1796000376680741

Sampled : 04/10/25

Ordered : 04/10/25

Sample Size Received : 16 units

Total Amount : 523 units

Completed : 04/14/25 Expires: 04/14/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
4451, 585, 1440

Weight:
0.0239g

Extraction date:
04/11/25 12:34:45

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA085313SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 04/14/25 10:04:20

Batch Date : 04/11/25 12:17:37

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50410011-002
Harvest/Lot ID: 1796000376680741

Batch# : 1796000376680741 Sample Size Received : 16 units
Sampled : 04/10/25 Total Amount : 523 units
Ordered : 04/10/25 Completed : 04/14/25 Expires: 04/14/26
Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | | |
|---|-------------------|---------------------------------------|----------------------------|-------------|--------------|--------|
|  | Microbial | | | | | PASSED |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | |
| Analyzed by: 4520, 585, 1440 | Weight: 0.848g | Extraction date: 04/11/25 11:06:41 | Extracted by: 4520,3390 | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085272MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 04/14/25 09:03:07 | | | | | | |
| Dilution : 10 Reagent : 021725.12; 021725.21; 031525.R03; 101624.14 Consumables : 7581001070 Pipette : N/A | | | | | | |
| | | | | | | |
| Analyzed by: 4520, 4892, 585, 1440 | Weight: 0.848g | Extraction date: 04/11/25 11:06:41 | Extracted by: 4520,3390 | | | |
| Analysis Method : SOP.T.40.209.FL Analytical Batch : DA085273TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 04/14/25 08:56:19 | | | | | | |
| Dilution : 10 Reagent : 021725.12; 021725.21; 022625.R53 Consumables : N/A Pipette : N/A | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | |

| | | | | | | |
|--|-------------------|---------------------------------------|-------------------------------|-------------|--------------|--------|
|  | Mycotoxins | | | | | PASSED |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | |
| Analyzed by: 3621, 585, 1440 | Weight: 0.257g | Extraction date: 04/11/25 12:33:59 | Extracted by: 4640,450,585 | | | |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085305MYC Instrument Used : N/A Analyzed Date : 04/14/25 09:12:09 | | | | | | |
| Dilution : 250 Reagent : 041025.R17; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | |

| | | | | | | |
|--|--------------------|---------------------------------------|----------------------------|-------------|--------------|--------|
|  | Heavy Metals | | | | | PASSED |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 | |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 | |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 | |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 | |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 | |
| Analyzed by: 4056, 4531, 585, 1440 | Weight: 0.2591g | Extraction date: 04/11/25 11:37:52 | Extracted by: 4531,4056 | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA085296HEA Instrument Used : DA-ICPMS-005 Analyzed Date : 04/14/25 09:10:42 | | | | | | |
| Dilution : 50 Reagent : 032525.R31; 031725.R14; 040725.R09; 041025.R16; 040725.R07; 040725.R08; 120324.07; 041025.R11 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Bloom Classic Disposable Vape 1g - Pnapl Exp (H)
Pnapl Exp (H)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50410011-002

Harvest/Lot ID: 1796000376680741

Batch# : 1796000376680741

Sampled : 04/10/25

Ordered : 04/10/25

Sample Size Received : 16 units

Total Amount : 523 units

Completed : 04/14/25 Expires: 04/14/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 04/11/25 13:20:54 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA085271FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/11/25 19:44:40

Batch Date : 04/10/25 12:07:39

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.494 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|----------------------------|
| Analyzed by: 4797, 585, 1440 | Weight: 0.5132g | Extraction date: 04/11/25 11:19:35 | Extracted by: 4797,1879 |
|---------------------------------|--------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA085283WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/12/25 10:10:52

Batch Date : 04/11/25 08:23:45

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/14/25