



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50410011-012



Apr 14, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

19.871%

Total THC/Container : 1390.970 mg



Total CBD

0.046%

Total CBD/Container : 3.220 mg



Total Cannabinoids

23.682%

Total Cannabinoids/Container : 1657.740 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.356	22.252	ND	0.053	0.039	0.053	0.727	ND	ND	ND	0.202
mg/unit	24.92	1557.64	ND	3.71	2.73	3.71	50.89	ND	ND	ND	14.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2003g

Extraction date:
04/11/25 12:28:00

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085287POT

Instrument Used : DA-LC-002

Analyzed Date : 04/14/25 09:17:38

Batch Date : 04/11/25 09:17:37

Dilution : 400

Reagent : 040925.R38; 012725.03; 040725.R01

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - MAC 1 (I)
MAC 1 (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50410011-012
Harvest/Lot ID: 3949384341885058

Batch# : 3949384341885058 Sample Size Received : 5 units
Sampled : 04/10/25 Total Amount : 426 units
Ordered : 04/10/25 Completed : 04/14/25 Expires: 04/14/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	116.97	1.671	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	26.39	0.377	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	22.75	0.325	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	13.02	0.186	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	10.01	0.143	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	9.17	0.131	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	7.63	0.109	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	7.14	0.102	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	7.00	0.100					
ALPHA-TERPINEOL	0.007	TESTED	3.92	0.056	Analyzed by:	6844, 4451, 585, 1440	Weight:	Extraction date:	Extracted by:
TRANS-NEROLIDOL	0.005	TESTED	3.78	0.054			1.0055g	04/11/25 13:48:40	4444
FENCHYL ALCOHOL	0.007	TESTED	3.43	0.049					
OCIMENE	0.007	TESTED	2.73	0.039					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)					1.671				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
04/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - MAC 1 (I)
MAC 1 (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50410011-012
Harvest/Lot ID: 3949384341885058

Batch# : 3949384341885058 Sample Size Received : 5 units
Sampled : 04/10/25 Total Amount : 426 units
Ordered : 04/10/25 Completed : 04/14/25 Expires: 04/14/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED


Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.0056g	Extraction date: 04/11/25 12:50:58	Extracted by: 4640,450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085301PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 04/11/25 10:22:57	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/14/25 11:10:16					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 041025.R17; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0056g	Extraction date: 04/11/25 12:50:58	Extracted by: 4640,450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085303VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 04/11/25 10:24:47	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/14/25 11:08:26					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 041025.R17; 081023.01; 040225.R32; 040225.R33					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/14/25



Certificate of Analysis

PASSED



Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50410011-012
 Harvest/Lot ID: 3949384341885058

 Batch# : 3949384341885058 Sample Size Received : 5 units
 Sampled : 04/10/25 Total Amount : 426 units
 Ordered : 04/10/25 Completed : 04/14/25 Expires: 04/14/26
 Sample Method : SOP.T.20.010

Page 4 of 5


	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																																																																																																																											
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 4044, 4520, 585, 1440</td><td>Weight: 0.974g</td><td>Extraction date: 04/11/25 11:13:24</td><td>Extracted by: 4520,4044</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085274MIC</td></tr><tr><td colspan="4">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td><td colspan="2">Batch Date : 04/11/25 07:03:12</td></tr><tr><td colspan="6">Analyzed Date : 04/14/25 09:15:53</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 021725.12; 021725.21; 031525.R03; 101624.14</td></tr><tr><td colspan="6">Consumables : 7581001070</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	Analyzed by: 4044, 4520, 585, 1440	Weight: 0.974g	Extraction date: 04/11/25 11:13:24	Extracted by: 4520,4044			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA085274MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 04/11/25 07:03:12		Analyzed Date : 04/14/25 09:15:53						Dilution : 10						Reagent : 021725.12; 021725.21; 031525.R03; 101624.14						Consumables : 7581001070						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3621, 585, 1440</td><td>Weight: 1.0056g</td><td>Extraction date: 04/11/25 12:50:58</td><td>Extracted by: 4640,450,585</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085302MYC</td></tr><tr><td colspan="2">Instrument Used : N/A</td><td colspan="4">Batch Date : 04/11/25 10:24:32</td></tr><tr><td colspan="6">Analyzed Date : 04/14/25 09:27:38</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 041025.R17; 081023.01</td></tr><tr><td colspan="6">Consumables : 040724CH01; 6822423-02</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3621, 585, 1440	Weight: 1.0056g	Extraction date: 04/11/25 12:50:58	Extracted by: 4640,450,585			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA085302MYC						Instrument Used : N/A		Batch Date : 04/11/25 10:24:32				Analyzed Date : 04/14/25 09:27:38						Dilution : 250						Reagent : 041025.R17; 081023.01						Consumables : 040724CH01; 6822423-02						Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																								
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																									
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																									
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																									
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																									
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																									
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																									
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000																																																																																																																																																																																																								
Analyzed by: 4044, 4520, 585, 1440	Weight: 0.974g	Extraction date: 04/11/25 11:13:24	Extracted by: 4520,4044																																																																																																																																																																																																										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																													
Analytical Batch : DA085274MIC																																																																																																																																																																																																													
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 04/11/25 07:03:12																																																																																																																																																																																																									
Analyzed Date : 04/14/25 09:15:53																																																																																																																																																																																																													
Dilution : 10																																																																																																																																																																																																													
Reagent : 021725.12; 021725.21; 031525.R03; 101624.14																																																																																																																																																																																																													
Consumables : 7581001070																																																																																																																																																																																																													
Pipette : N/A																																																																																																																																																																																																													
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																													
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																								
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																								
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																								
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																								
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																								
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																								
Analyzed by: 3621, 585, 1440	Weight: 1.0056g	Extraction date: 04/11/25 12:50:58	Extracted by: 4640,450,585																																																																																																																																																																																																										
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																													
Analytical Batch : DA085302MYC																																																																																																																																																																																																													
Instrument Used : N/A		Batch Date : 04/11/25 10:24:32																																																																																																																																																																																																											
Analyzed Date : 04/14/25 09:27:38																																																																																																																																																																																																													
Dilution : 250																																																																																																																																																																																																													
Reagent : 041025.R17; 081023.01																																																																																																																																																																																																													
Consumables : 040724CH01; 6822423-02																																																																																																																																																																																																													
Pipette : N/A																																																																																																																																																																																																													
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																													
	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																																																																																																																																											
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 4056, 4531, 585, 1440</td><td>Weight: 0.2884g</td><td>Extraction date: 04/11/25 10:42:42</td><td>Extracted by: 4531,4056</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085299HEA</td></tr><tr><td colspan="2">Instrument Used : DA-ICPMS-004</td><td colspan="4">Batch Date : 04/11/25 10:07:11</td></tr><tr><td colspan="6">Analyzed Date : 04/14/25 09:50:21</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 032525.R31; 031725.R14; 040725.R09; 041025.R16; 040725.R07; 040725.R08; 120324.07; 041025.R11</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 4056, 4531, 585, 1440	Weight: 0.2884g	Extraction date: 04/11/25 10:42:42	Extracted by: 4531,4056			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA085299HEA						Instrument Used : DA-ICPMS-004		Batch Date : 04/11/25 10:07:11				Analyzed Date : 04/14/25 09:50:21						Dilution : 50						Reagent : 032525.R31; 031725.R14; 040725.R09; 041025.R16; 040725.R07; 040725.R08; 120324.07; 041025.R11						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																								
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																																																																								
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																								
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																								
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																																																																								
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																																																																								
Analyzed by: 4056, 4531, 585, 1440	Weight: 0.2884g	Extraction date: 04/11/25 10:42:42	Extracted by: 4531,4056																																																																																																																																																																																																										
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																													
Analytical Batch : DA085299HEA																																																																																																																																																																																																													
Instrument Used : DA-ICPMS-004		Batch Date : 04/11/25 10:07:11																																																																																																																																																																																																											
Analyzed Date : 04/14/25 09:50:21																																																																																																																																																																																																													
Dilution : 50																																																																																																																																																																																																													
Reagent : 032525.R31; 031725.R14; 040725.R09; 041025.R16; 040725.R07; 040725.R08; 120324.07; 041025.R11																																																																																																																																																																																																													
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																																																																																																													
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																													
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																													



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - MAC 1 (I)
MAC 1 (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50410011-012

Harvest/Lot ID: 3949384341885058

Batch# : 3949384341885058

Sampled : 04/10/25

Ordered : 04/10/25

Sample Size Received : 5 units

Total Amount : 426 units

Completed : 04/14/25 Expires: 04/14/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	11.2	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/11/25 13:22:20			Extracted by: 1879	Analyzed by: 4797, 585, 1440	Weight: 0.5g	Extraction date: 04/11/25 11:43:21			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA085271FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/11/25 19:48:07						Analysis Method : SOP.T.40.021 Analytical Batch : DA085281MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/12/25 10:03:45					
Batch Date : 04/10/25 12:07:39						Batch Date : 04/11/25 08:21:03					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.550	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.557g	Extraction date: 04/11/25 11:39:39	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA085282WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 04/11/25 08:21:56		
Analyzed Date : 04/12/25 10:12:03					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/14/25