

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50411014-002



Apr 15, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

Kaycha Labs

Sunnyside Chews 100mg 10pk Guava

Guava

Matrix: Edible

Classification: High THC Type: Soft Chew

Production Method: Other - Not Listed Harvest/Lot ID: 6060116779498885

Batch#: 6060116779498885

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 8411323118442011

Harvest Date: 04/08/25

Sample Size Received: 11 units

Total Amount: 1947 units

Retail Product Size: 42.0027 gram Retail Serving Size: 4.1 gram

Servings: 10

Ordered: 04/11/25 Sampled: 04/11/25

Completed: 04/15/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 04/14/25 07:52:11



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container: 109.207 mg



Total CBD

Total CBD/Container: 0.000 mg



Total Cannabinoids

Total Cannabinoids/Container: 113.407

%	_{D9-ТНС}	THCA ND	CBD ND	CBDA ND	D8-THC	св с 0.008	CBGA ND	CBN ND	THCV ND	CBDV ND	свс 0.002
mg/unit	109.21	ND	ND	ND	ND	3.36	ND	ND	ND	ND	0.84
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by: 335, 1665, 585	, 1440			Weight: 3.0655g		Extraction date: 04/14/25 10:27:5	54			Extracted by: 3335	

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA085368POT Instrument Used: DA-LC-007 Analyzed Date: 04/15/25 09:31:33

Dilution: 400

Dilution : 400
Reagent : 030125.01; 041125.R05; 090924.05; 012725.03; 040725.R02
Consumables : 947.110; 04312111; 062224CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50411014-002 Harvest/Lot ID: 6060116779498885

Batch#: 6060116779498885 Sample Size Received: 11 units Sampled: 04/11/25 Ordered: 04/11/25

Total Amount: 1947 units Completed: 04/15/25 Expires: 04/15/26 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

sticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	30	PASS	ND	OXAMYL	0.010) ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL	0.010) ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET	0.010) ppm	0.2	PASS	ND
TAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE	0.010) ppm	3	PASS	ND
TAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		mag (0.4	PASS	ND
TAL SPINOSAD	0.010		3	PASS	ND	PROPICONAZOLE) ppm	1	PASS	ND
AMECTIN B1A	0.010		0.3	PASS	ND	PROPOSUR) ppm	0.1	PASS	ND
EPHATE	0.010		3	PASS	ND				3	PASS	ND
EQUINOCYL	0.010		2	PASS	ND	PYRIDABEN) ppm			
TAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN) ppm	3	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT) ppm	3	PASS	ND
DXYSTROBIN	0.010		3		ND	SPIROXAMINE	0.010) ppm	0.1	PASS	ND
ENAZATE	0.010	1.1.	3	PASS	ND	TEBUCONAZOLE	0.010) ppm	1	PASS	ND
ENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID	0.010) ppm	0.1	PASS	ND
SCALID	0.010		3	PASS	ND	THIAMETHOXAM	0.010) ppm	1	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010) ppm	3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *) ppm	0.2	PASS	ND
LORANTRANILIPROLE	0.010		3	PASS PASS	ND	PARATHION-METHYL *) ppm	0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		3 0.1		ND) ppm	3	PASS	ND
ORPYRIFOS	0.010			PASS PASS	ND	CAPTAN *		1.1.	0.1	PASS	
FENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *) ppm			ND
IMAPHOS	0.010		0.1	PASS	ND ND	CHLORFENAPYR *) ppm	0.1	PASS	ND
INOZIDE			3	PASS	ND ND	CYFLUTHRIN *) ppm	1	PASS	ND
ZINON	0.010			PASS		CYPERMETHRIN *	0.050) ppm	1	PASS	ND
HLORVOS	0.010		0.1	PASS	ND ND	Analyzed by: Weight:	Extracti	on date:		Extracted by	:
ETHOATE	0.010		0.1	PASS	ND ND	3379, 585, 1440 1.0511g	04/13/25	09:59:01		4640,450,585	5
OPROPHOS	0.010			PASS		Analysis Method: SOP.T.30.102.FL, SOP.T.40.1	02.FL				
FENPROX	0.010	P. P.	0.1 1.5	PASS	ND ND	Analytical Batch : DA085354PES					
XAZOLE			3	PASS	ND ND	Instrument Used: DA-LCMS-005 (PES) Analyzed Date: 04/15/25 14:04:16		Bato	h Date: 04/12	/25 13:01:23	
HEXAMID	0.010		0.1	PASS	ND ND	Dilution: 250					
OXYCARB	0.010		2	PASS	ND ND	Reagent: 041025.R13; 040925.R28; 040925.R3	31: 012925.R	01: 040925.	R01: 081023.01	I: 041325.R01	
IPYROXIMATE	0.010		0.1	PASS	ND ND	Consumables : 6822423-02	,1, 012525	01, 010323.	101, 001025101	, 01152501	
RONIL	0.010	1.1.	2	PASS	ND ND	Pipette: DA-093; DA-094; DA-219					
DNICAMID		1.1.	3	PASS	ND ND	Testing for agricultural agents is performed utilizing	g Liquid Chro	matography ¹	Triple-Quadrupo	le Mass Spectror	metry in
JDIOXONIL	0.010					accordance with F.S. Rule 64ER20-39.					
XYTHIAZOX	0.010		2 0.1	PASS PASS	ND ND	Analyzed by: Weight:		action date		Extracted	
AZALIL	0.010		1	PASS	ND ND	4640, 450, 585, 1440 1.0511g		.3/25 09:59:	ŊŢ	4640,450,5	85
DACLOPRID	0.010		1		ND ND	Analysis Method: SOP.T.30.151A.FL, SOP.T.40. Analytical Batch: DA085356VOL	TDT.FL				
SOXIM-METHYL		1.1.	2	PASS PASS		Instrument Used : DA-GCMS-010		Batch I	Date: 04/12/25	13:02:37	
LATHION	0.010		3		ND ND	Analyzed Date : 04/14/25 10:32:54				/	
TALAXYL	0.010			PASS		Dilution: 250					
THIOCARB	0.010		0.1	PASS	ND	Reagent: 081023.01; 041325.R01; 040225.R32		3			
THOMYL	0.010		0.1	PASS	ND	Consumables: 6822423-02; 040724CH01; 174	73601				
VINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
CLOBUTANIL LED	0.010		3 0.5	PASS PASS	ND ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	g Gas Chroma	atography Tri	pie-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50411014-002 Harvest/Lot ID: 6060116779498885

Sampled: 04/11/25 Ordered: 04/11/25

Batch#: 6060116779498885 Sample Size Received: 11 units Total Amount: 1947 units Completed: 04/15/25 Expires: 04/15/26 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm		TESTED	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		Extracte	d by:	

4451, 585, 1440 0.0254g 04/12/25 14:05:43 4571,4451

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA085346SOL Instrument Used: DA-GCMS-003

Analyzed Date: 04/14/25 14:30:24 Dilution: 1

Reagent: 030420.09 Consumables: 429651; 315545 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

Batch Date: 04/12/25 12:34:12

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50411014-002 Harvest/Lot ID: 6060116779498885

Batch#: 6060116779498885 Sample Size Received: 11 units Sampled: 04/11/25 Ordered: 04/11/25

Total Amount: 1947 units Completed: 04/15/25 Expires: 04/15/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 04/12/25 13:02:36



Microbial

PASSED



Mycotoxins

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 4777, 585, 1440 1.0095g 04/12/25 10:24:35

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085329MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 04/12/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 09:56:27

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 04/14/25 13:18:31

Dilution: 10

Reagent: 021725.07; 021725.22; 031525.R03; 101624.14

Consumables: 7581001002 Pipette: N/A

PASSED

1	Analyte		LOD	Units	Result	Pass / Fail	Action Level
	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
	AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
	OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
	AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
	AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
0	Analyzed by: 3379, 585, 1440	Weight: 1.0511a	Extraction date: 04/13/25 09:59			racted by	

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA085355MYC Instrument Used : N/A

Analyzed Date : 04/15/25 14:02:23

Dilution: 250

Reagent: 041025.R13; 040925.R28; 040925.R31; 012925.R01; 040925.R01; 081023.01; 041325.R01

Consumables: 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

4531

4777, 4892, 585, 1440	1.0095g	04/12/25 10:24	
Analysis Method : SOP.T.40.20			
Analytical Batch : DA085330TY			
Instrument Used : Incubator (2	5*C) DA- 328	[calibrated with	Batch Date: 04/12/25 09:57:46

Instrument Used : Incubator (25*C) DA- 328 [calibrated with DA-3821

Analyzed Date: 04/14/25 13:19:38

Dilution: 10

Reagent: 021725.07; 021725.22; 022625.R53 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Kesuit	Fail	Level	
TOTAL CONTAMINA	NT LOAD METALS	0.080	ppm	ND	PASS	5	
ARSENIC		0.020	ppm	ND	PASS	1.5	
CADMIUM		0.020	ppm	ND	PASS	0.5	
MERCURY		0.020	ppm	ND	PASS	3	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction dat	e:		l by:		

Analyzed by: 4056, 585, 1440 04/12/25 13:10:19 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA085336HEA Instrument Used : DA-ICPMS-004

Batch Date: 04/12/25 10:29:32 Analyzed Date: 04/14/25 10:30:12

Dilution: 50

Reagent: 032525.R31; 031725.R14; 040725.R09; 040725.R07; 040725.R08; 120324.07;

041025.R11; 041025.R16
Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50411014-002 Harvest/Lot ID: 6060116779498885

Sampled: 04/11/25 Ordered: 04/11/25

Batch#: 6060116779498885 Sample Size Received: 11 units Total Amount: 1947 units Completed: 04/15/25 Expires: 04/15/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Amount of tests conducted: 20

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Extraction date: Extracted by: 04/13/25 08:01:01 1g 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA085362FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 04/13/25 07:46:26 **Analyzed Date :** 04/13/25 08:59:42

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Pass/Fail	Result	Action

TOTAL THC - HOMOGENEITY 0.001 **PASS** 1.198 25

Average **Extracted By** Analyzed by Extraction date : Weight 4512, 3335, 585, 1440 04/13/25 11:57:48 4.124g 4512

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA085323HOM Instrument Used : DA-LC-006

Analyzed Date: 04/14/25 14:47:37

Batch Date: 04/12/25 08:15:25

Reagent: 030125.01; 030725.R02; 090924.05; 041125.R06

Consumables: 947.110; 04402004; LCJ0311R; 040724CH01; 1009429049; 1009372593;

0000355309

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.685 0.85 Extraction date: 04/12/25 15:09:59 Extracted by: 4797,585 Analyzed by: 4797, 585, 1440

Analysis Method: SOP.T.40.019

Analytical Batch: DA085321WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 04/12/25 08:01:34

Analyzed Date: 04/14/25 10:34:26

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164