



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50414002-002



Production Method: Other - Not Listed

Harvest/Lot ID: 9302343609316990

Batch#: 9302343609316990

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1284312396831181

Harvest Date: 04/10/25

Sample Size Received: 31 units

Total Amount: 330 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 04/14/25

Sampled: 04/14/25

Completed: 04/17/25

Sampling Method: SOP.T.20.010

Apr 17, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

82.861%

Total THC/Container : 414.305 mg



Total CBD

0.705%

Total CBD/Container : 3.525 mg



Total Cannabinoids

87.441%

Total Cannabinoids/Container : 437.205 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.840	0.024	0.705	ND	ND	2.316	ND	0.930	0.377	ND	0.249
mg/unit	414.20	0.12	3.53	ND	ND	11.58	ND	4.65	1.89	ND	1.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 3335, 1440

Weight:
0.1097g

Extraction date:
04/15/25 13:20:51

Extracted by:
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085400POT

Instrument Used : DA-LC-007

Analyzed Date : 04/17/25 07:46:25

Batch Date : 04/15/25 10:13:02

Dilution : 400

Reagent : 041125.R05; 012725.03; 040725.R02

Consumables : 947.110; 04312111; 040724CH01; 1009429049; 1009372593; 221011-052-1A

Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Brry
Brry
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50414002-002

Harvest/Lot ID: 9302343609316990

Batch# : 9302343609316990

Sampled : 04/14/25

Ordered : 04/14/25

Sample Size Received : 31 units

Total Amount : 330 units

Completed : 04/17/25 Expires: 04/17/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)			
TOTAL TERPENES	0.007	TESTED	31.01	6.202	SABINENE	0.007	TESTED	ND	ND			
LIMONENE	0.007	TESTED	8.76	1.752	SABINENE HYDRATE	0.007	TESTED	ND	ND			
BETA-MYRCENE	0.007	TESTED	6.52	1.303	VALENECE	0.007	TESTED	ND	ND			
BETA-CARYOPHYLLENE	0.007	TESTED	6.23	1.246	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND			
LINALOOL	0.007	TESTED	2.22	0.444	ALPHA-TERPENEINE	0.007	TESTED	ND	ND			
BETA-PINENE	0.007	TESTED	1.71	0.341	CIS-NEROLIDOL	0.003	TESTED	ND	ND			
ALPHA-TERPINEOL	0.007	TESTED	1.07	0.214	GAMMA-TERPENEINE	0.007	TESTED	ND	ND			
ALPHA-PINENE	0.007	TESTED	0.95	0.190	TRANS-NEROLIDOL	0.005	TESTED	ND	ND			
ALPHA-BISABOLOL	0.007	TESTED	0.91	0.182	ANALYZED BY:	6846, 4451, 585, 1440	Weight:	0.2314g	Extraction date:	04/15/25 12:20:08	Extracted by:	4444
FENCHYL ALCOHOL	0.007	TESTED	0.90	0.179	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
OCIMENE	0.007	TESTED	0.36	0.072	Analytical Batch :	DA085404TER						
ALPHA-TERPINOLENE	0.007	TESTED	0.29	0.058	Instrument Used :	DA-GC/MS-008						
CAMPHENE	0.007	TESTED	0.26	0.052	Analyzed Date :	04/17/25 09:02:57						
CARYOPHYLLENE OXIDE	0.007	TESTED	0.22	0.044	Dilution :	10						
ALPHA-HUMULENE	0.007	TESTED	0.21	0.041	Reagent :	022525.49						
GERANIOL	0.007	TESTED	0.18	0.036	Consumables :	947.110; 04312111; 2240626; 0000355309						
FARNESENE	0.007	TESTED	0.12	0.024	Pipette :	DA-065						
ALPHA-CEDRENE	0.005	TESTED	0.12	0.024	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
3-CARENE	0.007	TESTED	ND	ND								
BORNEOL	0.013	TESTED	ND	ND								
CAMPHOR	0.007	TESTED	ND	ND								
CEDROL	0.007	TESTED	ND	ND								
EUCALYPTOL	0.007	TESTED	ND	ND								
FENCHONE	0.007	TESTED	ND	ND								
GERANYL ACETATE	0.007	TESTED	ND	ND								
GUAIOL	0.007	TESTED	ND	ND								
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND								
ISOBORNEOL	0.007	TESTED	ND	ND								
ISOPULEGOL	0.007	TESTED	ND	ND								
NEROL	0.007	TESTED	ND	ND								
PULEGONE	0.007	TESTED	ND	ND								
Total (%)				6.202								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Brry

Brry

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50414002-002

Harvest/Lot ID: 9302343609316990

Batch# : 9302343609316990

Sampled : 04/14/25

Ordered : 04/14/25

Sample Size Received : 31 units

Total Amount : 330 units

Completed : 04/17/25 Expires: 04/17/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	0.2128g	Extraction date:	04/15/25 12:45:37
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	450,3379
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA085392PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	04/15/25 10:01:26
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	04/16/25 09:23:46				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	041425.R01; 040925.R28; 041325.R01; 040325.R16; 012925.R01; 040925.R01; 081023.01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	0.2128g	Extraction date:	N/A
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	450
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA085394VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	04/15/25 10:07:19
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	04/16/25 09:22:59				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	25				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	041325.R01; 081023.01; 040225.R32; 040225.R33				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD; 040724CH01; 17473601				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Brry

Brry

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50414002-002

Harvest/Lot ID: 9302343609316990

Batch# : 9302343609316990

Sampled : 04/14/25

Ordered : 04/14/25

Sample Size Received : 31 units

Total Amount : 330 units

Completed : 04/17/25 Expires: 04/17/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.02g

Extraction date:
04/15/25 12:10:09

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA085411SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 04/17/25 09:02:02

Batch Date : 04/15/25 12:00:08

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Brry

Brry

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50414002-002

Harvest/Lot ID: 9302343609316990

Batch# : 9302343609316990

Sampled : 04/14/25

Ordered : 04/14/25


Sample Size Received : 31 units


Total Amount : 330 units


Completed : 04/17/25 Expires: 04/17/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4531, 585, 1440	Weight: 0.8163g	Extraction date: 04/15/25 11:50:41	Extracted by: 4777		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA085405MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)			Batch Date : 04/15/25 11:04:23		
Analyzed Date : 04/16/25 10:32:20					
Dilution : 10					
Reagent : 021725.08; 021725.22; 031525.R03; 072424.10					
Consumables : 7581001025					
Pipette : N/A					
Analyzed by: 4531, 585, 1440	Weight: 0.8163g	Extraction date: 04/15/25 11:50:41	Extracted by: 4777		
Analysis Method : SOP.T.40.209.FL					
Analytical Batch : DA085406TYM					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]			Batch Date : 04/15/25 11:05:50		
Analyzed Date : 04/17/25 15:07:15					
Dilution : 10					
Reagent : 021725.08; 021725.22; 022625.R53					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2128g	Extraction date: N/A	Extracted by: 450,3379		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : DA085393MYC					
Instrument Used : N/A			Batch Date : 04/15/25 10:07:17		
Analyzed Date : 04/16/25 07:49:21					
Dilution : 250					
Reagent : 041425.R01; 040925.R28; 041325.R01; 040325.R16; 012925.R01; 040925.R01; 081023.01					
Consumables : 221021DD					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2065g	Extraction date: 04/15/25 12:42:11	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA085388HEA					
Instrument Used : DA-ICPMS-004			Batch Date : 04/15/25 09:33:55		
Analyzed Date : 04/16/25 10:14:17					
Dilution : 50					
Reagent : 120324.07; 041425.R05; 041425.R09; 041425.R08; 041425.R06; 041425.R07; 041025.R11					
Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/17/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Brry
Brry
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50414002-002

Harvest/Lot ID: 9302343609316990

Batch# : 9302343609316990

Sampled : 04/14/25

Ordered : 04/14/25

Sample Size Received : 31 units

Total Amount : 330 units

Completed : 04/17/25 Expires: 04/17/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/16/25 14:04:01	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA085449FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/17/25 07:53:43

Batch Date : 04/16/25 13:53:29

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.415	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.2452g	Extraction date: 04/15/25 13:53:00	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA085386WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/16/25 07:45:13

Batch Date : 04/15/25 09:25:56

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/17/25