



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50415014-009


Production Method: Other - Not Listed

Harvest/Lot ID: 8977920921839939

Batch#: 8977920921839939

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 4291499700113856

Harvest Date: 04/10/25

Sample Size Received: 31 units

Total Amount: 740 units

Retail Product Size: 0.5 gram

Servings: 1

Ordered: 04/15/25

Sampled: 04/15/25

Completed: 04/18/25

Revision Date: 04/21/25

Sampling Method: SOP.T.20.010

Apr 21, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
82.496%
Total THC/Container : 412.480 mg

Total CBD
0.724%
Total CBD/Container : 3.620 mg

Total Cannabinoids
87.111%
Total Cannabinoids/Container : 435.555 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.477	0.022	0.724	ND	ND	2.367	ND	0.911	0.372	ND	0.238
mg/unit	412.39	0.11	3.62	ND	ND	11.84	ND	4.56	1.86	ND	1.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1031g

Extraction date:
04/16/25 11:38:26

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085427POT

Instrument Used : DA-LC-003

Analyzed Date : 04/17/25 10:21:11

Batch Date : 04/16/25 08:38:16

Dilution : 400

Reagent : 041125.R04; 012725.03; 041125.R07

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/18/25

Revision: #1

This revision supersedes any and all previous versions of this document.




4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Mln

Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50415014-009
Harvest/Lot ID: 8977920921839939

Batch# : 8977920921839939 Sample Size Received : 31 units
Sampled : 04/15/25 Total Amount : 740 units
Ordered : 04/15/25 Completed : 04/18/25 Expires: 04/21/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	30.81	6.161	SABINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	6.82	1.363	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	6.66	1.332	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	4.70	0.939	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
VALENCENE	0.007	TESTED	3.14	0.628	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.72	0.343	CIS-NEROLIDOL	0.003	TESTED	ND	ND
GERANIOL	0.007	TESTED	1.42	0.283	GAMMA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.39	0.277	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.14	0.227	Analyzed by: 6846, 4451, 585, 1440				
ALPHA-TERPINEOL	0.007	TESTED	0.79	0.157	Weight: 0.2015g				
ALPHA-HUMULENE	0.007	TESTED	0.78	0.156	Extraction date: 04/16/25 15:09:25				
FENCHYL ALCOHOL	0.007	TESTED	0.76	0.152	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	TESTED	0.76	0.151	Analytical Batch : DA0854457ER				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.23	0.045	Instrument Used : DA-GCNE-008				
ALPHA-TERPINOLENE	0.007	TESTED	0.22	0.044	Analyzed Date : 04/17/25 10:21:12				
CAMPHENE	0.007	TESTED	0.20	0.040	Dilution : 10				
CAMPHOR	0.007	TESTED	0.12	0.024	Reagent : 022525.49				
3-CARENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309				
BORNEOL	0.013	TESTED	ND	ND	Pipette : DA-065				
CEADOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				6.161					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln

Mln

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50415014-009

Harvest/Lot ID: 8977920921839939

Batch# : 8977920921839939

Sampled : 04/15/25

Ordered : 04/15/25

Sample Size Received : 31 units

Total Amount : 740 units

Completed : 04/18/25 Expires: 04/21/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2549g	Extraction date: 04/16/25 12:47:49	Extracted by: 4640,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085433PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 04/16/25 09:18:32	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/18/25 10:50:08					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 041325.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2549g	Extraction date: 04/16/25 12:47:49	Extracted by: 4640,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085434VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 04/16/25 09:19:49	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/17/25 09:54:15					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 041325.R01; 081023.01; 040225.R32; 040225.R33					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/18/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln

Mln

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50415014-009

Harvest/Lot ID: 8977920921839939

Batch# : 8977920921839939

Sampled : 04/15/25

Ordered : 04/15/25

Sample Size Received : 31 units

Total Amount : 740 units

Completed : 04/18/25 Expires: 04/21/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.0227g

Extraction date:
04/16/25 11:52:37

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA085446SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 04/17/25 08:56:55

Batch Date : 04/16/25 09:58:44

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/18/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Mln

Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50415014-009
Harvest/Lot ID: 8977920921839939

Batch# : 8977920921839939 Sample Size Received : 31 units
Sampled : 04/15/25 Total Amount : 740 units
Ordered : 04/15/25 Completed : 04/18/25 Expires: 04/21/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9368g	Extraction date: 04/16/25 10:11:02	Extracted by: 4777				
Analytical Batch : DA085420MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 04/16/25 08:00:33						
Analysis Date : 04/17/25 11:21:32							
Dilution : 10							
Reagent : 022625.45; 021725.08; 031525.R03; 072424.10							
Consumables : 7581001025							
Pipette : N/A							
Analysis Method : SOP.T.40.209.FL	Weight: 0.9368g	Extraction date: 04/16/25 10:11:02	Extracted by: 4777				
Analytical Batch : DA085421TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 04/16/25 08:05:35						
Analysis Date : 04/18/25 16:56:23							
Dilution : 10							
Reagent : 022625.45; 021725.08; 022625.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
	Mycotoxins	PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 0.2549g	Extraction date: 04/16/25 12:47:49	Extracted by: 4640,3379				
Analytical Batch : DA085435MYC							
Instrument Used : N/A	Batch Date : 04/16/25 09:21:19						
Analysis Date : 04/18/25 10:54:26							
Dilution : 250							
Reagent : 041325.R01; 081023.01							
Consumables : 040724CH01; 221021DD							
Pipette : N/A							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
	Heavy Metals	PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2817g	Extraction date: 04/16/25 09:55:01	Extracted by: 4056				
Analytical Batch : DA085418HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 04/16/25 07:47:03						
Analysis Date : 04/17/25 11:19:02							
Dilution : 50							
Reagent : 041425.R05; 041425.R09; 041425.R08; 041025.R16; 041425.R06; 041425.R07; 120324.07; 041025.R11							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/18/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln

Mln

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50415014-009

Harvest/Lot ID: 8977920921839939

Batch# : 8977920921839939

Sampled : 04/15/25

Ordered : 04/15/25

Sample Size Received : 31 units

Total Amount : 740 units

Completed : 04/18/25 Expires: 04/21/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/16/25 13:59:28	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA085449FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/17/25 07:53:05

Batch Date : 04/16/25 13:53:29

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 0.2991g	Extraction date: 04/16/25 12:05:38	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA085432WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/17/25 09:41:43

Batch Date : 04/16/25 09:06:02

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/18/25

Revision: #1

This revision supersedes any and all previous versions of this document.