



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50417026-009



Apr 21, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
NOT TESTED

Filth
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED

MISC.


Cannabinoid
TESTED


Total THC

26.030%

Total THC/Container : 650.750 mg



Total CBD

0.053%

Total CBD/Container : 1.325 mg



Total Cannabinoids

30.325%

Total Cannabinoids/Container : 758.125 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.225	28.285	ND	0.061	0.044	0.129	0.480	ND	ND	ND	0.101
mg/unit	30.63	707.13	ND	1.53	1.10	3.23	12.00	ND	ND	ND	2.53
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.2092g

Extraction date:
04/18/25 12:00:09

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085518POT

Instrument Used : DA-LC-002

Analyzed Date : 04/21/25 08:37:09

Batch Date : 04/18/25 09:37:15

Dilution : 400

Reagent : 041525.R27; 021125.07; 041525.R23

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/21/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Whole Flower Pre-Roll Multipack 2.5g - Prple Chrro 13 (S)
Prple Chrro 13 (S)
Matrix : Flower
Type: Preroll

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50417026-009

Harvest/Lot ID: 4527343118227381

Batch# : 4527343118227381

Sampled : 04/17/25

Ordered : 04/17/25

Sample Size Received : 11 units

Total Amount : 601 units

Completed : 04/21/25 Expires: 04/21/26

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	58.53	2.341	SABINENE HYDRATE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	17.03	0.681	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	11.43	0.457	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	10.03	0.401	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	4.98	0.199	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	3.18	0.127	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	2.90	0.116	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	2.65	0.106	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.88	0.075					
BETA-PINENE	0.007	TESTED	1.88	0.075					
FENCHYL ALCOHOL	0.007	TESTED	1.65	0.066					
ALPHA-PINENE	0.007	TESTED	0.95	0.038					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				2.341					

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
SABINENE HYDRATE	0.007	TESTED	ND	ND
VALENCENE	0.007	TESTED	ND	ND
ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
CIS-NEROLIDOL	0.003	TESTED	ND	ND
GAMMA-TERPINENE	0.007	TESTED	ND	ND
Analyzed by: 4451, 385, 1449		Weight: 1.1202g		Extraction date: 04/18/25 13:08:09
Extracted by: 4451				
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
Analytical Batch : DA0855337ER				
Instrument Used : DA-GCMS-009				
Analysis Date : 04/21/25 10:12:53				
Batch Date : 04/18/25 10:26:51				
Dilution : 1				
Reagent : 022525.53				
Consumables : 947.110; 04312111; 2240626; 0000355309				
Pipette : DA-065				
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/21/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Whole Flower Pre-Roll Multipack 2.5g - Prple Chrro 13 (S)
Prple Chrro 13 (S)
Matrix : Flower
Type: Preroll

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50417026-009

Harvest/Lot ID: 4527343118227381

Batch# : 4527343118227381

Sampled : 04/17/25

Ordered : 04/17/25

Sample Size Received : 11 units

Total Amount : 601 units

Completed : 04/21/25 Expires: 04/21/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9139g	Extraction date: 04/18/25 13:37:32	Extracted by: 4640,450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085525PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 04/18/25 10:14:35	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/21/25 08:15:51					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 041625.R45; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440	Weight: 0.9139g	Extraction date: 04/18/25 13:37:32	Extracted by: 4640,450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085527VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 04/18/25 10:16:59	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/21/25 08:13:51					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 041625.R45; 081023.01; 040225.R32; 040225.R33					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/21/25



Certificate of Analysis

PASSED


Sunnyside


 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.chavez@crescolabs.com

 Sample : DA50417026-009
 Harvest/Lot ID: 4527343118227381

 Batch# : 4527343118227381 Sample Size Received : 11 units
 Sampled : 04/17/25 Total Amount : 601 units
 Ordered : 04/17/25 Completed : 04/21/25 Expires: 04/21/26
 Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>40</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 4571, 3390, 4044, 585, 1440</td><td>Weight: 1.0242g</td><td>Extraction date: 04/18/25 11:39:28</td><td>Extracted by: 3390</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085510MIC</td></tr><tr><td colspan="4">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)</td><td colspan="2">Batch Date : 04/18/25 08:20:36</td></tr><tr><td colspan="6">Analysis Date : 04/21/25 08:30:55</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 022625.63; 021725.24; 031525.R03; 072424.10</td></tr><tr><td colspan="6">Consumables : 7581001030</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	40	PASS	100000	Analyzed by: 4571, 3390, 4044, 585, 1440	Weight: 1.0242g	Extraction date: 04/18/25 11:39:28	Extracted by: 3390			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA085510MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 04/18/25 08:20:36		Analysis Date : 04/21/25 08:30:55						Dilution : 10						Reagent : 022625.63; 021725.24; 031525.R03; 072424.10						Consumables : 7581001030						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 0.9139g</td><td>Extraction date: 04/18/25 13:37:32</td><td>Extracted by: 4640,450,3379</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085526MYC</td></tr><tr><td colspan="4">Instrument Used : N/A</td><td colspan="2">Batch Date : 04/18/25 10:16:40</td></tr><tr><td colspan="6">Analysis Date : 04/21/25 08:14:41</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 041625.R45; 081023.01</td></tr><tr><td colspan="6">Consumables : 040724CH01; 6822423-02</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440	Weight: 0.9139g	Extraction date: 04/18/25 13:37:32	Extracted by: 4640,450,3379			Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA085526MYC						Instrument Used : N/A				Batch Date : 04/18/25 10:16:40		Analysis Date : 04/21/25 08:14:41						Dilution : 250						Reagent : 041625.R45; 081023.01						Consumables : 040724CH01; 6822423-02						Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																												
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																													
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																													
TOTAL YEAST AND MOLD	10	CFU/g	40	PASS	100000																																																																																																																																																																																												
Analyzed by: 4571, 3390, 4044, 585, 1440	Weight: 1.0242g	Extraction date: 04/18/25 11:39:28	Extracted by: 3390																																																																																																																																																																																														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																	
Analytical Batch : DA085510MIC																																																																																																																																																																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 04/18/25 08:20:36																																																																																																																																																																																													
Analysis Date : 04/21/25 08:30:55																																																																																																																																																																																																	
Dilution : 10																																																																																																																																																																																																	
Reagent : 022625.63; 021725.24; 031525.R03; 072424.10																																																																																																																																																																																																	
Consumables : 7581001030																																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																												
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																												
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																												
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																												
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																												
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																												
Analyzed by: 3379, 585, 1440	Weight: 0.9139g	Extraction date: 04/18/25 13:37:32	Extracted by: 4640,450,3379																																																																																																																																																																																														
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																	
Analytical Batch : DA085526MYC																																																																																																																																																																																																	
Instrument Used : N/A				Batch Date : 04/18/25 10:16:40																																																																																																																																																																																													
Analysis Date : 04/21/25 08:14:41																																																																																																																																																																																																	
Dilution : 250																																																																																																																																																																																																	
Reagent : 041625.R45; 081023.01																																																																																																																																																																																																	
Consumables : 040724CH01; 6822423-02																																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																																	
<p>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																																																																																																																																																																																	

	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																									
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td><0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 4531, 1879, 585, 1440</td><td>Weight: 0.2588g</td><td>Extraction date: 04/18/25 12:59:33</td><td>Extracted by: 4056,4531</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA085513HEA</td></tr><tr><td colspan="4">Instrument Used : DA-ICPMS-004</td><td colspan="2">Batch Date : 04/18/25 08:57:19</td></tr><tr><td colspan="6">Analysis Date : 04/21/25 08:17:05</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 041425.R09; 041425.R08; 041025.R16; 041425.R06; 041425.R07; 120324.07; 041025.R11</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	<0.100	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 4531, 1879, 585, 1440	Weight: 0.2588g	Extraction date: 04/18/25 12:59:33	Extracted by: 4056,4531			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA085513HEA						Instrument Used : DA-ICPMS-004				Batch Date : 04/18/25 08:57:19		Analysis Date : 04/21/25 08:17:05						Dilution : 50						Reagent : 041425.R09; 041425.R08; 041025.R16; 041425.R06; 041425.R07; 120324.07; 041025.R11						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						<p>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																						
ARSENIC	0.020	ppm	<0.100	PASS	0.2																																																																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																						
LEAD	0.020	ppm	ND	PASS	0.5																																																																																						
Analyzed by: 4531, 1879, 585, 1440	Weight: 0.2588g	Extraction date: 04/18/25 12:59:33	Extracted by: 4056,4531																																																																																								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																											
Analytical Batch : DA085513HEA																																																																																											
Instrument Used : DA-ICPMS-004				Batch Date : 04/18/25 08:57:19																																																																																							
Analysis Date : 04/21/25 08:17:05																																																																																											
Dilution : 50																																																																																											
Reagent : 041425.R09; 041425.R08; 041025.R16; 041425.R06; 041425.R07; 120324.07; 041025.R11																																																																																											
Consumables : 040724CH01; J609879-0193; 179436																																																																																											
Pipette : DA-061; DA-191; DA-216																																																																																											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Whole Flower Pre-Roll Multipack 2.5g - Prple Chrro 13 (S)
Prple Chrro 13 (S)
Matrix : Flower
Type: Preroll

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50417026-009

Harvest/Lot ID: 4527343118227381

Batch# : 4527343118227381

Sampled : 04/17/25

Ordered : 04/17/25

Sample Size Received : 11 units

Total Amount : 601 units

Completed : 04/21/25 Expires: 04/21/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	13.4	PASS	15
Analyzed by: 585, 1440	Weight: 1g	Extraction date: 04/18/25 15:09:02			Extracted by: 585		Analyzed by: 4797, 585, 1440	Weight: 0.502g	Extraction date: 04/18/25 13:51:38			Extracted by: 4797	
Analysis Method : SOP.T.40.090 Analytical Batch : DA085497FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/18/25 15:18:40							Analysis Method : SOP.T.40.021 Analytical Batch : DA085544MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/18/25 16:12:43						
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.501	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 1.4104g	Extraction date: 04/18/25 12:34:26	Extracted by: 4797,585		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA085548WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 04/18/25 11:58:45		
Analyzed Date : 04/18/25 16:13:46					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/21/25