



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50418017-004



Production Method: Other - Not Listed

Harvest/Lot ID: 1138084583657221

Batch#: 1138084583657221

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 4509223720425046

Harvest Date: 04/15/25

Sample Size Received: 31 units

Total Amount: 800 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 04/18/25

Sampled: 04/18/25

Completed: 04/22/25

Sampling Method: SOP.T.20.010

PASSED

Apr 22, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

Pages 1 of 2

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

80.172%

Total THC/Container : 400.860 mg



Total CBD

0.680%

Total CBD/Container : 3.400 mg



Total Cannabinoids

84.524%

Total Cannabinoids/Container : 422.620 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	80.134	0.044	0.680	ND	ND	2.261	ND	0.887	0.358	ND	0.160
mg/unit	400.67	0.22	3.40	ND	ND	11.31	ND	4.44	1.79	ND	0.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1074g

Extraction date:
04/21/25 10:24:12

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085615POT

Instrument Used : DA-LC-003

Analyzed Date : 04/22/25 09:30:16

Batch Date : 04/21/25 07:42:37

Dilution : 400

Reagent : 031425.R03; 021125.07; 041125.R07

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/22/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg - Mng
Mng
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50418017-004

Harvest/Lot ID: 1138084583657221

Batch# : 1138084583657221

Sampled : 04/18/25

Ordered : 04/18/25

Sample Size Received : 31 units

Total Amount : 800 units

Completed : 04/22/25 Expires: 04/22/26

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	4.18	0.836	SABINENE HYDRATE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	0.51	0.102	VALENCENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	0.45	0.090	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	0.44	0.088	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	0.38	0.076	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	0.35	0.070	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.32	0.064	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.30	0.059	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	0.26	0.051					
BETA-PINENE	0.007	TESTED	0.22	0.044	Analysis by:	Weight:	Extraction date:		Extracted by:
FARNESENE	0.001	TESTED	0.21	0.042	4851, 385, 5440	0.2271g	04/19/25 16:42:33		1879.4451
GERANYL ACETATE	0.007	TESTED	0.18	0.036	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
PULEGONE	0.007	TESTED	0.18	0.035	Analytical Batch : DA0855897ER				Batch Date : 04/19/25 12:08:43
GAMMA-TERPINENE	0.007	TESTED	0.15	0.030	Instrument Used : DA-GCMS-004				
GUAIOL	0.007	TESTED	0.14	0.027	Analysis Date : 04/22/25 09:30:17				
CAMPHERE	0.007	TESTED	0.11	0.022	Dilution : 10				
3-CARENE	0.007	TESTED	ND	ND	Reagent : N/A				
BORNEOL	0.013	TESTED	ND	ND	Consumables : N/A				
CAMPOR	0.007	TESTED	ND	ND	Pipette : N/A				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDRIL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
FENCHYL ALCOHOL	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				0.836					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/25