

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

### Kaycha Labs

Good News Disposable Vape 500mg - Mng



Matrix: Derivative Classification: High THC Type: Extract for Inhalation

	LIANG	CE FOI	<b>te c</b> R RETA 8017-005		<b>\na</b>	lys	is	Cultivat Processi	Harvest/ tion Facility ing Facility Source Faci	Lot ID: 2777 Batch#: 277 y: FL - India : FL - India ility: FL - India	her - Not Listed 025716042978 7025716042978 <b>ntown (4430)</b> iantown (4430) 638537008401
	a nanananananananananananananananananan	A DESCRIPTION OF THE DESCRIPTION							Samp Ret	Harvest le Size Reco Total Amou ail Product ail Serving Ord Sam Compl	Date: 04/15/25 eived: 31 units unt: 1060 units Size: 0.5 gram Size: 0.5 gram Servings: 1 ered: 04/18/25 pled: 04/18/25 eted: 04/22/25 Date: 04/22/25
Apr 22, 2 22205 Sw Mart indiantown, FL,	in Hwy '	Sunnysid	e		Sı	Inn	ysic	<b>le<sup>*</sup></b>	R	ling Method	SOP.T.20.010 PASSED
SAFETY RES	ULTS										MISC.
Б С	[	Hg	Ċ,	ؠٛ	ş	Ä			$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$		Ô
Pesticides PASSED		y Metals	Microbials PASSED	Mycoto PASS	ED	Residuals Solvents <b>PASSED</b>	Filth PASSED		Activity SSED N	Moisture IOT TESTED	Terpenes TESTED
ے د	annab	inoid									TESTED
		ГНС 6279 IC/Container :			3 0.	I CBD 697% CBD/Container	-		-)86	Cannabinoid 038% nnabinoids/Con	/
% mg/unit	<sup>D9-THC</sup> 81.613 408.07 0.001	THCA 0.016 0.08 0.001	свр 0.697 3.49 0.001	CBDA ND ND 0.001	<sup>D8-THC</sup> ND ND 0.001	свс 2.284 11.42 0.001	CBGA ND ND 0.001	CBN 0.896 4.48 0.001	тнсv 0.366 1.83 0.001	CBDV ND ND 0.001	свс 0.166 0.83 0.001
Analyzed by:	%	%	%	% Weight:	%	% Extraction date:	%	%	%	% Extracted by:	%
3335, 1665, 585, 144 Analysis Method : SC Analytical Batch : DA Instrument Used : DA Analyzed Date : 04/2 Dilution : 400	PP.T.40.031, SOF 085615POT A-LC-003 2/25 09:30:21			0.0988g		04/21/25 10:24:	12 Batch Date : 04/21/25	07:42:37		3335	
Reagent : 031425.R Consumables : 947.1 Pipette : DA-079; DA	10; 04312111; (	)62224CH01; 0000	355309								
Full Spectrum cannabin	noid analysis utilizir	ng High Performance I	Liquid Chromatography v	vith UV detection in	accordance with F.S.	Rule 64ER20-39.					PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 04/22/25



..... Good News Disposable Vape 500mg - Mng



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

## PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50418017-005 Harvest/Lot ID: 2777025716042978 Batch#: 2777025716042978 Sample Size Received: 31 units Sampled : 04/18/25 Ordered : 04/18/25

Total Amount : 1060 units Completed : 04/22/25 Expires: 04/22/26 Sample Method : SOP.T.20.010

Page 2 of 6

-	
Ya	2
a(x)	n
AO.	ĸ
$\sim$	2
-0-	

### Terpenes

penes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
AL TERPENES	0.007	TESTED	5.64	1.128		OCIMENE	0.007	TESTED	ND	ND	
NALOOL	0.007	TESTED	0.63	0.126		SABINENE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	0.58	0.115		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	0.55	0.109		VALENCENE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	0.47	0.094		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	0.45	0.090		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.38	0.076		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	0.34	0.068		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	0.27	0.054		Analyzed by:	Weight:		ction date:		Extracted by:
TA-PINENE	0.007	TESTED	0.27	0.054		4451, 585, 1440	0.214g	04/1	9/25 16:43:02		1879,4451
ARNESENE	0.001	TESTED	0.24	0.048		Analysis Method : SOP.T.30.061A.FL, SOP.T.40	0.061A.FL				
RYOPHYLLENE OXIDE	0.007	TESTED	0.22	0.044		Analytical Batch : DA085589TER Instrument Used : DA-GCMS-004				Batch Date : 04/19/25 1	2.08.43
JLEGONE	0.007	TESTED	0.20	0.040	1	Analyzed Date : 04/22/25 09:30:22				bacci bate 104/15/23 1	
RANIOL	0.007	TESTED	0.20	0.039	1	Dilution : 10					
ANS-NEROLIDOL	0.005	TESTED	0.20	0.039	1	Reagent : N/A					
RANYL ACETATE	0.007	TESTED	0.19	0.038	1	Consumables : N/A					
PHA-TERPINOLENE	0.007	TESTED	0.16	0.032	1	Pipette : N/A					
AMMA-TERPINENE	0.007	TESTED	0.16	0.032	1	Terpenoid testing is performed utilizing Gas Chroma	tography Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight correct	ted.
UAIOL	0.007	TESTED	0.15	0.030	1						
CARENE	0.007	TESTED	ND	ND							
RNEOL	0.013	TESTED	ND	ND							
MPHENE	0.007	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
JCALYPTOL	0.007	TESTED	ND	ND							
INCHONE	0.007	TESTED	ND	ND							
INCHYL ALCOHOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
DBORNEOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							
IEROL	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 04/22/25



Good News Disposable Vape 500mg - Mng



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

#### Sample : DA50418017-005 Harvest/Lot ID: 2777025716042978

Sampled : 04/18/25 Ordered : 04/18/25

Batch#: 2777025716042978 Sample Size Received: 31 units Total Amount : 1060 units Completed : 04/22/25 Expires: 04/22/26 Sample Method : SOP.T.20.010

Page 3 of 6



### **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	1.1.	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND						PASS	
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010	1.1.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	1.1.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	maa	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	*	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND					0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010				
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	1 P	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Ext	traction date		Extracted	bv:
DIMETHOATE	0.010		0.1	PASS	ND		0.2502g		21/25 10:13:5		450,3379	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T	T.40.102.FL					
ETOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA085577PES						
ETOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch	Date :04/19/2	5 11:24:15	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :04/22/25 09:45:04						
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 041825.R03; 081023.01						
FENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 040724CH01; 221021DD						
FIPRONIL	0.010		0.1	PASS	ND	Pipette : N/A						
FLONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Liqu	id Chrom	natography Trij	ole-Quadrupole	Mass Spectrom	netry in
FLUDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
HEXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by: Weight:			n date:		Extracted by	y:
IMAZALIL	0.010		0.1	PASS	ND	<b>450, 585, 1440</b> 0.2502g			10:13:56		450,3379	
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP Analytical Batch :DA085578VOL	2.1.40.151.FL					
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Instrument Used :DA085578VOL			Batch Dat	te:04/19/25 1	1.25.32	
MALATHION	0.010		0.2	PASS	ND	Analyzed Date :04/22/25 09:44:12			Duttin Da			
METALAXYL	0.010		0.1	PASS	ND	Dilution : 250						
METHIOCARB	0.010		0.1	PASS	ND	Reagent: 041825.R03; 081023.01; 04022	25.R32; 0402	225.R33				
METHOMYL	0.010		0.1	PASS	ND	Consumables : 040724CH01; 221021DD;	17473601					
MEVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	utilizing Gas	Chromat	tography Triple	-Quadrupole M	lass Spectromet	ry in
NALED	0.010	ppm	0.25	PASS	ND	accordance with r.s. Küle 64EK20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 04/22/25



. . . . . . . ..... Good News Disposable Vape 500mg - Mng



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50418017-005 Harvest/Lot ID: 2777025716042978 Batch#: 2777025716042978 Sample Size Received: 31 units Sampled : 04/18/25 Ordered : 04/18/25

Total Amount : 1060 units Completed : 04/22/25 Expires: 04/22/26 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
ICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 451, 585, 1440	Weight: 0.0215g	Extraction date: 04/19/25 15:42:52		<b>Extracted</b> 4571,445	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA085597SOL Instrument Used : DA-GCMS-002 Analyzed Date : 04/22/25 09:17:12			Batch Date : 04/19/25 1	.5:28:48	
Silution 1					

**Dilution**: 1 Reagent : 030420.10 Consumables : 429651: 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 04/22/25

PASSED



..... Good News Disposable Vape 500mg - Mng



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

## PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50418017-005 Harvest/Lot ID: 2777025716042978 Batch#: 2777025716042978 Sample Size Received: 31 units

Sampled : 04/18/25 Ordered : 04/18/25

Total Amount : 1060 units Completed : 04/22/25 Expires: 04/22/26 Sample Method : SOP.T.20.010

Page 5 of 6

(CF)	Micro	bial				PAS	SED	ç	Му	cotoxi	ns			PAS	SED
Analyte		L	OD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	5 TERREUS				Not Present			AFLATOXIN	B2		0.002	maa	ND	PASS	0.02
ASPERGILLUS	5 NIGER				Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS				Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 FLAVUS				Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GEN	IE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGEI	LLA				Not Present	PASS		Analyzed by:		Weight:	Extraction	oteb c		Extracted	1 by:
TOTAL YEAST	AND MOLD	1	LO	CFU/g	<10	PASS	100000		35, 1440	0.2502g			;	450,3379	
	<b>5, 1440</b> d : SOP.T.40.056 h : DA085558MI0		04	<b>xtraction da</b> 4/19/25 12 3.FL, SOP.T.	:21:23	<b>Extracte</b> 4044,43		Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA085 ed : DA-LCI	MS-004 (MYC)		atch Date	<b>:</b> 04/19/2	5 11:26:4	6
95*C) DA-049, Analyzed Date : Dilution : 10	vcler DA-010,Fisł DA-402 Thermo : 04/22/25 09:08 25.63; 021725.2 7581001003	Scientific H :03	leat E	Block (55 C	)	9:19:14		Pipette : N/A	ting utilizing h F.S. Rule 6	H01; 221021DD Liquid Chromatog 4ER20-39.		-Quadrupo			
Analyzed by: 1351, 4777, 58	5, 1440	Weight: 1.004g		xtraction da 4/19/25 12		<b>Extracte</b> 4044,43		Hg	Неа	avy Me	tals			PAS	SED
Analytical Batcl	d : SOP.T.40.209 h : DA085559TYI d : Incubator (25	M	8 [ca	librated wit	b Batch D	ata • 0/1/19/	25 09:21:2	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-3821	<b>u</b> . meabacor (25	) C) DA- 52	o [cu	indiacea wii	Baten D	ate: 04/13/	25 05.21.2	TOTAL CON	TAMINANT	LOAD METALS	<b>5</b> 0.080	ppm	ND	PASS	1.1
nalyzed Date	04/22/25 09:15	:32						ARSENIC			0.020	ppm	ND	PASS	0.2
ilution: 10								CADMIUM			0.020	ppm	ND	PASS	0.2
eagent : 0226	25.63; 021725.2	24; 022625.	R53					MERCURY			0.020	ppm	ND	PASS	0.2
onsumables : ipette : N/A	N/A							LEAD			0.020	ppm	ND	PASS	0.5
otal yeast and r	nold testing is perf		ng MP	N and tradit	ional culture bas	ed technique	es in	Analyzed by: 1022, 585, 14	10	Weight: 0.2639g	Extraction da 04/19/25 14:			Extracted 4531	l by:
ccordance with	F.S. Rule 64ER20-3	39.						Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA085 ed : DA-ICP	MS-004		h Date :	04/19/25 0	9:59:02	
								<b>Dilution :</b> 50 <b>Reagent :</b> 041 120324.07; 04	425.R05; 0 1025.R11 : 040724CH	41425.R09; 041 ł01; J609879-01		25.R16; (	041425.RC	06; 04142	5.R07;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 04/22/25



Page 6 of 6

. . . . . . . ..... Good News Disposable Vape 500mg - Mng



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

## PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50418017-005 Harvest/Lot ID: 2777025716042978 Batch#: 2777025716042978 Sample Size Received: 31 units Sampled : 04/18/25 Ordered : 04/18/25

Total Amount : 1060 units Completed : 04/22/25 Expires: 04/22/26 Sample Method : SOP.T.20.010

	Filth/For Material	-	n		PA	SSED
Analyte Filth and Forei	gn Material	<b>LOD</b> 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		action da 20/25 09:		<b>Ext</b> 18	racted by: 79
		ial Micro	oscope	Batch D	<b>)ate :</b> 04/20	0/25 08:38:16
Dilution : N/A						

Reagent : N/A Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	<b>OD</b>	<b>Units</b> aw	<b>Result</b> 0.467	P/F PASS	Action Level 0.85
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 0.4087g		<b>(traction d</b> 4/20/25 10			tracted by: 797
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DAO Analyzed Date : 04/22/	85564WAT 028 Rotronic Hyg	Iropal	m	Batch Dat	t <b>e :</b> 04/19/2	25 09:29:43
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 04/22/25