



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50422012-006


Production Method: Other - Not Listed

Harvest/Lot ID: 2651629573017274

Batch#: 2651629573017274

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 8265911358014301

Harvest Date: 04/16/25

Sample Size Received: 31 units

Total Amount: 1475 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 04/21/25

Sampled: 04/22/25

Completed: 04/24/25

Sampling Method: SOP.T.20.010

Apr 24, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
81.978%

Total THC/Container : 409.890 mg


Total CBD
0.756%

Total CBD/Container : 3.780 mg


Total Cannabinoids
86.649%

Total Cannabinoids/Container : 433.245 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.950	0.032	0.756	ND	ND	2.322	ND	0.946	0.420	ND	0.223
mg/unit	409.75	0.16	3.78	ND	ND	11.61	ND	4.73	2.10	ND	1.12
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1027g

Extraction date:
04/22/25 13:31:18

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085651POT

Instrument Used : DA-LC-007

Analyzed Date : 04/23/25 10:40:33

Batch Date : 04/22/25 10:36:24

Dilution : 400

Reagent : 041125.R04; 021125.07; 041125.R07

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnppl
Pnppl
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50422012-006
Harvest/Lot ID: 2651629573017274

Batch# : 2651629573017274 Sample Size Received : 31 units
Sampled : 04/22/25 Total Amount : 1475 units
Ordered : 04/22/25 Completed : 04/24/25 Expires: 04/24/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	16.58	3.315	PULEGONE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	4.82	0.963	SABINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	3.74	0.748	SABINENE HYDRATE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.95	0.589	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.26	0.252	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	0.96	0.191	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.54	0.108	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	0.49	0.097	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FARNESENE	0.007	TESTED	0.43	0.086	Analyzed by: 4851, 385, 5440 Weight: 0.2037g Extraction date: 04/22/25 17:37:52 Extracted by: 4451				
LINALOOL	0.007	TESTED	0.34	0.067	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
VALENCENE	0.007	TESTED	0.24	0.048	Analytical Batch : DA085661TER				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.22	0.044	Instrument Used : DA-GC/MS-008 Batch Date : 04/22/25 11:10:21				
ALPHA-TERPINEOL	0.007	TESTED	0.18	0.036	Dilution : 10				
TRANS-NEROLIDOL	0.005	TESTED	0.16	0.032	Reagent : 022525.53				
FENCHYL ALCOHOL	0.007	TESTED	0.14	0.028	Consumables : 947.110; 04312111; 2240626; 0000355309				
ALPHA-CEDRENE	0.005	TESTED	0.13	0.026	Pipette : DA-065				
3-CARENE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
BORNEOL	0.013	TESTED	ND	ND					
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
Total (%)				3.315					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Good News Vape Cartridge 500mg Pnpl

Pnpl

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50422012-006

Harvest/Lot ID: 2651629573017274

Batch# : 2651629573017274

Sampled : 04/22/25

Ordered : 04/22/25

Sample Size Received : 31 units

Total Amount : 1475 units

Completed : 04/24/25 Expires: 04/24/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	0.2929g	Extraction date:	04/22/25 13:57:34
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	3621
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA085644PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	04/22/25 10:01:15
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	04/24/25 10:18:56				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	042125.R01; 081023.01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 6822423-02				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	N/A				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	0.2929g	Extraction date:	N/A
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	3621,450
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA085646VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-011			Batch Date :	04/22/25 10:06:05
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	04/24/25 10:17:14				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	25				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	042125.R01; 081023.01; 040225.R32; 040225.R33				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	040724CH01; 6822423-02; 17473601				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnpl
Pnpl
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50422012-006

Harvest/Lot ID: 2651629573017274

Batch# : 2651629573017274

Sampled : 04/22/25

Ordered : 04/22/25

Sample Size Received : 31 units

Total Amount : 1475 units

Completed : 04/24/25 Expires: 04/24/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
3605, 4451, 585, 1440

Weight:
0.0215g

Extraction date:
04/22/25 13:23:26

Extracted by:
3605

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA085671SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 04/23/25 10:00:28

Batch Date : 04/22/25 12:48:06

Dilution : 1
Reagent : 030420.09
Consumables : 947.110; 429651
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pnppl

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50422012-006

Harvest/Lot ID: 2651629573017274

Batch# : 2651629573017274

Sampled : 04/22/25

Ordered : 04/22/25


Sample Size Received : 31 units


Total Amount : 1475 units


Completed : 04/24/25 Expires: 04/24/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS						
ASPERGILLUS NIGER			Not Present	PASS						
ASPERGILLUS FUMIGATUS			Not Present	PASS						
ASPERGILLUS FLAVUS			Not Present	PASS						
SALMONELLA SPECIFIC GENE			Not Present	PASS						
ECOLI SHIGELLA			Not Present	PASS						
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA085658MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)										
Batch Date : 04/22/25 11:06:24										
Analysis Date : 04/23/25 10:26:11										
Dilution : 10										
Reagent : 022625.42; 022625.49; 031525.R03; 072424.10										
Consumables : 7581001005										
Pipette : N/A										
Analysis Method : SOP.T.40.209.FL										
Analytical Batch : DA085660TYM										
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]										
Batch Date : 04/22/25 11:08:02										
Analysis Date : 04/24/25 14:00:02										
Dilution : 10										
Reagent : 022625.42; 022625.49; 022625.R53										
Consumables : N/A										
Pipette : N/A										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										

	Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02					
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02					
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02					
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02					
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02					
Analysis by: 3621, 3379, 585, 1440	Weight: 0.2929g	Extraction date: N/A	Extracted by: 3621,3379							
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL										
Analytical Batch : DA085645MYC										
Instrument Used : DA-LCMS-004 (MYC)										
Batch Date : 04/22/25 10:05:48										
Analysis Date : 04/24/25 08:38:19										
Dilution : 250										
Reagent : 042125.R01; 081023.01										
Consumables : 040724CH01; 6822423-02										
Pipette : N/A										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

	Heavy Metals					PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level					
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1					
ARSENIC	0.020	ppm	ND	PASS	0.2					
CADMIUM	0.020	ppm	ND	PASS	0.2					
MERCURY	0.020	ppm	ND	PASS	0.2					
LEAD	0.020	ppm	ND	PASS	0.5					
Analysis by: 1022, 585, 1440	Weight: 0.2149g	Extraction date: 04/22/25 13:18:58	Extracted by: 1022,4531							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : DA085653HEA										
Instrument Used : DA-ICPMS-004										
Batch Date : 04/22/25 10:38:39										
Analysis Date : 04/23/25 10:36:09										
Dilution : 50										
Reagent : 041425.R05; 041425.R09; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 041025.R11										
Consumables : 040724CH01; J609879-0193; 179436										
Pipette : DA-061; DA-191; DA-216										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnpl
Pnpl
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50422012-006

Harvest/Lot ID: 2651629573017274

Batch# : 2651629573017274

Sampled : 04/22/25

Ordered : 04/22/25

Sample Size Received : 31 units

Total Amount : 1475 units

Completed : 04/24/25 Expires: 04/24/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/23/25 10:36:30	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA085713FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 04/23/25 10:24:15

Analyzed Date : 04/23/25 10:48:48

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.412	PASS	0.85

Analyzed by: 4571, 585, 1440	Weight: 0.131g	Extraction date: 04/22/25 15:18:57	Extracted by: 4571
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA085670WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 04/22/25 12:01:26

Analyzed Date : 04/23/25 09:22:54

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/24/25