




Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50422014-001



Apr 25, 2025 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US



Production Method: Other - Not Listed
Harvest/Lot ID: 4715406311225210
Batch#: 4715406311225210
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 7935428690933857
Harvest Date: 04/17/25
Sample Size Received: 10 units
Total Amount: 1625 units
Retail Product Size: 41.9007 gram
Servings: 1
Ordered: 04/22/25
Sampled: 04/22/25
Completed: 04/25/25
Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.

TESTED



Cannabinoid



Total THC
0.245%

Total THC/Container : 102.657 mg



Total CBD
ND

Total CBD/Container : 0.000 mg



Total Cannabinoids
0.250%

Total Cannabinoids/Container : 104.752 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.245	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.002
mg/unit	102.66	ND	ND	ND	ND	1.26	ND	ND	ND	ND	0.84
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.0902g

Extraction date:
04/23/25 11:13:49

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA085687POT
Instrument Used : DA-LC-007
Analyzed Date : 04/24/25 08:56:56

Batch Date : 04/23/25 08:03:43

Dilution : 40
Reagent : 030125.01; 012125.05; 021125.07; 041825.R05; 040725.R02
Consumables : 4052-629; 947.110; 040724CH01; 0000355309
Pipette : DA-108; GA-179; GA-178

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/25/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50422014-001
Harvest/Lot ID: 4715406311225210

Batch# : 4715406311225210 Sample Size Received : 10 units
Sampled : 04/22/25 Total Amount : 1625 units
Ordered : 04/22/25 Completed : 04/25/25 Expires: 04/25/26
Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND		
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND		
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND		
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND		
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND		
CHLORANTRILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	3	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND								
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	1.0281g	Extraction date:	04/23/25 12:18:32	Extracted by:	4640,3379
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA085708PES						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	04/24/25 10:00:03						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution :	250						
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent :	042225.R01; 041625.R03; 042125.R01; 042225.R02; 012925.R01; 041625.R01; 081023.01						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	6822423-02						
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	1.0281g	Extraction date:	04/23/25 12:18:32	Extracted by:	4640,3379
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch :	DA085710VOL						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-010						
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date :	04/24/25 09:56:42						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution :	250						
MALATHION	0.010	ppm	2	PASS	ND	Reagent :	042125.R01; 081023.01; 040225.R32; 040225.R33						
METALAXYL	0.010	ppm	3	PASS	ND	Consumables :	6822423-02; 040724CH01; 17473601						
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218						
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
MEVINPHOS	0.010	ppm	0.1	PASS	ND								
MYCLOBUTANIL	0.010	ppm	3	PASS	ND								
NALED	0.010	ppm	0.5	PASS	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
04/25/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50422014-001

Harvest/Lot ID: 4715406311225210

Batch# : 4715406311225210

Sampled : 04/22/25

Ordered : 04/22/25

Sample Size Received : 10 units

Total Amount : 1625 units

Completed : 04/25/25 Expires: 04/25/26

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 4451, 585, 1440	Weight: 0.0206g	Extraction date: 04/23/25 11:54:49	Extracted by: 4451
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA08571650L
 Instrument Used : DA-GCMS-002
 Analyzed Date : 04/24/25 10:13:07
 Batch Date : 04/23/25 11:27:46

Dilution : 1
 Reagent : 030420.09
 Consumables : 430855; 315545
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50422014-001
 Harvest/Lot ID: 4715406311225210
 Batch# : 4715406311225210 Sample Size Received : 10 units
 Sampled : 04/22/25 Total Amount : 1625 units
 Ordered : 04/22/25 Completed : 04/25/25 Expires: 04/25/26
 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4892, 4520, 585, 1440 Weight: 0.8469g Extraction date: 04/23/25 10:25:57 Extracted by: 4520,4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085680MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 04/23/25 07:29:20 Analyzed Date : 04/24/25 10:11:59 Dilution : 10 Reagent : 022625.41; 022625.60; 031525.R03; 072424.10 Consumables : 7581001004 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 3379, 585, 1440 Weight: 1.0281g Extraction date: 04/23/25 12:18:32 Extracted by: 4640,3379 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085709MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 04/23/25 09:59:14 Analyzed Date : 04/24/25 09:58:23 Dilution : 250 Reagent : 042225.R01; 041625.R03; 042125.R01; 042225.R02; 012925.R01; 041625.R01; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURIUM	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2143g Extraction date: 04/23/25 10:11:17 Extracted by: 4531 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA085690HEA Instrument Used : DA-ICPMS-004 Batch Date : 04/23/25 08:24:11 Analyzed Date : 04/24/25 11:58:52 Dilution : 50 Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 041025.R11 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURIUM	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50422014-001
Harvest/Lot ID: 4715406311225210
Batch#: 4715406311225210 Sample Size Received : 10 units
Sampled : 04/22/25 Total Amount : 1625 units
Ordered : 04/22/25 Completed : 04/25/25 Expires: 04/25/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED

Homogeneity PASSED

Amount of tests conducted : 18

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 04/23/25 10:36:30 Extracted by: 1879

Analysis Method : SOP.T.40.090
Analytical Batch : DA085713FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date : 04/23/25 10:24:15
Analyzed Date : 04/23/25 10:48:49

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.687	PASS	0.85

Analyzed by: 4797, 585, 1440 Weight: 7.655g Extraction date: 04/23/25 12:29:43 Extracted by: 4797

Analysis Method : SOP.T.40.019
Analytical Batch : DA085712WAT
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 04/23/25 10:06:12
Analyzed Date : 04/24/25 08:53:12

Dilution : N/A
Reagent : 101724.36
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	0.559	25

Analyzed by: 3335, 585, 1440 Average Weight: 4.251g Extraction date: 04/23/25 08:34:59 Extracted By: 3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA085673HOM
Instrument Used : DA-LC-006 Batch Date : 04/23/25 07:25:31
Analyzed Date : 04/24/25 08:20:53

Dilution : 40
Reagent : 030125.01; 041525.R26; 012125.05; 041525.R25
Consumables : 947.110; 04312111; 062224CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.