

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50422014-002

Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon

Matrix: Edible

Classification: High THC Type: Other Edible Product

Production Method: Other - Not Listed Harvest/Lot ID: 2038356633029148

Batch#: 2038356633029148

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 6825541584686695

Harvest Date: 04/17/25

Sample Size Received: 3 units

Total Amount: 319 units Retail Product Size: 41.9675 gram

Servings: 1

Ordered: 04/22/25 Sampled: 04/22/25

Completed: 04/25/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 5

indiantown, FL, 34956, US

Certificate of Analysis

SAFETY RESULTS

22205 Sw Martin Hwy

Chews



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



PASSED

Batch Date: 04/23/25 08:03:43



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

TESTED



Cannabinoid

Apr 25, 2025 | Sunnyside

Total THC

Total THC/Container: 105.338 mg



Total CBD

Total CBD/Container: 0.000 mg



Total Cannabinoids

Total Cannabinoids/Container: 108.276

								-			
%	D9-ТНС 0.251	THCA ND	CBD ND	CBDA ND	D8-THC ND	CBG 0.003	CBGA ND	CBN ND	THCV ND	CBDV ND	свс 0.004
mg/unit	105.34	ND	ND	ND	ND	1.26	ND	ND	ND	ND	1.68
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA085687POT

Instrument Used : DA-LC-007 Analyzed Date : 04/24/25 09:02:51

Reagent: 030125.01; 012125.05; 021125.07; 041825.R05; 040725.R02

Consumables: 4052-629; 947.110; 040724CH01; 0000355309 Pipette: DA-108; GA-179; GA-178

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 04/25/25





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50422014-002 Harvest/Lot ID: 2038356633029148

Sampled: 04/22/25

Ordered: 04/22/25

Batch#: 2038356633029148 Sample Size Received: 3 units Total Amount: 319 units

Completed: 04/25/25 **Expires:** 04/25/26 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resi
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET		0.010	mag	0.2	PASS	ND
OTAL PYRETHRINS	0.010	P. P.	1	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
OTAL SPINOSAD	0.010	11.11	3	PASS	ND					1	PASS	ND
BAMECTIN B1A	0.010	11.11	0.3	PASS	ND	PROPICONAZOLE		0.010		_		
CEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN		0.010	ppm	3	PASS	ND
ETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
OXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
ENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
RBARYL	0.010	P. P.	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		3	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		NE (BCNB) *	0.010		0.2	PASS	ND
LORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZE	:NE (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010	11.11	3	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
PENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
ZINON	0.010		3	PASS	ND	CYPERMETHRIN *		0.050	ppm	1	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction	n date:		Extracted I	hv:
IETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	1.0648q		12:18:32		4640.3379	Jy.
IOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.)2.FL				
DFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA085708	PES					
XAZOLE	0.010		1.5	PASS	ND	Instrument Used : DA-LCMS-			Batc	h Date: 04/23	25 09:56:34	
IHEXAMID	0.010		3	PASS	ND	Analyzed Date: 04/24/25 10	:00:04					
IOXYCARB	0.010		0.1	PASS	ND	Dilution: 250	'AE DAN 042125 DA	1. 042225 20	2.0120255	01. 041625 54	1. 001022 01	
NPYROXIMATE	0.010		2	PASS	ND	Reagent: 042225.R01; 0416 Consumables: 6822423-02)25.KU3; U42125.KU	1; U42225.RU	z; U12925.F	(U1; U41625.R)	11; 081023.01	
RONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA	A-219					
ONICAMID	0.010		2	PASS	ND	Testing for agricultural agents		a Liquid Chrom	atography T	riple-Quadrupo	le Mass Spectro	metry ir
JDIOXONIL	0.010		3	PASS	ND	accordance with F.S. Rule 64E		5 = 4010 C111011	y-up-iy i	Quaurupu		
XYTHIAZOX	0.010		2	PASS	ND	Analyzed by:	Weight:	Extraction	n date:		Extracted b	y:
AZALIL	0.010		0.1	PASS	ND	450, 585, 1440	1.0648g	04/23/25 1	L2:18:32		4640,3379	
DACLOPRID	0.010		1	PASS	ND	Analysis Method : SOP.T.30.		L51.FL				
ESOXIM-METHYL	0.010		1	PASS	ND	Analytical Batch : DA085710			Date:		00.50.16	
LATHION	0.010		2	PASS	ND	Instrument Used : DA-GCMS Analyzed Date : 04/24/25 09			Batch D	ate:04/23/25	09:59:10	
TALAXYL	0.010		3	PASS	ND	Dilution : 250	.50.72					
THIOCARB	0.010		0.1	PASS	ND	Reagent: 042125.R01; 0810	23.01: 040225 R32	: 040225.R33				
THOMYL	0.010		0.1	PASS	ND	Consumables : 6822423-02;						
VINPHOS	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA						
CLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents		g Gas Chromat	ography Trip	ole-Quadrupole	Mass Spectrome	etry in
LED	0.010	ppm	0.5	PASS	ND	accordance with F.S. Rule 64E	R20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/25/25





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50422014-002 Harvest/Lot ID: 2038356633029148

Batch#: 2038356633029148 Sample Size Received: 3 units Sampled: 04/22/25

Ordered: 04/22/25

Total Amount: 319 units **Completed:** 04/25/25 **Expires:** 04/25/26 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 4451, 585, 1440	Weight: 0.0227g	Extraction date: 04/23/25 11:54:49			tracted by: 151

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA085716SOL Instrument Used: DA-GCMS-002

Analyzed Date: $04/24/25 \ 10:13:09$

Dilution: 1 Reagent: 030420.09 Consumables: 430855; 315545 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 04/23/25 11:27:46

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/25/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50422014-002 Harvest/Lot ID: 2038356633029148

Batch#: 2038356633029148 Sample Size Received: 3 units Sampled: 04/22/25

Total Amount: 319 units Ordered: 04/22/25 Completed: 04/25/25 Expires: 04/25/26 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A

AFLATOXIN G1

AFLATOXIN G2

3621, 3379, 585, 1440

Analyzed by:

Analyte

Mycotoxins

Weight:

1.0648g

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

4640,3379

Result

ND

ND

ND

Batch Date: 04/23/25 09:59:14

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 0.9451g 4892, 4520, 585, 1440 04/23/25 10:25:57 4520,4044

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA085680MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 04/23/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Weight:

Analyzed Date : 04/24/25 10:12:01

Dilution: 10

Reagent : 022625.41; 022625.60; 031525.R03; 072424.10

Consumables: 7581001004

Pipette : N/A Analyzed by:

y:	Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL
	Analytical Batch : DA085709MYC
	Instrument Used : DA-LCMS-004 (MYC)
	Analyzed Date: 04/24/25 09:58:23

Extracted by:

Dilution: 250

Reagent: 042225.R01; 041625.R03; 042125.R01; 042225.R02; 012925.R01; 041625.R01; 081023.01

LOD

0.002 ppm

0.002

0.002 ppm

Extraction date:

04/23/25 12:18:32

0.002 ppm

0.002 ppm

ppm

Consumables: 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

4892, 4520, 585, 1440	0.9451g	04/23/25 10:25:57	4520,4044
Analysis Method: SOP.T.40.20 Analytical Batch: DA085681T	ΥM		
Instrument Used : Incubator (2008) DA-382] Analyzed Date : 04/25/25 12:5		[calibrated with Bate	ch Date : 04/23/25 07:30:38
Dilution: 10 Reagent: 022625.41; 022625 Consumables: N/A Pipette: N/A	5.60; 022625.F	253	

Extraction date:

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC		0.020	ppm	ND	PASS	1.5
CADMIUM		0.020	ppm	ND	PASS	0.5
MERCURY		0.020	ppm	ND	PASS	3
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2543g	Extraction dat 04/23/25 10:1			Extracted 4531	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA085690HEA Instrument Used : DA-ICPMS-004

Batch Date: 04/23/25 08:24:11 Analyzed Date: 04/24/25 11:58:52

Dilution: 50

Reagent: 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19;

120324.07; 041025.R11

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 04/25/25





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50422014-002 Harvest/Lot ID: 2038356633029148

Sampled: 04/22/25 Ordered: 04/22/25

Batch#: 2038356633029148 Sample Size Received: 3 units Total Amount: 319 units Completed: 04/25/25 Expires: 04/25/26 Sample Method: SOP.T.20.010

Page 5 of 5

Batch Date: 04/23/25 07:26:06



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Amount of tests conducted: 6

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: Extraction date Extracted by: 1g 04/23/25 10:36:30 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA085713FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 04/23/25 10:24:15 Analyzed Date: 04/23/25 10:48:50

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Batch Date: 04/23/25 10:06:12

Analyte LOD Units Pass/Fail Result Action Level

TOTAL THC - HOMOGENEITY 0.001 % **PASS** 0.313 25 (RSD)

Average Analyzed by Extraction date: Extracted By: Weight 3335, 585, 1440 4.217g 04/23/25 09:15:03

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA085674HOM Instrument Used : DA-LC-005

Analyzed Date: 04/24/25 08:56:57

Reagent: 030125.01; 040925.R39; 012125.05; 041525.R24

Consumables: 947.110; 04312111; 062224CH01; 1009429049; 1009468945; 0000355309

Pipette: DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.706 0.85 Extraction date: 04/23/25 12:30:01 Analyzed by: 4797, 585, 1440 Extracted by: 4797

Analysis Method: SOP.T.40.019

Analytical Batch: DA085712WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 04/24/25 08:53:13

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/25/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors