



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50422014-003



Apr 25, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 2

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.


Cannabinoid
TESTED


Total THC

81.962%

Total THC/Container : 409.810 mg



Total CBD

0.145%

Total CBD/Container : 0.725 mg



Total Cannabinoids

86.210%

Total Cannabinoids/Container : 431.050 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.842	0.137	0.145	ND	ND	3.004	ND	0.059	0.341	ND	0.682
mg/unit	409.21	0.69	0.73	ND	ND	15.02	ND	0.30	1.71	ND	3.41
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1051g

Extraction date:
04/23/25 11:08:54

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085685POT

Instrument Used : DA-LC-003

Analyzed Date : 04/24/25 08:54:39

Batch Date : 04/23/25 07:57:44

Dilution : 40

Reagent : 031425.R03; 021125.07; 041125.R07

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/25/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FloraCal Live Rosin Cartridge 500mg - Slurr-crasher Mnts (I)
Slurr-crasher Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50422014-003
Harvest/Lot ID: 1242636763749032

Batch# : 1242636763749032 Sample Size Received : 31 units
Sampled : 04/22/25 Total Amount : 1222 units
Ordered : 04/22/25 Completed : 04/25/25 Expires: 04/25/26
Sample Method : SOP.T.20.010

Page 2 of 2

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	41.97	8.393	NEROL	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	13.03	2.605	PULEGONE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.44	1.687	SABINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	3.00	0.599	SABINENE HYDRATE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	2.94	0.587	VALENCENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.73	0.545	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.65	0.530	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.62	0.323	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
OCIMENE	0.007	TESTED	1.25	0.249	<div>Analyzed by: 4444, 4451, 585, 1440</div> <div>Weight: 0.1911g</div> <div>Extraction date: 04/23/25 11:32:46</div> <div>Extracted by: 4444</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA085714TER</div> <div>Instrument Used : DA-GCMS-004</div> <div>Batch Date : 04/23/25 10:26:40</div> <div>Analyzed Date : 04/24/25 08:54:40</div> <div>Dilution : 10</div> <div>Reagent : 022525.53</div> <div>Consumables : 947.110; 04312111; 2240626; 0000355309</div> <div>Pipette : DA-065</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
ALPHA-TERPINEOL	0.007	TESTED	1.23	0.246					
ALPHA-BISABOLOL	0.007	TESTED	1.17	0.233					
BETA-PINENE	0.007	TESTED	1.08	0.216					
BORNEOL	0.013	TESTED	0.66	0.131					
CAMPHERE	0.007	TESTED	0.56	0.111					
ALPHA-TERPINOLENE	0.007	TESTED	0.40	0.079					
CARYOPHYLLENE OXIDE	0.007	TESTED	0.22	0.043					
GERANIOL	0.007	TESTED	0.22	0.043					
FENCHONE	0.007	TESTED	0.20	0.039					
GAMMA-TERPINENE	0.007	TESTED	0.20	0.039					
ALPHA-TERPINENE	0.007	TESTED	0.17	0.034					
EUCALYPTOL	0.007	TESTED	0.17	0.033					
ALPHA-PHELLANDRENE	0.007	TESTED	0.11	0.021					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
FARNESENE	0.001	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				8.393					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/25/25