

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Slurricrasher (H) Slurricrasher (H) Matrix: Flower Classification: High THC Type: Preroll



Production Method: Cured **Certificate of Analysis** Harvest/Lot ID: 9396804818769650 Batch#: 9396804818769650 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 9585929467717110 Harvest Date: 04/22/25 Sample Size Received: 26 units Total Amount: 3057 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 04/23/25 Sampled: 04/23/25 Completed: 04/26/25 Sampling Method: SOP.T.20.010 Sunnyside*

Pages 1 of 5

PASSED



COMPLIANCE FOR RETAIL

Apr 26, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY R	RESULTS										MISC.
R 0	€]	Hg	Ċ,	ţ	° }	Ä			$\mathbf{\tilde{\mathbf{S}}}$		Ô
Pestici PASS		avy Metals PASSED	Microbials PASSED	Mycoto PASS	ED	Residuals Solvents OT TESTED	Filth PASSED		Activity SSED	Moisture PASSED	Terpenes TESTED
Ä	Cannal	binoid									TESTED
Total THC 22.479% Total THC/Container : 224.790 mg Total CBD Total CBD Total CBD Total CBD Total CBD Total Cannabinoids Container : 0.570 mg Total Cannabinoids/Container : 264.320 mg											
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC
%	0.788	24.734	ND	0.065	0.034	0.107	0.573	ND	ND	ND	0.131
mg/unit LOD	7.88 0.001	247.34 0.001	ND 0.001	0.65 0.001	0.34 0.001	1.07 0.001	5.73 0.001	ND 0.001	ND 0.001	ND 0.001	1.31 0.001
200	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 585, 1440	D		Weight: 0.20480			ction date: 4/25 13:14:58				Extracted by: 3335	
Analytical Batch Instrument Use	d: SOP.T.40.031, S h: DA085779POT d: DA-LC-002 : 04/25/25 09:10:4					Ba	tch Date : 04/24/25	11:18:10			
Consumables :	25.R29; 021125.0 947.110; 0431211 '9; DA-108; DA-078	1; 062224CH01; 000	0355309								
Full Spectrum car	nnabinoid analysis uti	lizing High Performance	Liquid Chromatography	with UV detection in a	ccordance with F.S	. Rule 64ER20-39.					
Label Clair	m										PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/26/25



Supply Pre-Roll 1g - Slurricrasher (H) Slurricrasher (H) Matrix : Flower Type: Preroll



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50423012-001 Harvest/Lot ID: 9396804818769650 Batch#: 9396804818769650 Sample Size Received: 26 units Sampled : 04/23/25 Ordered : 04/23/25

Total Amount : 3057 units Completed : 04/26/25 Expires: 04/26/26 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	14.79	1.479		VALENCENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	5.43	0.543		ALPHA-BISABOLOL	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	2.36	0.236		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
IMONENE	0.007	TESTED	2.14	0.214		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	1.65	0.165		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.72	0.072		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	0.64	0.064		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	0.52	0.052	1	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	0.38	0.038		Analyzed by:	Weight	t	Extracti	on date:	Extracted by:
IMENE	0.007	TESTED	0.36	0.036		4451, 4444, 585, 1440	1.0099	9g	04/24/2	5 12:19:06	4451
RANS-NEROLIDOL	0.005	TESTED	0.33	0.033		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A	A.FL				
ETA-MYRCENE	0.007	TESTED	0.26	0.026		Analytical Batch : DA085769TER Instrument Used : DA-GCMS-009				Batch Date : 04/24/25 1	0.43-14
CARENE	0.007	TESTED	ND	ND		Analyzed Date : 04/25/25 09:10:49				Date: Date : 04/24/23 1	0.73.47
DRNEOL	0.013	TESTED	ND	ND		Dilution : 10					
AMPHENE	0.007	TESTED	ND	ND		Reagent : N/A					
AMPHOR	0.007	TESTED	ND	ND		Consumables : 947.110; 04402004; 2240626; 0000	1355309				
RYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Pipette : DA-065					
DROL	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograp	phy Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight correct	ted.
ICALYPTOL	0.007	TESTED	ND	ND							
ARNESENE	0.007	TESTED	ND	ND							
INCHONE	0.007	TESTED	ND	ND							
RANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
JLEGONE	0.007	TESTED	ND	ND							
ABINENE	0.007	TESTED	ND	ND							
ABINENE HYDRATE	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/26/25



..... Supply Pre-Roll 1g - Slurricrasher (H) ы Slurricrasher (H) Matrix : Flower Type: Preroll



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50423012-001 Harvest/Lot ID: 9396804818769650

Sampled : 04/23/25 Ordered : 04/23/25

Batch#: 9396804818769650 Sample Size Received: 26 units Total Amount : 3057 units Completed : 04/26/25 Expires: 04/26/26 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnaa	5	PASS	ND	OXAMYL		0.010	nnm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND					0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET		0.010				
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND					0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZEN	E (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted by	r:
DIMETHOATE	0.010		0.1	PASS	ND	3621, 585, 1440	1.0103g	04/24/25			4640,450,585	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.10	2.FL, SOP.T.40.1	02.FL				
ETOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA085753PE						
ETOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-00			Batch	Date :04/24/	25 09:52:34	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date : 04/25/25 09:54	1:52					
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 042325.R18; 081023	01					
FENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 040724CH01; 6						
FIPRONIL	0.010		0.1	PASS	ND	Pipette : N/A						
FLONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is	performed utilizir	g Liquid Chrom	natography Tr	iple-Quadrupo	le Mass Spectror	metry in
FLUDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER2						
HEXYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted by:	
MAZALIL	0.010		0.1		ND	450, 585, 1440	1.0103g	04/24/25 1	3:02:19		4640,450,585	
MIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.15 Analytical Batch : DA085755V0		151.FL				
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Instrument Used : DAU65755VC			Batch D:	ate:04/24/25	09:55:46	
MALATHION	0.010		0.2 0.1	PASS	ND ND	Analyzed Date :04/25/25 09:52			Date: D			
METALAXYL	0.010		0.1	PASS	ND	Dilution: 250						
METHIOCARB METHOMYL	0.010		0.1	PASS	ND	Reagent: 042325.R18; 081023						
	0.010	T P	0.1	PASS	ND	Consumables : 040724CH01; 6		73601				
MEVINPHOS	0.010 0.010		0.1	PASS	ND ND	Pipette : DA-080; DA-146; DA-2		0 0				
MYCLOBUTANIL NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER2		g Gas Chromat	lography Trip	ie-quadrupole	mass Spectrome	erry IN
NALED	0.010	hhiii	0.20	FM33	NU	accordance with 1.5. Kule 04EK2						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/26/25



..... Supply Pre-Roll 1g - Slurricrasher (H) Slurricrasher (H) Matrix : Flower Type: Preroll



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50423012-001 Harvest/Lot ID: 9396804818769650

Sampled : 04/23/25 Ordered : 04/23/25

Batch#: 9396804818769650 Sample Size Received: 26 units Total Amount : 3057 units Completed : 04/26/25 Expires: 04/26/26 Sample Method : SOP.T.20.010

Page 4 of 5

Ç	Microbia	I			PAS	SED	သို့	Му	/cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	5 TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	5 NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 FLAVUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
SALMONELL	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction date		Evt	racted by	
TOTAL YEAS	AND MOLD	10	CFU/g	130	PASS	100000	3621, 585, 144	0	1.0103g	04/24/25 13:02			40,450,58	
nalyzed by:	Weight:		ction date:		Extracted b	y:			.30.102.FL, SOF	P.T.40.102.FL				
	0 0.9823g d:SOP.T.40.056C, SOP. h:DA085724MIC		4/25 09:14:46 B.FL, SOP.T.4		4520,4571		Analytical Bate Instrument Us Analyzed Date	ed : DA-LC	CMS-004 (MYC)	В	atch Date	:04/24/2	5 09:55:1	5
inalyzed Date	DA-402 Thermo Scientif : 04/25/25 09:34:46 25.46; 022625.60; 031 7581001004						Pipette : N/A	ing utilizing		ography with Triple	-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 520, 4892, 58	Weigh 5, 1440 0.982		xtraction da 04/24/25 09:1		Extracted 4520,457		Hg	Не	avy M	etals			PAS	SED
Analytical Batc	d : SOP.T.40.209.FL h : DA085725TYM d : Incubator (25*C) DA	- 328 [ca	librated with	Batch Da	te : 04/24/2	5 07.29.5	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-382]		520 [00	indiated with	Daten Da	Le : 04/24/2	5 07.25.5	TOTAL CONT	AMINAN	T LOAD META	LS 0.080	ppm	ND	PASS	1.1
nalyzed Date	: 04/26/25 13:14:06						ARSENIC			0.020	ppm	ND	PASS	0.2
ilution : 10							CADMIUM			0.020	ppm	ND	PASS	0.2
	25.46; 022625.60; 0226	625.R53					MERCURY			0.020	ppm	ND	PASS	0.2
onsumables : ipette : N/A	N/A						LEAD			0.020	ppm	ND	PASS	0.5
otal yeast and r	nold testing is performed u	tilizing MF	PN and traditio	nal culture base	d techniques	; in	Analyzed by: 1022, 585, 144	0	Weight: 0.2771g	Extraction da 04/24/25 11:4			Extracted 4531	by:
ccordance with	F.S. Rule 64ER20-39.						Analysis Meth Analytical Bat Instrument Us Analyzed Date	h : DA085 ed : DA-IC	PMS-004		h Date : ()4/24/25 1	0:38:21	
							Dilution : 50 Reagent : 041 120324.07; 04	25.R05; (1025.R11 040724C	042225.R05; 04 H01; J609879-0	2125.R20; 0421 193; 179436	25.R17; ()42125.R1	8; 04212!	5.R19;

Pipette : DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/26/25



. Supply Pre-Roll 1g - Slurricrasher (H) Slurricrasher (H) Matrix : Flower Type: Preroll

1.0 %

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Units

Extraction date

04/24/25 10:41:43



PASSED

PASSED

15

4797

Extracted by:

Action Level

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50423012-001 Harvest/Lot ID: 9396804818769650

Sampled : 04/23/25 Ordered : 04/23/25

Batch#: 9396804818769650 Sample Size Received: 26 units Total Amount : 3057 units Completed : 04/26/25 Expires: 04/26/26 Sample Method : SOP.T.20.010

 \wedge

Dilution : N/A

Consumables : N/A

Pipette : DA-066

Analyzed Date: 04/25/25 07:52:10

Reagent : 092520.50; 030125.01

Page 5 of 5

Result

9.9

P/F

PASS

Batch Date : 04/24/25 07:08:02

		Filth/For Materia		1		PA	SSED	00	Moisture		
	analyte ilth and Forei	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Cont	tent	LOD 1.0	
	nalyzed by: 879, 585, 1440	Weight: lg		ction dat 4/25 12:1		Ext 18	racted by: 79	Analyzed by: 4571, 4797, 585	, 1440	Weight: 0.503g	
A	nalytical Batch	: SOP.T.40.090 : DA085782FIL : Filth/Foreign Mater	rial Micros	cope	Batch D	Date : 04/24	4/25 12:07:05	Analysis Method Analytical Batch Instrument Used	:DA08572		

Analytical Batch : DA085782FlL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/24/25 12:30:26 Batch Date : 04/24/25 12:07:05

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

PASSED -Water Activity

Analyte Water Activity	LOD 0.010	Units aw	Result 0.479	P/F PASS	Action Level 0.65					
Analyzed by: 4571, 4797, 585, 1440	Weight: 1.368g		on date: 5 10:39:25		Extracted by: 4797,585					
Analysis Method : SOP.T.40.019 Analytical Batch : DA085721WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 04/24/25 07:09:27 Analyzed Date : 04/25/25 07:53:19										
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/26/25