



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50424013-002



Apr 28, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC
0.251%

Total THC/Container : 106.104 mg



Total CBD
0.238%

Total CBD/Container : 100.609 mg



Total Cannabinoids
0.508%

Total Cannabinoids/Container : 214.745 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.251	ND	0.238	ND	ND	0.013	ND	0.002	0.004	ND	ND
mg/unit	106.10	ND	100.61	ND	ND	5.50	ND	0.85	1.69	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.5166g

Extraction date:
04/25/25 11:30:00

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085798POT

Instrument Used : DA-LC-007

Analyzed Date : 04/28/25 11:36:14

Batch Date : 04/25/25 08:30:47

Dilution : 40

Reagent : 030125.01; 042325.R31; 090924.05; 021125.07; 042325.R34

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Sunnyside Chews 200mg 10pk Blk Chrry 1:1

Blk Chrry 1:1

Matrix : Edible

Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50424013-002

Harvest/Lot ID: 0256381865258071

Batch# : 0256381865258071

Sampled : 04/24/25

Ordered : 04/24/25

Sample Size Received : 10 units

Total Amount : 1617 units

Completed : 04/28/25 Expires: 04/28/26

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	ppm	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	ppm	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 3621, 585, 1440	Weight: 0.9205g	Extraction date: 04/25/25 12:13:22	Extracted by: 4640,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085810PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 04/25/25 08:55:58	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/28/25 10:13:19					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 042325.R18; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9205g	Extraction date: 04/25/25 12:13:22	Extracted by: 4640,3379		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA085812VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 04/25/25 08:57:36	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 04/28/25 10:10:50					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Sunnyside Chews 200mg 10pk Blk Chrry 1:1
Blk Chrry 1:1
Matrix : Edible
Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50424013-002

Harvest/Lot ID: 0256381865258071

Batch# : 0256381865258071

Sampled : 04/24/25

Ordered : 04/24/25

Sample Size Received : 10 units

Total Amount : 1617 units

Completed : 04/28/25 Expires: 04/28/26

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.0245g

Extraction date:
04/25/25 14:10:48

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA085823SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 04/28/25 09:28:06

Batch Date : 04/25/25 13:18:49

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Sunnyside Chews 200mg 10pk Blk Chrry 1:1
Blk Chrry 1:1
Matrix : Edible
Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50424013-002

Harvest/Lot ID: 0256381865258071

Batch# : 0256381865258071

Sampled : 04/24/25

Ordered : 04/24/25



Sample Size Received : 10 units

Total Amount : 1617 units

Completed : 04/28/25 Expires: 04/28/26

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED			Mycotoxins					PASSED									
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS					Not Present	PASS		AFLATOXIN B2			0.002	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER					Not Present	PASS		AFLATOXIN B1			0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS					Not Present	PASS		OCHRATOXIN A			0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS					Not Present	PASS		AFLATOXIN G1			0.002	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE					Not Present	PASS		AFLATOXIN G2			0.002	ppm	ND	PASS	0.02								
ECOLI SHIGELLA					Not Present	PASS		Analyzed by:			Weight:	Extraction date:	Extracted by:										
TOTAL YEAST AND MOLD			10	CFU/g	<10	PASS	100000	3379, 3621, 585, 1440			0.9205g	04/25/25 12:13:22	4640,3379										
Analyzed by:		Weight:		Extraction date:		Extracted by:		Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL															
4520, 585, 1440		0.98g		04/25/25 09:52:02		4520		Analytical Batch : DA085811MYC															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL								Instrument Used : N/A								Batch Date : 04/25/25 08:57:21							
Analytical Batch : DA085792MIC								Analyzed Date : 04/28/25 08:11:51															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)								Dilution : 250															
Batch Date : 04/25/25 07:31:17								Reagent : 042325.R18; 081023.01															
Analyzed Date : 04/28/25 08:12:57								Consumables : 040724CH01; 6822423-02															
								Pipette : N/A															
Dilution : 10								Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Reagent : 022625.48; 022625.61; 031525.R03; 080724.11																							
Consumables : 7581001013																							
Pipette : N/A																							
Analyzed by:		Weight:		Extraction date:		Extracted by:		<div><div><div>Hg</div></div></div> <div>Heavy Metals</div> <div>PASSED</div>															
4520, 1879, 585, 1440		0.98g		04/25/25 09:52:02		4520																	
Analysis Method : SOP.T.40.209.FL																Metal							
Analytical Batch : DA085793TYM																LOD							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]																Units							
Batch Date : 04/25/25 07:32:24																Result							
Analyzed Date : 04/28/25 08:13:57																Pass / Fail							
Dilution : 10																Action Level							
Reagent : 022625.48; 022625.61; 022625.R53																TOTAL CONTAMINANT LOAD METALS							
Consumables : N/A																0.080 ppm ND PASS 5							
Pipette : N/A																ARSENIC 0.020 ppm ND PASS 1.5							
																CADMIUM 0.020 ppm ND PASS 0.5							
																MERCURY 0.020 ppm ND PASS 3							
																LEAD 0.020 ppm ND PASS 0.5							
																Analyzed by:							
																1022, 4531, 585, 1440							
																Weight:							
																0.2148g							
																Extraction date:							
																04/25/25 11:58:03							
																Extracted by:							
																1022,4531							
																Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
																Analytical Batch : DA085815HEA							
																Instrument Used : DA-ICPMS-004							
																Batch Date : 04/25/25 09:11:34							
																Analyzed Date : 04/28/25 08:10:43							
								Dilution : 50															
								Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 042225.R04															
								Consumables : 040724CH01; J609879-0193; 179436															
								Pipette : DA-061; DA-191; DA-216															
								Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Sunnyside Chews 200mg 10pk Blk Chrry 1:1
Blk Chrry 1:1
Matrix : Edible
Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50424013-002
Harvest/Lot ID: 0256381865258071

Batch# : 0256381865258071 Sample Size Received : 10 units
Sampled : 04/24/25 Total Amount : 1617 units
Ordered : 04/24/25 Completed : 04/28/25 Expires: 04/28/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 18

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 04/26/25 16:45:21 Extracted by: 1879
Analysis Method : SOP.T.40.090
Analytical Batch : DA085876FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date : 04/26/25 12:44:40
Analyzed Date : 04/28/25 08:07:51

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.683	PASS	0.85

Analyzed by: 4797, 585, 1440 Weight: 7.418g Extraction date: 04/25/25 13:05:27 Extracted by: 4797
Analysis Method : SOP.T.40.019
Analytical Batch : DA085821WAT
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 04/25/25 10:52:58
Analyzed Date : 04/25/25 18:33:04

Dilution : N/A
Reagent : 101724.36
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.625	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	1.621	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 585, 1440	4.057g	04/25/25 11:40:01	3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA085785HOM
Instrument Used : DA-LC-004 Batch Date : 04/25/25 07:16:34
Analyzed Date : 04/28/25 13:05:01

Dilution : 40
Reagent : 030125.01; 040225.R53; 090924.05; 041525.R23
Consumables : 947.110; 04312111; 062224CH01; 1009429049; 1009468945; 0000355309
Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/28/25