



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50424013-005



Production Method: Other - Not Listed
Harvest/Lot ID: 0637489680279657
Batch#: 0637489680279657
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 9956074093121731
Harvest Date: 04/22/25
Sample Size Received: 15 units
Total Amount: 3717 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 04/24/25
Sampled: 04/24/25
Completed: 04/28/25
Sampling Method: SOP.T.20.010

Apr 28, 2025 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
20.290%

Total THC/Container : 710.150 mg



Total CBD
0.049%

Total CBD/Container : 1.715 mg



Total Cannabinoids
23.415%

Total Cannabinoids/Container : 819.525 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.521	21.402	ND	0.057	0.044	0.075	0.147	0.028	ND	ND	0.141
mg/unit	53.24	749.07	ND	2.00	1.54	2.63	5.15	0.98	ND	ND	4.94
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2051g

Extraction date:
04/25/25 11:21:15

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA085799POT
Instrument Used : DA-LC-002
Analyzed Date : 04/28/25 08:14:37

Batch Date : 04/25/25 08:32:24

Dilution : 400
Reagent : 042325.R29; 021125.07; 042325.R32
Consumables : 947.110; 04312111; 062224CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
04/28/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50424013-005
Harvest/Lot ID: 0637489680279657

Batch# : 0637489680279657 Sample Size Received : 15 units
Sampled : 04/24/25 Total Amount : 3717 units
Ordered : 04/24/25 Completed : 04/28/25 Expires: 04/28/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	58.94	1.684	VALENCENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	12.85	0.367	ALPHA-BISABOLOL	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	11.06	0.316	ALPHA-CEREBENE	0.005	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	11.03	0.315	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	8.68	0.248	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	3.33	0.095	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	3.22	0.092	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FARNESENE	0.007	TESTED	2.73	0.078	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.82	0.052	Analyzed by: 6846, 4431, 585, 1440 Weight: 3.1082g Extraction date: 04/25/25 10:45:09 Extracted by: 4444 Analysis Method : SOP.T.30.061A.FL SOP.T.40.061A.FL Analytical Batch : DA085916TER Instrument Used : DA-GCMS-009 Analyzed Date : 04/28/25 09:19:25 Batch Date : 04/25/25 10:15:29 Dilution : 10 Reagent : N/A Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.007	TESTED	1.68	0.048					
BETA-PINENE	0.007	TESTED	1.68	0.048					
ALPHA-PINENE	0.007	TESTED	0.88	0.025					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAJOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)				1.684					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/28/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50424013-005
Harvest/Lot ID: 0637489680279657

Batch# : 0637489680279657 Sample Size Received : 15 units
Sampled : 04/24/25 Total Amount : 3717 units
Ordered : 04/24/25 Completed : 04/28/25 Expires: 04/28/26
Sample Method : SOP.T.20.010

Page 3 of 5

Pesticides					PASSED						
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 3621, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085807PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 04/28/25 09:34:08 Batch Date : 04/25/25 08:51:56 Dilution : 250 Reagent : 042325.R18; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METHIACARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085809VOL Instrument Used : DA-GCMS-010 Analyzed Date : 04/28/25 09:30:47 Batch Date : 04/25/25 08:53:18 Dilution : 250 Reagent : 042325.R18; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL											



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50424013-005
Harvest/Lot ID: 0637489680279657
Batch# : 0637489680279657 Sample Size Received : 15 units
Sampled : 04/24/25 Total Amount : 3717 units
Ordered : 04/24/25 Completed : 04/28/25 Expires: 04/28/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4520, 585, 1440 Weight: 1.0617g Extraction date: 04/25/25 09:52:02 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085792MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 04/28/25 08:12:59 Batch Date : 04/25/25 07:31:17 Dilution : 10 Reagent : 022625.48; 022625.61; 031525.R03; 080724.11 Consumables : 7581001013 Pipette : N/A					
Analyzed by: 4520, 1879, 585, 1440 Weight: 1.0617g Extraction date: 04/25/25 09:52:02 Extracted by: 4520 Analysis Method : SOP.T.40.209.FL Analytical Batch : DA085793TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 04/25/25 07:32:24 Analyzed Date : 04/28/25 08:13:58 Dilution : 10 Reagent : 022625.48; 022625.61; 022625.R53 Consumables : N/A Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 3621, 585, 1440 Weight: 1.054g Extraction date: 04/25/25 11:48:06 Extracted by: 4640, 3379 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085808MYC Instrument Used : N/A Batch Date : 04/25/25 08:53:09 Analyzed Date : 04/28/25 09:32:09 Dilution : 250 Reagent : 042325.R18; 081023.01 Consumables : 040724CH01; 6822423-02 Pipette : N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2529g Extraction date: 04/25/25 10:32:43 Extracted by: 1022, 4531 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA085813HEA Instrument Used : DA-ICPMS-004 Batch Date : 04/25/25 09:04:54 Analyzed Date : 04/28/25 09:00:58 Dilution : 50 Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 042225.R04 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
04/28/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50424013-005
Harvest/Lot ID: 0637489680279657

Batch# : 0637489680279657 Sample Size Received : 15 units
Sampled : 04/24/25 Total Amount : 3717 units
Ordered : 04/24/25 Completed : 04/28/25 Expires: 04/28/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.2	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/26/25 16:45:21	Extracted by: 1879			Analyzed by: 4797, 585, 1440	Weight: 0.501g	Extraction date: 04/25/25 11:24:35	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA085876FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/28/25 08:07:53 Batch Date : 04/26/25 12:44:40						Analysis Method : SOP.T.40.021 Analytical Batch : DA085819MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/25/25 18:30:39 Batch Date : 04/25/25 10:32:15					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.481	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.665g	Extraction date: 04/25/25 11:24:07	Extracted by: 4797,585		
Analysis Method : SOP.T.40.019 Analytical Batch : DA085820WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 04/25/25 18:32:07 Batch Date : 04/25/25 10:52:19					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

