

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50425007-003



Apr 30, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

Kaycha Labs

Supply Shake 7g - Lmn Chrry Glto (H)

Lmn Chrry Glto (H) Matrix: Flower

Classification: High THC Type: Flower-Cured

Production Method: Other - Not Listed Harvest/Lot ID: 4579532959715840

Batch#: 4579532959715840

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 0209828276844810

Harvest Date: 04/22/25

Sample Size Received: 6 units Total Amount: 1226 units Retail Product Size: 7 gram

Retail Serving Size: 7 gram Servings: 1

> Ordered: 04/25/25 Sampled: 04/25/25

Completed: 04/30/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents **NOT TESTED**



Filth **PASSED**

Batch Date: 04/26/25 13:16:35



Water Activity **PASSED**



Moisture **PASSED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container: 1400.910 mg

20.013%



Total CBD 0.056%

Total CBD/Container: 3.920 mg



Total Cannabinoids 3.061%

Total Cannabinoids/Container: 1614.270



Analyzed by: 3335, 1665, 585, 1440 Extracted by: 1879,3335

Analysis Method: SOP.T.40.031. SOP.T.30.031 Analytical Batch: DA085881POT Instrument Used: DA-LC-002

Analyzed Date: 04/30/25 08:23:21

Dilution: 400
Reagent: 042325.R29; 021125.07; 042325.R32
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 04/30/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50425007-003 Harvest/Lot ID: 4579532959715840

Batch#: 4579532959715840 Sample Size Received: 6 units

Sampled: 04/25/25 Ordered: 04/25/25

Total Amount: 1226 units

Completed: 04/30/25 **Expires:** 04/30/26 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

T	E	S	T	Е	D

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	 Terpenes	LOD (%)		mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	70.91	1.013	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	22.12	0.316	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	13.09	0.187	ALPHA-PINENE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	8.12	0.116	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	6.65	0.095	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
RANS-NEROLIDOL	0.005	TESTED	5.53	0.079	BETA-PINENE	0.007	TESTED	ND	ND	
ARNESENE	0.007	TESTED	4.06	0.058	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	4.06	0.058	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	3.78	0.054	Analyzed by:	Weight	ь	Extracti	ion date:	Extracted by:
ENCHYL ALCOHOL	0.007	TESTED	3.50	0.050	4444, 4451, 585, 1440	1.0295	g	04/26/2	5 13:23:01	4444
-CARENE	0.007	TESTED	ND	ND	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA085843TER Instrument Used : DA-GCMS-009				Batch Date : 04/26/25 09:12:50	
AMPHENE	0.007	TESTED	ND	ND	Analyzed Date : 04/28/25 12:52:16				BALLE Date: 04/20/25 09:12:50	
AMPHOR	0.007	TESTED	ND	ND	Dilution: 10					
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Reagent : N/A					
EDROL	0.007	TESTED	ND	ND	Consumables: 947.110; 04402004; 2240626; 0000355	309				
UCALYPTOL	0.007	TESTED	ND	ND	Pipette : DA-065					
ENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography N	lass Spectrometry	. For all Flower sai	mples, the Total	Terpenes % is dry-weight corrected.	
GERANIOL	0.007	TESTED	ND	ND	İ					
GERANYL ACETATE	0.007	TESTED	ND	ND						
UAIOL	0.007	TESTED	ND	ND	İ					
IEXAHYDROTHYMOL	0.007	TESTED	ND	ND						
SOBORNEOL	0.007	TESTED	ND	ND	ĺ					
SOPULEGOL	0.007	TESTED	ND	ND	ĺ					
IEROL	0.007	TESTED	ND	ND	ĺ					
CIMENE	0.007	TESTED	ND	ND	İ					
PULEGONE	0.007	TESTED	ND	ND	İ					
ABINENE	0.007	TESTED	ND	ND	İ					
ABINENE HYDRATE	0.007	TESTED	ND	ND						
ALENCENE	0.007	TESTED	ND	ND						
ALPHA-BISABOLOL	0.007	TESTED	ND	ND	i					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/30/25





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50425007-003 Harvest/Lot ID: 4579532959715840

Sampled: 04/25/25 Ordered: 04/25/25

Batch#: 4579532959715840 Sample Size Received: 6 units Total Amount: 1226 units **Completed:** 04/30/25 **Expires:** 04/30/26 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	mag	5	PASS	ND	OXAMYL	0.01	mag C	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND				0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		0 ppm			
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		0 ppm	0.1	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0 ppm	3	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN	0.01	0 ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.01	0 ppm	0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.01	0 ppm	0.1	PASS	ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.01	0 ppm	0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0 ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE) ppm	0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND			0 ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE					
OSCALID	0.010		0.1	PASS	ND	THIACLOPRID		0 ppm	0.1	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0 ppm	0.5	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		0 ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	0 ppm	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	0 ppm	0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.07	0 ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01	0 ppm	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	0 ppm	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0 ppm	0.5	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0 ppm	0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
IMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3621, 585, 1440 0.9619g		ion date: 5 09:15:34		Extracted by 4640,450,585	
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.10		0 09:15:54		4040,430,383)
TOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085863PES	72.1 L				
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batch	Date: 04/26	/25 11:55:45	
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/29/25 16:23:07					
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 042525.R32; 042425.R56; 042525.R1	.1; 042525.R	.31; 012925.R	01; 042425.R2	25; 081023.01	
IPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 6822423-02 Pipette: DA-093: DA-094: DA-219					
LONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizin	a Liquid Chro	matagraphy T	inla Ouadauna	la Mass Chastrai	motor in
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	g Liquiu Ciiro	matography n	ipie-Quadrupo	не маза эресстог	neu y in
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Ext	raction date:		Extracted	bv:
MAZALIL	0.010	ppm	0.1	PASS	ND	4640, 450, 585, 1440 0.9619g		27/25 09:15:3	4	4640,450,5	
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.3	151.FL				
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085865VOL					
ALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Da	ate:04/26/25	11:56:53	
ETALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 04/28/25 12:42:28					
ETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 042525.R11; 081023.01; 042325.R52	· 042325 D5	3			
ETHOMYL	0.010	ppm	0.1	PASS	ND	Consumables: 6822423-02; 040724CH01; 1747		_			
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizin	g Gas Chrom	atography Trip	le-Quadrupole	Mass Spectrome	etry in
IALED	0.010	nnm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	-				-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/30/25



Kaycha Labs Supply Shake 7g - Lmn Chrry Glto (H) Lmn Chrry Glto (H) Matrix: Flower Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50425007-003 Harvest/Lot ID: 4579532959715840

Batch#: 4579532959715840 Sample Size Received: 6 units

Sampled: 04/25/25 Total Amount: 1226 units Ordered: 04/25/25 Completed: 04/30/25 Expires: 04/30/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 04/26/25 11:56:50



Microbial



Mycotoxins

PASSED

					Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	440	PASS	100000

Analyzed by: 4777, 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.846g 04/26/25 09:57:59 4520,4777

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA085832MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 04/26/25

2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block 08:06:26 (95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 04/29/25 12:42:21

Dilution: 10

Reagent: 022625.48; 022625.61; 031525.R03; 080724.11

Consumables: 7582001002

Pipette : N/A

980					
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02

Analyzed by:	Weight:	Extraction date:		Ext	racted by	/:	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	

3621, 585, 1440 0.9619g 04/27/25 09:15:34 4640,450,585 Analysis Method: SOP.T.30.102.FL. SOP.T.40.102.FL

Analytical Batch: DA085864MYC

Instrument Used : N/A Analyzed Date: 04/29/25 16:20:47

Dilution: 250

Reagent: 042525.R32; 042425.R56; 042525.R11; 042525.R31; 012925.R01; 042425.R25; 081023.01

Consumables: 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 4777, 4892, 585, 1440	Weight: 0.846g	Extraction date: 04/26/25 09:57:59	Extracted by: 4520,4777
Analysis Method: SOP.T.40.20 Analytical Batch: DA085833T Instrument Used: Incubator (2 DA-382] Analyzed Date: 04/29/25 09:1	/M !5*C) DA- 328	3 [calibrated with B	Batch Date : 04/26/25 08:07:20

Dilution: 10 Reagent: 022625.48; 022625.61; 022625.R53 Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2925g	Extraction dat 04/26/25 10:1			Extracted 4531	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA085836HEA Instrument Used : DA-ICPMS-004

Batch Date: 04/26/25 08:40:18 **Analyzed Date :** 04/29/25 10:01:46

Dilution: 50

Reagent: 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19;

120324.07; 042225.R04

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 04/30/25





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50425007-003 Harvest/Lot ID: 4579532959715840

Sampled: 04/25/25

Ordered: 04/25/25

Batch#: 4579532959715840 Sample Size Received: 6 units Total Amount: 1226 units Completed: 04/30/25 Expires: 04/30/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Dilution: N/A

Consumables : N/A

Pipette: DA-066

Analysis Method: SOP.T.40.021

Analyzed Date : 04/28/25 12:39:12

Reagent: 092520.50; 030125.01

Analytical Batch: DA085847MOI Instrument Used: DA-003 Moisture Analyzer

Moisture

PASSED

Batch Date: 04/26/25 09:34:06

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1 **Moisture Content** % 13.1 PASS 15 1.0

Analyzed by: 1879, 585, 1440 Extraction date: Analyzed by: 4797, 585, 1440 Extraction date Weight: Extracted by: 1g 04/26/25 16:45:24 1879 0.503q04/26/25 12:46:38 4797

Analysis Method: SOP.T.40.090

Analytical Batch : DA085876FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 04/28/25 08:08:40

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Batch Date: 04/26/25 12:44:40

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.562	P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	Weight:		traction d		Ex 47	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA085848WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 04/26/25 09:36:11

Analyzed Date: 04/28/25 12:44:05

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/30/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors