

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50425007-006



Production Method: Other - Not Listed

Harvest/Lot ID: 0803112401293734

Batch#: 0803112401293734

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 2182819256353678

Harvest Date: 04/23/25

Sample Size Received: 4 units

Total Amount: 695 units

Retail Product Size: 14 gram

Retail Serving Size: 14 gram

Servings: 1

Ordered: 04/25/25

Sampled: 04/25/25

Completed: 04/29/25

Sampling Method: SOP.T.20.010

PASSED

Apr 29, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

20.908%

Total THC/Container : 2927.120 mg



Total CBD

0.061%

Total CBD/Container : 8.540 mg



Total Cannabinoids

24.556%

Total Cannabinoids/Container : 3437.840 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.701	23.042	ND	0.070	0.033	0.084	0.522	ND	ND	ND	0.104
mg/unit	98.14	3225.88	ND	9.80	4.62	11.76	73.08	ND	ND	ND	14.56
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 585, 1440

Weight:
0.2058g

Extraction date:
04/26/25 14:40:29

Extracted by:
1879,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085881POT

Instrument Used : DA-LC-002

Analyzed Date : 04/29/25 10:02:40

Batch Date : 04/26/25 13:16:35

Dilution : 400

Reagent : 042325.R29; 021125.07; 042325.R32

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rntz x Jlsy (I)
Rntz x Jlsy (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50425007-006
Harvest/Lot ID: 0803112401293734

Batch# : 0803112401293734 Sample Size Received : 4 units
Sampled : 04/25/25 Total Amount : 695 units
Ordered : 04/25/25 Completed : 04/29/25 Expires: 04/29/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	254.10	1.815	VALENENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	89.60	0.640	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	37.52	0.268	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	34.30	0.245	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	28.28	0.202	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	25.48	0.182	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FARNESENE	0.007	TESTED	8.40	0.060	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	8.40	0.060	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	6.72	0.048	Analyzed by: 6844, 4451, 585, 1440				
FENCHYL ALCOHOL	0.007	TESTED	6.02	0.043	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	TESTED	5.60	0.040	Analytical Batch : DA083943TER				
ALPHA-PINENE	0.007	TESTED	3.78	0.027	Instrument Used : DA-GCNE-009				
3-CARENE	0.007	TESTED	ND	ND	Analyzed Date : 04/28/25 12:52:20				
BORNEOL	0.013	TESTED	ND	ND	Dilution : 10				
CAMPHERE	0.007	TESTED	ND	ND	Reagent : N/A				
CAMPHOR	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Pipette : DA-065				
CEDROL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	TESTED	ND	ND	Extraction date: 04/26/25 13:23:02				
FENCHONE	0.007	TESTED	ND	ND	Extracted by: 4444				
GERANIOL	0.007	TESTED	ND	ND	Batch Date : 04/26/25 09:12:50				
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAJOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)					1.815				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rntz x Jlsy (I)
Rntz x Jlsy (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50425007-006

Harvest/Lot ID: 0803112401293734

Batch# : 0803112401293734

Sampled : 04/25/25

Ordered : 04/25/25

Sample Size Received : 4 units

Total Amount : 695 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.9848g	Extraction date: 04/27/25 09:15:34	Extracted by: 4640,450,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085863PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/29/25 16:23:08					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 042525.R32; 042425.R56; 042525.R11; 042525.R31; 012925.R01; 042425.R25; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 4640, 450, 585, 1440	Weight: 0.9848g	Extraction date: 04/27/25 09:15:34	Extracted by: 4640,450,585		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085865VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/28/25 12:42:34					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 042525.R11; 081023.01; 042325.R52; 042325.R53					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA50425007-006

Harvest/Lot ID: 0803112401293734

Batch# : 0803112401293734

Sampled : 04/25/25

Ordered : 04/25/25


Sample Size Received : 4 units


Total Amount : 695 units


Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	120	PASS	100000
Analyzed by: 4777, 4520, 585, 1440	Weight: 0.9576g	Extraction date: 04/26/25 09:58:27		Extracted by: 4520,4777	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA085832MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 04/29/25 12:42:24					
Dilution : 10 Reagent : 022625.48; 022625.61; 031525.R03; 080724.11 Consumables : 7582001002 Pipette : N/A					
Analyzed by: 4777, 4892, 585, 1440	Weight: 0.9576g	Extraction date: 04/26/25 09:58:27		Extracted by: 4520,4777	
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA085833TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 04/29/25 09:19:54					
Dilution : 10 Reagent : 022625.48; 022625.61; 022625.R53 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3621, 585, 1440	Weight: 0.9848g	Extraction date: 04/27/25 09:15:34		Extracted by: 4640,450,585		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085864MYC Instrument Used : N/A Analyzed Date : 04/29/25 16:20:49						
Dilution : 250 Reagent : 042525.R32; 042425.R56; 042525.R11; 042525.R31; 012925.R01; 042425.R25; 081023.01 Consumables : 6822423-02 Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						


	Heavy Metals	PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS						
ARSENIC	0.020	ppm	<0.100	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440	Weight: 0.2139g	Extraction date: 04/26/25 10:14:40		Extracted by: 4531		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA085836HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 04/29/25 10:01:49						
Dilution : 50 Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 042225.R04 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rntz x Jlsy (I)
Rntz x Jlsy (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50425007-006

Harvest/Lot ID: 0803112401293734

Batch# : 0803112401293734

Sampled : 04/25/25

Ordered : 04/25/25

Sample Size Received : 4 units

Total Amount : 695 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.0	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/26/25 16:45:24			Extracted by: 1879	Analyzed by: 4797, 585, 1440	Weight: 0.502g	Extraction date: 04/26/25 12:56:26			Extracted by: 4797
Analysis Method : SOP.T.40.090 Analytical Batch : DA085876FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/28/25 08:08:45						Analysis Method : SOP.T.40.021 Analytical Batch : DA085847MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/28/25 12:39:15					
Batch Date : 04/26/25 12:44:40						Batch Date : 04/26/25 09:34:06					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.943g	Extraction date: 04/26/25 12:56:57	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA085848WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 04/26/25 09:36:11		
Analyzed Date : 04/28/25 12:44:07					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/25