

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rntz x Jlsy (I) 🕂 Rntz x Jlsy (I) Matrix: Flower Classification: High THC Type: Flower-Cured



(954) 50	00-7004								турелт	ower-cureu	
СОМ	PLIAN	ica CE FOF ID: DA5042	R RETA		\na	lys	is	Cultivat Processi	Harvest/ ion Facility ng Facility ource Faci	Lot ID: 7836 Batch#: 783 y: FL - India : FL - India ility: FL - India	her - Not Listed 124588353882 86124588353882 Intown (4430) Iiantown (4430) 866726234503
	1	Surveyold Exclusion/ant							Sam Re Re	Harvest ple Size Re Total Amo etail Produc etail Servin Ord Sam Compl	Date: 04/24/25 ceived: 5 units ount: 700 units ct Size: 7 gram g Size: 7 gram Servings: 1 ered: 04/25/25 pled: 04/25/25 eted: 04/30/25
2205 Sw Ma		Sunnysid	e		Sı	Inn	ysic	le *		-	PASSED
AFETY RE	ESULTS										MISC.
д Ø		Hg	Ċ.	ç	ۍ کې	Ä			5		
Pesticid PASSE		avy Metals ASSED	Microbials PASSED	Mycot PASS	SED	Residuals Solvents DT TESTED	Filth PASSED		Activity SED	Moisture PASSED	Terpenes TESTED
Ä	Cannab	oinoid									TESTED
	1	THC .845% HC/Container : 1	•		3 0.	I CBD 043% CBD/Container			323	Cannabinoid 3049 nnabinoids/Con	S (0 tainer : 1631.280
% mg/unit	^{D9-THC} 0.898 62.86	тнса 21.605 1512.35 0.001	CBD ND ND 0.001	CBDA 0.050 3.50	D8-THC ND ND	свс 0.086 6.02	CBGA 0.539 37.73	CBN ND ND	THCV ND ND	CBDV ND ND	свс 0.126 8.82
LOD	0.001 %	%	%	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %
alyzed by: 35, 1665, 585,	1440			Weight: 0.206g		raction date: 26/25 14:38:06			Extrac 1879,	ted by: 3335	
alytical Batch : strument Used alyzed Date : 0 lution : 400	04/30/25 08:24:46						Batch Date : 04/26/25	13:16:35			
onsumables : 94	5.R29; 021125.07; 47.110; 04312111 ; DA-108; DA-078	; 042325.R32 ; 062224CH01; 0000	355309								
Ill Spectrum cann	nabinoid analysis utili	zing High Performance L	iquid Chromatography	with UV detection in	accordance with F.S.	Rule 64ER20-39.					
abel Claim	1										PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/30/25



..... Supply Smalls 7g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Flower Type: Flower-Cured



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50425007-007 Harvest/Lot ID: 7836124588353882 Batch#: 7836124588353882 Sample Size Received: 5 units Sampled : 04/25/25 Ordered : 04/25/25

Total Amount : 700 units Completed : 04/30/25 Expires: 04/30/26 Sample Method : SOP.T.20.010

Page 2 of 5

\bigcirc
\mathcal{S}

Terpenes

erpenes	LOD (%)	Pass/Fail		Result (%)	Terpenes	LOD (%)	Pass/Fail		Result (%)	
OTAL TERPENES	0.007	TESTED	209.51	2.993	SABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	77.70	1.110	VALENCENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	32.27	0.461	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	31.01	0.443	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
MONENE	0.007	TESTED	21.00	0.300	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
NALOOL	0.007	TESTED	15.68	0.224	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
PHA-BISABOLOL	0.007	TESTED	6.79	0.097	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ARNESENE	0.007	TESTED	6.23	0.089	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
TA-PINENE	0.007	TESTED	4.97	0.071	Analyzed by:	Weigh	nt:	Extract	ion date:	Extracted by
ANS-NEROLIDOL	0.005	TESTED	4.55	0.065	4444, 4451, 585, 1440	1.003	7g	04/26/2	25 13:23:02	4444
NCHYL ALCOHOL	0.007	TESTED	3.36	0.048	Analysis Method : SOP.T.30.061A.FL, SOP.T.	40.061A.FL				
PHA-TERPINEOL	0.007	TESTED	3.29	0.047	Analytical Batch : DA085843TER Instrument Used : DA-GCMS-009				Batch Date : 04/26/25 09:12:5	50
PHA-PINENE	0.007	TESTED	2.66	0.038	Analyzed Date : 04/28/25 12:52:21				Batch Date 104/20/20 05.12	10
ARENE	0.007	TESTED	ND	ND	Dilution : 10					
RNEOL	0.013	TESTED	ND	ND	Reagent : N/A					
MPHENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 224062	6; 0000355309				
IPHOR	0.007	TESTED	ND	ND	Pipette : DA-065					
RYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chron	natograpny Mass Spectrometry	y. For all Flower s	ampies, the Tota	I Terpenes % is dry-weight corrected.	
DROL	0.007	TESTED	ND	ND						
CALYPTOL	0.007	TESTED	ND	ND						
NCHONE	0.007	TESTED	ND	ND						
ANIOL	0.007	TESTED	ND	ND						
RANYL ACETATE	0.007	TESTED	ND	ND						
AIOL	0.007	TESTED	ND	ND						
XAHYDROTHYMOL	0.007	TESTED	ND	ND						
DBORNEOL	0.007	TESTED	ND	ND						
DPULEGOL	0.007	TESTED	ND	ND						
ROL	0.007	TESTED	ND	ND						
MENE	0.007	TESTED	ND	ND						
LEGONE	0.007	TESTED	ND	ND						
ABINENE	0.007	TESTED	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/30/25



..... Supply Smalls 7g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Pesticides

Certificate of Analysis

Sunnyside

0

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50425007-007 Harvest/Lot ID: 7836124588353882 Batch#: 7836124588353882 Sample Size Received: 5 units

Sampled : 04/25/25 Ordered : 04/25/25

Total Amount : 700 units Completed : 04/30/25 Expires: 04/30/26 Sample Method : SOP.T.20.010

Page 3 of 5

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	1.1.	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND		0.010		0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR			0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010				
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL CARBOFURAN	0.010 0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBOFURAN CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEOUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	maa	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND				0.1		ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050			PASS	
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by	
ETHOPROPHOS	0.010		0.1	PASS	ND	3621, 585, 1440 1.0565g	04/27/25	09:15:34		4640,450,585	5
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.4 Analytical Batch :DA085863PES	0.102.FL				
ETOXAZOLE	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-005 (PES)		Batch	Date :04/26/	25 11.55.45	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :04/29/25 16:23:08		Duten	Date 104/20/	20 11.00.40	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 042525.R32; 042425.R56; 04252	5.R11; 042525.R3	81; 012925.RC	01; 042425.R2	5; 081023.01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut accordance with F.S. Rule 64ER20-39.	ilizing Liquid Chron	natograpny Tr	ipie-Quadrupo	le Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND		aht: Extra	action date:		Extracted b	hv:
IMAZALIL	0.010	ppm	0.1	PASS	ND	4640, 450, 585, 1440 1.05		7/25 09:15:34	1	4640,450,5	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T	.40.151.FL				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085865VOL					
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Da	ate:04/26/25	11:56:53	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :04/28/25 12:42:36					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 042525.R11; 081023.01; 042325	R52: 042325 P53				
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02; 040724CH01;					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut	ilizing Gas Chroma	tography Tripl	le-Quadrupole	Mass Spectrome	try in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.	-		-		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/30/25



Supply Smalls 7g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA50425007-007 Harvest/Lot ID: 7836124588353882 Batch# : 7836124588353882 Sampled : 04/25/25 Total Amount : 700 units

Sampled: 04/25/25 Total Amount: 700 units Ordered: 04/25/25 Completed: 04/30/25 Expires: 04/30/26 Sample Method: SOP.T.20.010 Page 4 of 5

Ċ,	Micro	bial			PAS	SED	ۍ پ	Му	coto	xins				PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA	SPECIFIC GEN	IE		Not Present	PASS	Level	AFLATOXIN	B2			0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		AFLATOXIN	B1			0.002		ND	PASS	0.02
ASPERGILLUS	5 FLAVUS			Not Present	PASS		OCHRATOX	NA			0.002		ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS			Not Present	PASS		AFLATOXIN	G1			0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S TERREUS			Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
ASPERGILLU	5 NIGER			Not Present	PASS		Analyzed by:		Weight:	Extract	ion date		Evt	racted by	
TOTAL YEAS	FAND MOLD	10) CFU/g	3000	PASS	100000		40	1.0565g		25 09:15			0,450,58	
Analyzed by: 777, 4520, 58	5, 1440	Weight: 0.958g	Extraction da 04/26/25 09		Extracted 4520,477		Analysis Meth Analytical Bat			OP.T.40.10	2.FL				
	d:SOP.T.40.056 h:DA085832MI0		.058.FL, SOP.T	40.209.FL			Instrument Us Analyzed Date	sed : N/A			Batch	Date :0	4/26/25 11	:56:50	
Dilution : 10 Reagent : 0226 Consumables : Pipette : N/A	25.48; 022625.6 7582001002	61; 031525.R	803; 080724.11				Pipette : DA-0 Mycotoxins tes accordance wi	sting utilizing	Liquid Chroma	atography w	ith Triple-	-Quadrupo	ole Mass Spe	ctrometry	in
Analyzed by: 4777, 4892, 58	5, 1440	Weight: 0.958g	Extraction da 04/26/25 09		Extracted 4520,477		Hg	Неа	avy M	letal	S			PAS	SEC
Analytical Batc nstrument Use	d:SOP.T.40.209 h:DA085833TYI d:Incubator (25	Μ	[calibrated wi	th Batch Da	te:04/26/2	5 08:07:20	Motal				LOD	Units	Result	Pass / Fail	Action
A-382]	: 04/29/25 09:19	0.55					TOTAL CON	TAMINAN	LOAD MET	ALS	0.080	ppm	ND	PASS	1.1
ilution : 10	. 5-125125 05.15						ARSENIC				0.020	ppm	<0.100	PASS	0.2
	25.48; 022625.6	51·022625 R	153				CADMIUM				0.020	ppm	ND	PASS	0.2
onsumables :		51, 022025.1					MERCURY				0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD				0.020	ppm	ND	PASS	0.5
	mold testing is perf F.S. Rule 64ER20-3		g MPN and tradit	ional culture base	d techniques	in	Analyzed by: 1022, 585, 14	40	Weight: 0.25g		tion dat /25 10:1			Extracted 4531	by:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA085 sed:DA-ICF	836HEA 2MS-004	OP.T.40.08		h Date : (04/26/25 0	8:40:18	
							Dilution : 50 Reagent : 041 120324.07; 0	.425.R05; 0 42225.R04	42225.R05;			25.R17; (042125.R1	8; 04212	5.R19;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/30/25



Page 5 of 5

Supply Smalls 7g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

Material

Certificate of Analysis

PASSED

S	u	n	n	v	s	i	d	e

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50425007-007 Harvest/Lot ID: 7836124588353882 Batch#: 7836124588353882 Sample Size Received: 5 units

Sampled : 04/25/25 Total Amount : 700 units Ordered : 04/25/25 Completed : 04/30/25 Expires: 04/30/26 Sample Method : SOP.T.20.010

PASSED

(_ Moisture

P	4	5	SI	3	D

Action Level

Analyte Filth and Foreign M	aterial	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content	-	.0D 1.0	Units %	Result 13.5	P/F PASS	Action Le 15
Analyzed by: 1879, 585, 1440	Weight: 1g		raction date 26/25 16:4		Ext 187	racted by: 79		ight: 05g		xtraction d 4/26/25 12			tracted by: 97
Analysis Method : SOP Analytical Batch : DAO Instrument Used : Filth Analyzed Date : 04/28,	85876FIL n/Foreign Mate	rial Micro	oscope	Batch I	Date : 04/26	6/25 12:44:40	Analysis Method : SOP.T.40.021 Analytical Batch : DA085847MC Instrument Used : DA-003 Moist Analyzed Date : 04/28/25 12:39	DI sture Ana	alyze	r	Batch Dat	e: 04/26/2	5 09:34:06
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 030125.0 Consumables : N/A Pipette : DA-066	01					
Filth and foreign materia technologies in accordan				pection utilizi	ing naked eye	e and microscope	Moisture Content analysis utilizing I	loss-on-d	rying	technology	in accordance	with F.S. Ru	le 64ER20-39.
	lator A	ctiv			PA:	SSED							

(\bigcirc)	Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.483	P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	Weight: 0.752g		traction d			tracted by: 97
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 04/28/	85848WAT 028 Rotronic Hy	gropal	m	Batch Dat	e:04/26/2	25 09:36:11
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 04/30/25