



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50425007-009



Apr 29, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***
**PASSED**

Pages 1 of 5

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**NOT TESTED**

Filth  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**PASSED**

Terpenes  
**TESTED**

### MISC.


**Cannabinoid**
**TESTED**


Total THC

**21.309%**

Total THC/Container : 532.725 mg



Total CBD

**0.049%**

Total CBD/Container : 1.225 mg



Total Cannabinoids

**25.027%**

Total Cannabinoids/Container : 625.675 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.905	23.266	ND	0.057	0.038	0.096	0.515	ND	ND	ND	0.150
mg/unit	22.63	581.65	ND	1.43	0.95	2.40	12.88	ND	ND	ND	3.75
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 585, 1440

Weight:  
0.2028g

Extraction date:  
04/26/25 14:41:21

Extracted by:  
1879,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085881POT

Instrument Used : DA-LC-002

Analyzed Date : 04/29/25 10:02:47

Batch Date : 04/26/25 13:16:35

Dilution : 400

Reagent : 042325.R29; 021125.07; 042325.R32

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/29/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)  
Slurricrasher (H)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50425007-009

Harvest/Lot ID: 7688069580899839

Batch# : 7688069580899839

Sampled : 04/25/25

Ordered : 04/25/25

Sample Size Received : 11 units

Total Amount : 953 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	36.95	1.478	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	13.55	0.542	ALPHA-BISABOLOL	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	5.83	0.233	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	5.43	0.217	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	4.10	0.164	ALPHA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.75	0.070	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.55	0.062	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	1.30	0.052	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.00	0.040	Analyzed by: 4444, 4451, 585, 1440				
OCIMENE	0.007	TESTED	0.95	0.038	Weight: 1.0325g		Extraction date: 04/26/25 13:23:02		Extracted by: 4444
TRANS-NEROLIDOL	0.005	TESTED	0.83	0.033	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BETA-MYRCENE	0.007	TESTED	0.68	0.027	Analytical Batch : DA0839437R				
3-CARENE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-009				
BORNEOL	0.013	TESTED	ND	ND	Analyzed date : 04/28/25 12:52:23				
CAMPHERE	0.007	TESTED	ND	ND	Dilution : 10				
CAMPHOR	0.007	TESTED	ND	ND	Reagent : N/A				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
CEDROL	0.007	TESTED	ND	ND	Pipette : DA-065				
EUCALYPTOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					

Total (%)

1.478

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
04/29/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)  
Slurricrasher (H)  
Matrix : Flower  
Type: Preroll

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50425007-009

Harvest/Lot ID: 7688069580899839

Batch# : 7688069580899839

Sampled : 04/25/25

Ordered : 04/25/25

Sample Size Received : 11 units

Total Amount : 953 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.987g	Extraction date: 04/27/25 09:15:34	Extracted by: 4640,450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085863PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)				Batch Date : 04/26/25 11:55:45	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/29/25 16:23:14					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 042525.R32; 042425.R56; 042525.R11; 042525.R31; 012925.R01; 042425.R25; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440	Weight: 0.987g	Extraction date: 04/27/25 09:15:34	Extracted by: 4640,450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA085865VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 04/26/25 11:56:53	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/28/25 12:42:41					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 042525.R11; 081023.01; 042325.R52; 042325.R53					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 6822423-02; 040724CH01; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
04/29/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)  
Slurricrasher (H)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50425007-009  
Harvest/Lot ID: 7688069580899839

Batch# : 7688069580899839 Sample Size Received : 11 units  
Sampled : 04/25/25 Total Amount : 953 units  
Ordered : 04/25/25 Completed : 04/29/25 Expires: 04/29/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	240	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0361g	Extraction date: 04/26/25 09:58:27	Extracted by: 4520,4777				
Analytical Batch : DA085832MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 04/26/25 08:06:26						
Analysis Date : 04/29/25 12:42:26							
Dilution : 10							
Reagent : 022625.48; 022625.61; 031525.R03; 080724.11							
Consumables : 7582001002							
Pipette : N/A							
Analysis Method : SOP.T.40.209.FL	Weight: 1.0361g	Extraction date: 04/26/25 09:58:27	Extracted by: 4520,4777				
Analytical Batch : DA085833TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 04/26/25 08:07:20						
Analysis Date : 04/29/25 09:19:57							
Dilution : 10							
Reagent : 022625.48; 022625.61; 022625.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
	<b>Mycotoxins</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL	Weight: 0.987g	Extraction date: 04/27/25 09:15:34	Extracted by: 4640,450,585				
Analytical Batch : DA085864MYC							
Instrument Used : N/A	Batch Date : 04/26/25 11:56:50						
Analysis Date : 04/29/25 16:20:50							
Dilution : 250							
Reagent : 042525.R32; 042425.R56; 042525.R11; 042525.R31; 012925.R01; 042425.R25; 081023.01							
Consumables : 6822423-02							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
	<b>Heavy Metals</b>	<b>PASSED</b>					
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2499g	Extraction date: 04/26/25 10:07:37	Extracted by: 4531				
Analytical Batch : DA085836HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 04/26/25 08:40:18						
Analysis Date : 04/29/25 10:01:44							
Dilution : 50							
Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 042225.R04							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/29/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll Multipack 2.5g - Slurricrasher (H)  
Slurricrasher (H)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50425007-009

Harvest/Lot ID: 7688069580899839

Batch# : 7688069580899839

Sampled : 04/25/25

Ordered : 04/25/25

Sample Size Received : 11 units

Total Amount : 953 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level		
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	12.6	PASS	15		
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/26/25 16:45:24			Extracted by: 1879		Analyzed by: 4797, 585, 1440	Weight: 0.501g	Extraction date: 04/26/25 13:02:32			Extracted by: 4797			
Analysis Method : SOP.T.40.090 Analytical Batch : DA085876FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/28/25 08:08:47						Batch Date : 04/26/25 12:44:40		Analysis Method : SOP.T.40.021 Analytical Batch : DA085847MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/28/25 12:39:20						Batch Date : 04/26/25 09:34:06	
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 030125.01 Consumables : N/A Pipette : DA-066									

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.479	PASS	0.65
Analyzed by: 4797, 585, 1440	Weight: 0.952g	Extraction date: 04/26/25 13:03:15	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA085848WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 04/26/25 09:36:11		
Analyzed Date : 04/28/25 12:44:09					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/29/25