

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50425007-011


Production Method: Other - Not Listed

Harvest/Lot ID: 9221926366898912

Batch#: 9221926366898912

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 4385579827044719

Harvest Date: 04/23/25

Sample Size Received: 16 units

Total Amount: 1658 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 04/25/25

Sampled: 04/25/25

Completed: 04/29/25

Sampling Method: SOP.T.20.010

Apr 29, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
83.240%

Total THC/Container : 832.400 mg


Total CBD
0.074%

Total CBD/Container : 0.740 mg


Total Cannabinoids
86.142%

Total Cannabinoids/Container : 861.420 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.053	0.214	0.074	ND	ND	2.139	ND	0.037	0.251	ND	0.374
mg/unit	830.53	2.14	0.74	ND	ND	21.39	ND	0.37	2.51	ND	3.74
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%		%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.111g

 Extraction date:
 04/28/25 00:28:51

 Extracted by:
 1879,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA085877POT

Instrument Used : DA-LC-003

Analyzed Date : 04/29/25 10:05:36

Batch Date : 04/26/25 12:52:34

Dilution : 400

Reagent : 042325.R29; 031125.07; 042325.R32

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 04/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50425007-011
Harvest/Lot ID: 9221926366898912

Batch# : 9221926366898912 Sample Size Received : 16 units
Sampled : 04/25/25 Total Amount : 1658 units
Ordered : 04/25/25 Completed : 04/29/25 Expires: 04/29/26
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	75.99	7.599	SABINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	29.01	2.901	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	13.35	1.335	VALENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	12.00	1.200	ALPHA-CEDRENE	0.005	TESTED	ND	ND
FARNESENE	0.007	TESTED	4.81	0.481	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	3.94	0.394	ALPHA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	2.43	0.243	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	2.34	0.234	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	2.14	0.214	Analyzed by: 6846, 4451, 585, 1440				
BETA-PINENE	0.007	TESTED	1.47	0.147	Weight: 0.2255g				
TRANS-NEROLIDOL	0.005	TESTED	1.21	0.121	Extraction date: 04/26/25 13:23:02				
BETA-MYRCENE	0.007	TESTED	1.02	0.102	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.007	TESTED	0.81	0.081	Analytical Batch : DA0839437ER				
BORNEOL	0.013	TESTED	0.55	0.055	Instrument Used : DA-GCNE-009				
ALPHA-BISABOLOL	0.007	TESTED	0.34	0.034	Analyzed Date : 04/29/25 10:05:37				
CAMPHERE	0.007	TESTED	0.32	0.032	Dilution : 10				
ALPHA-TERPINOLENE	0.007	TESTED	0.25	0.025	Reagent : N/A				
3-CARENE	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
CAMPOR	0.007	TESTED	ND	ND	Pipette : DA-065				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	TESTED	ND	ND	Batch Date : 04/26/25 09:12:50				
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				7.599					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA50425007-011

Harvest/Lot ID: 9221926366898912

Batch# : 9221926366898912

Sampled : 04/25/25

Ordered : 04/25/25


Sample Size Received : 16 units

Total Amount : 1658 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.2502g Extraction date: 04/27/25 09:12:56 Extracted by: 4640,450,585 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA085840PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 04/29/25 10:05:05 Dilution : 250 Reagent : 042525.R11; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2502g Extraction date: 04/27/25 09:12:56 Extracted by: 4640,450,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA085841VOL Instrument Used : DA-GCMS-001 Analyzed Date : 04/28/25 12:51:15 Dilution : 250 Reagent : 042525.R11; 081023.01; 042325.R52; 042325.R53 Consumables : 040724CH01; 221021DD; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - White Trffl Mnts (I)

White Trffl Mnts (I)

Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50425007-011

Harvest/Lot ID: 9221926366898912

Batch# : 9221926366898912

Sampled : 04/25/25

Ordered : 04/25/25

Sample Size Received : 16 units

Total Amount : 1658 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.0214g

Extraction date:
04/26/25 14:52:32

Extracted by:
4571,4451

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA085883SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 04/28/25 12:27:19

Batch Date : 04/26/25 14:15:42

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com


Sample : DA50425007-011
Harvest/Lot ID: 9221926366898912

Batch# : 9221926366898912 Sample Size Received : 16 units
Sampled : 04/25/25 Total Amount : 1658 units
Ordered : 04/25/25 Completed : 04/29/25 Expires: 04/29/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyzed by: 4777, 4520, 585, 1440	Weight: 0.86g	Extraction date: 04/26/25 09:58:42		Extracted by: 4520,4777			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							
Analytical Batch : DA085832MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)				Batch Date : 04/26/25 08:06:26			
Analyzed Date : 04/29/25 12:42:27							
Dilution : 10							
Reagent : 022625.48; 022625.61; 031525.R03; 080724.11							
Consumables : 7582001002							
Pipette : N/A							
Analyzed by: 4777, 4892, 585, 1440	Weight: 0.86g	Extraction date: 04/26/25 09:58:42		Extracted by: 4520,4777			
Analysis Method : SOP.T.40.209.FL							
Analytical Batch : DA085833TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 04/26/25 08:07:20			
Analyzed Date : 04/29/25 09:19:58							
Dilution : 10							
Reagent : 022625.48; 022625.61; 022625.R53							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

	Mycotoxins					PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyzed by: 3621, 585, 1440	Weight: 0.2502g	Extraction date: 04/27/25 09:12:56		Extracted by: 4640,450,585			
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
Analytical Batch : DA085842MYC							
Instrument Used : N/A							
Analyzed Date : 04/29/25 10:03:37							
Batch Date : 04/26/25 09:03:55							
Dilution : 250							
Reagent : 042525.R11; 081023.01							
Consumables : 040724CH01; 221021DD							
Pipette : N/A							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Heavy Metals					PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1		
ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2		
MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5		
Analyzed by: 1022, 585, 1440	Weight: 0.2485g	Extraction date: 04/26/25 12:56:47		Extracted by: 4531			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA085837HEA							
Instrument Used : DA-ICPMS-004							
Analyzed Date : 04/29/25 09:24:25							
Batch Date : 04/26/25 08:43:25							
Dilution : 50							
Reagent : 041425.R05; 042225.R05; 042125.R20; 042125.R17; 042125.R18; 042125.R19; 120324.07; 042225.R04							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50425007-011

Harvest/Lot ID: 9221926366898912

Batch# : 9221926366898912

Sampled : 04/25/25

Ordered : 04/25/25

Sample Size Received : 16 units

Total Amount : 1658 units

Completed : 04/29/25 Expires: 04/29/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filtration/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 04/26/25 16:45:24	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA085876FIL

Instrument Used : Filtration/Foreign Material Microscope

Batch Date : 04/26/25 12:44:40

Analyzed Date : 04/28/25 08:08:48

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.539	PASS	0.85

Analyzed by: 4797, 585, 1440	Weight: 1.0584g	Extraction date: 04/26/25 14:51:21	Extracted by: 4797
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA085849WAT

Instrument Used : DA-028 Rotronic HygroPalm

Batch Date : 04/26/25 09:36:25

Analyzed Date : 04/28/25 12:35:29

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/25