



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50503001-006



Production Method: Cured
Harvest/Lot ID: 9165465546783262
Batch#: 9165465546783262
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 8424466976257451
Harvest Date: 05/01/25
Sample Size Received: 4 units
Total Amount: 827 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 05/02/25
Sampled: 05/03/25
Completed: 05/07/25
Sampling Method: SOP.T.20.010

May 07, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
29.301%

Total THC/Container : 4102.140 mg


Total CBD
0.113%

Total CBD/Container : 15.820 mg


Total Cannabinoids
34.864%

Total Cannabinoids/Container : 4880.960 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.415	32.938	ND	0.129	0.040	0.081	1.052	ND	ND	ND	0.209
mg/unit	58.10	4611.32	ND	18.06	5.60	11.34	147.28	ND	ND	ND	29.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 4351, 1665, 3335, 585

 Weight:
 0.2021g

 Extraction date:
 05/05/25 13:39:00

 Extracted by:
 4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA086112POT

Instrument Used : DA-LC-002

Analyzed Date : 05/07/25 08:18:40

Batch Date : 05/05/25 07:14:12

Dilution : 400

Reagent : 042325.R29; 021125.07; 042325.R32

Consumables : 947.110; 04312111; 040724CH01; 1009487156; 1009372593; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 05/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50503001-006
Harvest/Lot ID: 9165465546783262

Batch# : 9165465546783262 Sample Size Received : 4 units
Sampled : 05/03/25 Total Amount : 827 units
Ordered : 05/03/25 Completed : 05/07/25 Expires: 05/07/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	249.20	1.780	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	77.98	0.557	VALENCENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	52.36	0.374	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	38.78	0.277	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	25.06	0.179	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	13.30	0.095	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	12.04	0.086	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	8.82	0.063	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	5.88	0.042	Analyzed by: 6846, 4451, 585, 4351				
FENCHYL ALCOHOL	0.007	TESTED	5.60	0.040	Weight: 1.0018g				
ALPHA-PINENE	0.007	TESTED	5.32	0.038	Extraction date: 05/03/25 13:54:52				
TRANS-NEROLIDOL	0.005	TESTED	4.06	0.029	Extracted by: 4444				
3-CARENE	0.007	TESTED	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA088670TER				
CAMPHERE	0.007	TESTED	ND	ND	Instrument Used : DA-GCMS-008				
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 05/06/25 10:39:15				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : 022525.51				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
FARNESENE	0.007	TESTED	ND	ND	Pipette : DA-065				
FENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLO	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				1.780					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50503001-006
Harvest/Lot ID: 9165465546783262

Batch# : 9165465546783262 Sample Size Received : 4 units
Sampled : 05/03/25 Total Amount : 827 units
Ordered : 05/03/25 Completed : 05/07/25 Expires: 05/07/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 4351	Weight: 1.0032g	Extraction date: 05/04/25 10:53:41	Extracted by: 4640,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086090PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 05/03/25 12:01:15	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/06/25 09:56:16					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 050125.R15; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 4351	Weight: 1.0032g	Extraction date: 05/04/25 10:53:41	Extracted by: 4640,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA086092VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 05/03/25 12:02:19	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 05/06/25 09:52:29					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 050125.R15; 081023.01					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
05/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis



PASSED


Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50503001-006
Harvest/Lot ID: 9165465546783262
Batch# : 9165465546783262 Sample Size Received : 4 units
Sampled : 05/03/25 Total Amount : 827 units
Ordered : 05/03/25 Completed : 05/07/25 Expires: 05/07/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level										
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02										
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02										
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02										
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02										
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02										
ASPERGILLUS NIGER			Not Present	PASS																	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:	3621, 585, 4351	Weight:	1.0032g	Extraction date:	05/04/25 10:53:41	Extracted by:	4640,585								
Analyzed by: 4520, 3390, 585, 4351						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL															
Weight: 0.881g						Analytical Batch : DA086093MYC															
Extraction date: 05/03/25 09:53:41						Instrument Used : DA-LCMS-004 (MYC)															
Extracted by: 4520						Batch Date : 05/03/25 12:02:37															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analyzed Date : 05/06/25 09:54:23															
Analytical Batch : DA086064MIC						Dilution : 250															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems						Reagent : 050125.R15; 081023.01															
2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block						Consumables : 040724CH01; 221021DD															
Batch Date : 05/03/25 09:06:55						Pipette : N/A															
(95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Analyzed Date : 05/06/25 10:23:25																					
Dilution : 10																					
Reagent : 022625.62; 030625.30; 041525.R13; 080724.11																					
Consumables : 7579004045; 7582001007																					
Pipette : N/A																					
Analyzed by: 4520, 4892, 585, 4351																					
Weight: 0.881g																					
Extraction date: 05/03/25 09:53:41																					
Extracted by: 4520																					
Analysis Method : SOP.T.40.209.FL																					
Analytical Batch : DA086065TYM																					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with						Batch Date : 05/03/25 09:07:38															
DA-382]																					
Analyzed Date : 05/06/25 10:24:34																					
Dilution : 10																					
Reagent : 022625.62; 030625.30; 022625.R53																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4351						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Weight: 0.2355g						Analytical Batch : DA086069HEA					
Extraction date: 05/03/25 11:53:22						Instrument Used : DA-ICPMS-004					
Extracted by: 4531						Batch Date : 05/03/25 09:50:37					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Dilution : 50					
Analytical Batch : DA086069HEA						Reagent : 041425.R05; 042225.R05; 042825.R05; 050125.R13; 042825.R03; 042825.R04;					
Instrument Used : DA-ICPMS-004						120324.07; 042225.R04					
Batch Date : 05/06/25 09:42:09						Consumables : 040724CH01; J609879-0193; 179436					
Dilution : 50						Pipette : DA-061; DA-191; DA-216					
Reagent : 041425.R05; 042225.R05; 042825.R05; 050125.R13; 042825.R03; 042825.R04;						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
120324.07; 042225.R04											
Consumables : 040724CH01; J609879-0193; 179436											
Pipette : DA-061; DA-191; DA-216											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Benzina (H)
Benzina (H)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50503001-006
Harvest/Lot ID: 9165465546783262

Batch# : 9165465546783262 Sample Size Received : 4 units
Sampled : 05/03/25 Total Amount : 827 units
Ordered : 05/03/25 Completed : 05/07/25 Expires: 05/07/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.0	%	10.9	PASS	15
Analyzed by: 1879, 585, 4351		Weight: 1g	Extraction date: 05/04/25 17:15:31			Extracted by: 1879	Analyzed by: 4797, 585, 4351		Weight: 0.503g	Extraction date: 05/03/25 13:33:15			Extracted by: 4797
Analysis Method : SOP.T.40.090							Analysis Method : SOP.T.40.021						
Analytical Batch : DA086099FIL							Analytical Batch : DA086081MOI						
Instrument Used : Filth/Foreign Material Microscope				Batch Date : 05/03/25 21:51:04			Instrument Used : DA-003 Moisture Analyzer				Batch Date : 05/03/25 11:36:51		
Analyzed Date : 05/04/25 17:19:22							Analyzed Date : 05/06/25 09:46:30						
Dilution : N/A							Dilution : N/A						
Reagent : N/A							Reagent : 092520.50; 120324.07						
Consumables : N/A							Consumables : N/A						
Pipette : N/A							Pipette : DA-066						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.493	PASS	0.65
Analyzed by: 4797, 585, 4351	Weight: 1.102g	Extraction date: 05/03/25 13:38:58	Extracted by: 4797		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA086082WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 05/03/25 11:43:11		
Analyzed Date : 05/06/25 09:57:40					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/25