



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50503001-009



Production Method: Cured
Harvest/Lot ID: 4111110681732311
Batch#: 4111110681732311
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 4948131304823407
Harvest Date: 04/29/25
Sample Size Received: 32 units
Total Amount: 8767 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 05/02/25
Sampled: 05/03/25
Completed: 05/06/25
Sampling Method: SOP.T.20.010

May 06, 2025 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.

TESTED



Cannabinoid



Total THC
27.363%

Total THC/Container : 957.705 mg



Total CBD
0.104%

Total CBD/Container : 3.640 mg



Total Cannabinoids
31.968%

Total Cannabinoids/Container : 1118.880 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.569	30.553	ND	0.119	ND	0.253	0.382	ND	ND	ND	0.092
mg/unit	19.92	1069.36	ND	4.17	ND	8.86	13.37	ND	ND	ND	3.22
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.2075g

Extraction date:
05/05/25 13:39:00

Extracted by:
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA086112POT
Instrument Used : DA-LC-002
Analyzed Date : 05/06/25 10:41:15

Batch Date : 05/05/25 07:14:12

Dilution : 400
Reagent : 042325.R29; 021125.07; 042325.R32
Consumables : 947.110; 04312111; 040724CH01; 1009487156; 1009372593; 0000355309
Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/06/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50503001-009
Harvest/Lot ID: 4111110681732311

Batch# : 4111110681732311 Sample Size Received : 32 units
Sampled : 05/03/25 Total Amount : 8767 units
Ordered : 05/03/25 Completed : 05/06/25 Expires: 05/06/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	93.66	2.676	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	27.69	0.791	VALENCENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	19.50	0.557	ALPHA-CEREBENE	0.005	TESTED	ND	ND
LIMONENE	0.007	TESTED	18.06	0.516	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	8.72	0.249	ALPHA-TERPINENE	0.007	TESTED	ND	ND
GUAJOL	0.007	TESTED	5.36	0.153	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	4.94	0.141	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	2.70	0.077	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	1.54	0.044	Analyzed by: 684, 443, 585, 1440 Weight: 3.0547g Extraction date: 05/03/25 13:54:53 Extracted by: 4444 Analysis Method : SOP.T.30.061A.FL SOP.T.40.061A.FL Analytical Batch : DA088670TER Instrument Used : DA-GCMS-008 Batch Date : 05/03/25 09:53:19 Analyzed Date : 05/06/25 10:41:18 Dilution : 10 Reagent : 023525.51 Consumables : 947.110; 04402004; 2240626; 0000355309 Pipette : DA-065				
ALPHA-TERPINEOL	0.007	TESTED	1.47	0.042	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry weight corrected.				
FENCHYL ALCOHOL	0.007	TESTED	1.37	0.039					
ALPHA-BISABOLOL	0.005	TESTED	0.81	0.023					
TRANS-NEROLIDOL	0.007	TESTED	ND	ND					
3-CARENE	0.013	TESTED	ND	ND					
BORNEOL	0.007	TESTED	ND	ND					
CAMPHERE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOLOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
Total (%)				2.676					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/06/25



Certificate of Analysis

PASSED

Sunnyside

Sample : DA50503001-009
Harvest/Lot ID: 4111110681732311

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 4111110681732311 Sample Size Received : 32 units
Sampled : 05/03/25 Total Amount : 8767 units
Ordered : 05/03/25 Completed : 05/06/25 Expires: 05/06/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA086090PES Instrument Used : DA-LCMS-004 (PES) Batch Date : 05/03/25 12:01:15 Analyzed Date : 05/06/25 09:56:23 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
METHIACARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					
NALED	0.010	ppm	0.25	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA086092VOL Instrument Used : DA-GCMS-011 Batch Date : 05/03/25 12:02:19 Analyzed Date : 05/06/25 09:52:31 Dilution : 250 Reagent : 050125.R15; 081023.01 Consumables : 040724CH01; 221021DD Pipette : N/A					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50503001-009
Harvest/Lot ID: 4111110681732311
Batch# : 4111110681732311 Sample Size Received : 32 units
Sampled : 05/03/25 Total Amount : 8767 units
Ordered : 05/03/25 Completed : 05/06/25 Expires: 05/06/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	130	PASS	100000

Analyzed by: 4520, 3390, 585, 1440 Weight: 0.853g Extraction date: 05/03/25 11:00:19 Extracted by: 4892,4520
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA086075MIC
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 05/03/25 10:30:35
Analyzed Date : 05/06/25 10:39:59

Dilution : 10
Reagent : 022625.62; 030625.30; 041525.R13; 080724.11
Consumables : 7582001007
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	130	PASS	100000

Analyzed by: 4520, 4892, 585, 1440 Weight: 0.853g Extraction date: 05/03/25 11:00:19 Extracted by: 4892,4520
Analysis Method : SOP.T.40.209.FL
Analytical Batch : DA086076TYM
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 05/03/25 10:31:18
Analyzed Date : 05/06/25 10:40:53

Dilution : 10
Reagent : 022625.62; 030625.30; 022625.R53
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 585, 1440 Weight: 1.0225g Extraction date: 05/04/25 10:53:41 Extracted by: 4640,585

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA086093MYC
Instrument Used : DA-LCMS-004 (MYC) Batch Date : 05/03/25 12:02:37
Analyzed Date : 05/06/25 09:54:24

Dilution : 250
Reagent : 050125.R15; 081023.01
Consumables : 040724CH01; 221021DD
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2288g Extraction date: 05/03/25 12:00:18 Extracted by: 4531

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA086069HEA
Instrument Used : DA-ICPMS-004 Batch Date : 05/03/25 09:50:37
Analyzed Date : 05/06/25 09:42:11

Dilution : 50
Reagent : 041425.R05; 042225.R05; 042825.R05; 050125.R13; 042825.R03; 042825.R04; 120324.07; 042225.R04
Consumables : 040724CH01; J609879-0193; 179436
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50503001-009

Harvest/Lot ID: 4111110681732311

Batch#: 4111110681732311

Sampled : 05/03/25

Ordered : 05/03/25

Sample Size Received : 32 units

Total Amount : 8767 units

Completed : 05/06/25 Expires: 05/06/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	10.7	PASS	15
Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 05/04/25 00:05:57 Analysis Method : SOP.T.40.090 Analytical Batch : DA086099FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/04/25 17:19:20					1879	Analyzed by: 4797, 585, 1440 Weight: 0.503g Extraction date: 05/03/25 13:43:09 Analysis Method : SOP.T.40.021 Analytical Batch : DA086081MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/06/25 09:46:32					4797
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					05/03/25 21:51:04	Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					05/03/25 11:36:51

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.464	PASS	0.65
Analyzed by: 4797, 585, 1440 Weight: 1.42g Extraction date: 05/03/25 13:37:58 Analysis Method : SOP.T.40.019 Analytical Batch : DA086082WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 05/06/25 09:57:42					4797
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					05/03/25 11:43:11

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

