




# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50506013-005



**Production Method:** Cured  
**Harvest/Lot ID:** 4912 7641 3868 1032  
**Batch#:** 4912 7641 3868 1032  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 9264250376726690  
**Harvest Date:** 05/02/25  
**Sample Size Received:** 7 units  
**Total Amount:** 1487 units  
**Retail Product Size:** 14 gram  
**Servings:** 1  
**Ordered:** 05/06/25  
**Sampled:** 05/06/25  
**Completed:** 05/09/25  
**Revision Date:** 05/12/25  
**Sampling Method:** SOP.T.20.010

May 12, 2025 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**



**Total THC**  
**20.933%**

Total THC/Container : 2930.620 mg



**Total CBD**  
**0.059%**

Total CBD/Container : 8.260 mg



**Total Cannabinoids**  
**24.471%**

Total Cannabinoids/Container : 3425.940 mg

|         | D9-THC | THCA    | CBD   | CBDa  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 0.255  | 23.579  | ND    | 0.068 | ND     | 0.144 | 0.337 | ND    | ND    | ND    | 0.088 |
| mg/unit | 35.70  | 3301.06 | ND    | 9.52  | ND     | 20.16 | 47.18 | ND    | ND    | ND    | 12.32 |
| LOD     | 0.001  | 0.001   | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %       |        |         |       |       |        |       |       |       |       |       |       |

Analyzed by:  
 3335, 1665, 585, 1440

Weight:  
 0.2181g

Extraction date:  
 05/07/25 11:24:34

Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA086183POT  
 Instrument Used : DA-LC-002  
 Analyzed Date : 05/09/25 07:24:10

Batch Date : 05/07/25 09:18:41

Dilution : 400  
 Reagent : 050725.R27; 021125.07; 043025.R35  
 Consumables : 947.110; 04312111; 062224CH01; 0000355309  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 05/09/25

Revision: #1

This revision supersedes any and all previous versions of this document.



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50506013-005  
Harvest/Lot ID: 4912 7641 3868 1032

Batch# : 4912 7641 3868    Sample Size Received : 7 units  
1032    Total Amount : 1487 units  
Sampled : 05/06/25    Completed : 05/09/25 Expires: 05/12/26  
Ordered : 05/06/25    Sample Method : SOP.T.20.010

Page 2 of 5

| Terpenes            |         |           |         |              | TESTED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |           |         |            |
|---------------------|---------|-----------|---------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------|---------|------------|
| Terpenes            | LOD (%) | Pass/Fail | mg/unit | Result (%)   | Terpenes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOD (%) | Pass/Fail | mg/unit | Result (%) |
| TOTAL TERPENES      | 0.007   | TESTED    | 201.04  | 1.436        | VALENCENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 0.007   | TESTED    | ND      | ND         |
| BETA-CARYOPHYLLENE  | 0.007   | TESTED    | 58.52   | 0.418        | ALPHA-BISABOLOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.007   | TESTED    | ND      | ND         |
| BETA-HYSCENE        | 0.007   | TESTED    | 38.78   | 0.277        | ALPHA-CEREBENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.005   | TESTED    | ND      | ND         |
| LIMONENE            | 0.007   | TESTED    | 27.72   | 0.198        | ALPHA-PHELLANDRENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.007   | TESTED    | ND      | ND         |
| LINALOOL            | 0.007   | TESTED    | 21.70   | 0.155        | ALPHA-TERPINENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.007   | TESTED    | ND      | ND         |
| ALPHA-HUMULENE      | 0.007   | TESTED    | 17.64   | 0.126        | ALPHA-TERPINOLENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0.007   | TESTED    | ND      | ND         |
| FARNESENE           | 0.007   | TESTED    | 16.24   | 0.116        | CIS-NEROLIDOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0.003   | TESTED    | ND      | ND         |
| BETA-PINENE         | 0.007   | TESTED    | 6.02    | 0.043        | GAMMA-TERPINENE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.007   | TESTED    | ND      | ND         |
| TRANS-NEROLIDOL     | 0.005   | TESTED    | 4.20    | 0.030        | Analyzed by: 6841, 4431, 585, 1440    Weight: 1.062g    Extraction date: 05/07/25 11:33:54    Extracted by: 4444<br>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL<br>Analytical Batch : DA08B1BLITER<br>Instrument Used : DA-GCMS-009    Batch Date : 05/07/25 09:13:20<br>Dilution : 10<br>Reagent : N/A<br>Consumables : 04402004; 2240626; 0000355309; 947.110<br>Pipette : DA-065<br>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |         |           |         |            |
| ALPHA-PINENE        | 0.007   | TESTED    | 3.36    | 0.024        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| FENCHYL ALCOHOL     | 0.007   | TESTED    | 3.22    | 0.023        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| 3-CARENE            | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| BORNEOL             | 0.013   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| CAMPHENE            | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| CAMPHOR             | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| CARYOPHYLLENE OXIDE | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| CEDROL              | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| EUCALYPTOL          | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| FENCHONE            | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| GERANIOL            | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| GERANYL ACETATE     | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| GUAJOL              | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| HEXAHYDROTHYMOL     | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| ISOBORNEOL          | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| ISOPULEGOL          | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| NEROL               | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| OCIMENE             | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| PULEGONE            | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| SABINENE            | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| SABINENE HYDRATE    | 0.007   | TESTED    | ND      | ND           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |
| <b>Total (%)</b>    |         |           |         | <b>1.436</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |           |         |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
05/09/25



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA50506013-005

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Harvest/Lot ID: 4912 7641 3868 1032

Batch# : 4912 7641 3868    Sample Size Received : 7 units  
1032    Total Amount : 1487 units  
Sampled : 05/06/25    Completed : 05/09/25 Expires: 05/12/26  
Ordered : 05/06/25    Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | LOD   | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 5            | PASS      | ND     | OXAMYL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0.010 | ppm   | 0.5          | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 0.1          | PASS      | ND     | PHOSMET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 0.010 | ppm   | 3            | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0.010 | ppm   | 0.2          | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.010 | ppm   | 0.5          | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.010 | ppm   | 0.15         | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0.070 | ppm   | 0.7          | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 1            | PASS      | ND     | CHLORDANE *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.050 | ppm   | 0.5          | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.050 | ppm   | 0.5          | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     | <b>Analyzed by:</b><br>3379, 3621, 585, 1440 <b>Weight:</b> 1.0108g <b>Extraction date:</b> 05/07/25 15:06:14 <b>Extracted by:</b> 3621,3379<br><b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL<br><b>Analytical Batch :</b> DA086201PES<br><b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 05/07/25 11:00:07<br><b>Analyzed Date :</b> 05/08/25 10:14:18<br><b>Dilution :</b> 250<br><b>Reagent :</b> 050525.R01; 081023.01<br><b>Consumables :</b> 040724CH01; 6822423-02<br><b>Pipette :</b> N/A                                                                                                                                                                                                                                                                                                                                                                  |       |       |              |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.<br><b>Analyzed by:</b> 450, 3379, 585, 1440 <b>Weight:</b> 1.0108g <b>Extraction date:</b> 05/07/25 15:06:14 <b>Extracted by:</b> 3621,3379<br><b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL<br><b>Analytical Batch :</b> DA086203VOL<br><b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 05/07/25 11:03:18<br><b>Analyzed Date :</b> 05/08/25 11:18:15<br><b>Dilution :</b> 250<br><b>Reagent :</b> 050525.R01; 081023.01; 050525.R16; 050525.R17<br><b>Consumables :</b> 040724CH01; 6822423-02; 17473601<br><b>Pipette :</b> DA-080; DA-146; DA-218<br>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |       |       |              |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| FLONICAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 0.4          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| MALATHION                           | 0.010 | ppm   | 0.2          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| METALAXYL                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| METHIACARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |
| NALED                               | 0.010 | ppm   | 0.25         | PASS      | ND     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |              |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
05/09/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50506013-005  
Harvest/Lot ID: 4912 7641 3868 1032  
Batch# : 4912 7641 3868    Sample Size Received : 7 units  
1032    Total Amount : 1487 units  
Sampled : 05/06/25    Completed : 05/09/25 Expires: 05/12/26  
Ordered : 05/06/25    Sample Method : SOP.T.20.010

Page 4 of 5

|                                                                                   |                  |               |                                                                                   |                   |               |
|-----------------------------------------------------------------------------------|------------------|---------------|-----------------------------------------------------------------------------------|-------------------|---------------|
|  | <b>Microbial</b> | <b>PASSED</b> |  | <b>Mycotoxins</b> | <b>PASSED</b> |
|-----------------------------------------------------------------------------------|------------------|---------------|-----------------------------------------------------------------------------------|-------------------|---------------|

| Analyte                  | LOD | Units | Result      | Pass / Fail | Action Level |
|--------------------------|-----|-------|-------------|-------------|--------------|
| ASPERGILLUS TERREUS      |     |       | Not Present | PASS        |              |
| ASPERGILLUS NIGER        |     |       | Not Present | PASS        |              |
| ASPERGILLUS FUMIGATUS    |     |       | Not Present | PASS        |              |
| ASPERGILLUS FLAVUS       |     |       | Not Present | PASS        |              |
| SALMONELLA SPECIFIC GENE |     |       | Not Present | PASS        |              |
| ECOLI SHIGELLA           |     |       | Not Present | PASS        |              |
| TOTAL YEAST AND MOLD     | 10  | CFU/g | <10         | PASS        | 100000       |

Analyzed by: 4892, 4520, 585, 1440    Weight: 0.8797g    Extraction date: 05/07/25 10:04:51    Extracted by: 4520  
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA086167MIC  
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)  
 Batch Date : 05/07/25 07:01:35  
 Analyzed Date : 05/08/25 09:27:12

Dilution : 10  
 Reagent : 022625.44; 022625.59; 041525.R13; 101624.10  
 Consumables : 7579004062  
 Pipette : N/A

Analyzed by: 4520, 4044, 585, 1440    Weight: 0.8797g    Extraction date: 05/07/25 10:04:51    Extracted by: 4520

Analysis Method : SOP.T.40.209.FL  
 Analytical Batch : DA086168TYM  
 Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]    Batch Date : 05/07/25 07:02:42  
 Analyzed Date : 05/09/25 12:50:29

Dilution : 10  
 Reagent : 022625.44; 022625.59; 022625.R53  
 Consumables : N/A  
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Analyte      | LOD   | Units | Result | Pass / Fail | Action Level |
|--------------|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm   | ND     | PASS        | 0.02         |
| AFLATOXIN B1 | 0.002 | ppm   | ND     | PASS        | 0.02         |
| OCHRATOXIN A | 0.002 | ppm   | ND     | PASS        | 0.02         |
| AFLATOXIN G1 | 0.002 | ppm   | ND     | PASS        | 0.02         |
| AFLATOXIN G2 | 0.002 | ppm   | ND     | PASS        | 0.02         |

Analyzed by: 3379, 3621, 585, 1440    Weight: 1.0108g    Extraction date: 05/07/25 15:06:14    Extracted by: 3621, 3379

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
 Analytical Batch : DA086202MYC  
 Instrument Used : N/A    Batch Date : 05/07/25 11:03:06  
 Analyzed Date : 05/08/25 09:39:02

Dilution : 250  
 Reagent : 050525.R01; 081023.01  
 Consumables : 040724CH01; 6822423-02  
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                                                                     |                     |               |
|-------------------------------------------------------------------------------------|---------------------|---------------|
|  | <b>Heavy Metals</b> | <b>PASSED</b> |
|-------------------------------------------------------------------------------------|---------------------|---------------|

| Metal                                | LOD   | Units | Result | Pass / Fail | Action Level |
|--------------------------------------|-------|-------|--------|-------------|--------------|
| <b>TOTAL CONTAMINANT LOAD METALS</b> |       |       |        |             |              |
| ARSENIC                              | 0.080 | ppm   | ND     | PASS        | 1.1          |
| CADMIUM                              | 0.020 | ppm   | ND     | PASS        | 0.2          |
| MERCURY                              | 0.020 | ppm   | ND     | PASS        | 0.2          |
| LEAD                                 | 0.020 | ppm   | ND     | PASS        | 0.5          |

Analyzed by: 1022, 585, 1440    Weight: 0.2236g    Extraction date: 05/07/25 11:22:30    Extracted by: 1022, 4531

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA086193HEA  
 Instrument Used : DA-ICPMS-004    Batch Date : 05/07/25 09:59:04  
 Analyzed Date : 05/08/25 09:32:59

Dilution : 50  
 Reagent : 041425.R05; 042225.R05; 050525.R33; 050125.R13; 050525.R31; 050525.R32; 120324.07; 042225.R04  
 Consumables : 040724CH01; J609879-0193; 179436  
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



Signature  
05/09/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50506013-005

Harvest/Lot ID: 4912 7641 3868 1032

Batch# : 4912 7641 3868  
1032

Sample Size Received : 7 units

Total Amount : 1487 units

Completed : 05/09/25 Expires: 05/12/26

Sampled : 05/06/25

Ordered : 05/06/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

| Analyte                                                                                                                                                                                                                                                                                                                                                                                                         | LOD   | Units | Result | P/F  | Action Level | Analyte                                                                                                                                                                                                                                                                                                                                                                                                                              | LOD | Units | Result | P/F  | Action Level |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|--------|------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------|--------|------|--------------|--|
| <b>Filth and Foreign Material</b>                                                                                                                                                                                                                                                                                                                                                                               | 0.100 | %     | ND     | PASS | 1            | <b>Moisture Content</b>                                                                                                                                                                                                                                                                                                                                                                                                              | 1.0 | %     | 11.7   | PASS | 15           |  |
| <b>Analyzed by:</b><br>1879, 585, 1440<br><b>Weight:</b><br>1g<br><b>Extraction date:</b><br>05/07/25 11:21:26<br><b>Analysis Method :</b> SOP.T.40.090<br><b>Analytical Batch :</b> DA086200FIL<br><b>Instrument Used :</b> Filth/Foreign Material Microscope<br><b>Analyzed Date :</b> 05/07/25 11:45:21<br><b>Dilution :</b> N/A<br><b>Reagent :</b> N/A<br><b>Consumables :</b> N/A<br><b>Pipette :</b> N/A |       |       |        |      |              | <b>Analyzed by:</b><br>4797, 3379, 585, 1440<br><b>Weight:</b><br>0.497g<br><b>Extraction date:</b><br>05/07/25 11:11:30<br><b>Analysis Method :</b> SOP.T.40.021<br><b>Analytical Batch :</b> DA086192MOI<br><b>Instrument Used :</b> DA-003 Moisture Analyzer<br><b>Analyzed Date :</b> 05/08/25 09:21:56<br><b>Dilution :</b> N/A<br><b>Reagent :</b> 092520.50; 120324.07<br><b>Consumables :</b> N/A<br><b>Pipette :</b> DA-066 |     |       |        |      |              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                 |       |       |        |      |              |                                                                                                                                                                                                                                                                                                                                                                                                                                      |     |       |        |      |              |  |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

| Analyte                                                                                                                                                                                                                                                                                                                                                                                                                   | LOD   | Units | Result | P/F  | Action Level |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|--------|------|--------------|
| <b>Water Activity</b>                                                                                                                                                                                                                                                                                                                                                                                                     | 0.010 | aw    | 0.509  | PASS | 0.65         |
| <b>Analyzed by:</b><br>4797, 3379, 585, 1440<br><b>Weight:</b><br>0.854g<br><b>Extraction date:</b><br>05/07/25 11:07:20<br><b>Analysis Method :</b> SOP.T.40.019<br><b>Analytical Batch :</b> DA086195WAT<br><b>Instrument Used :</b> DA-028 Rotronic Hygropalm<br><b>Analyzed Date :</b> 05/08/25 09:25:53<br><b>Dilution :</b> N/A<br><b>Reagent :</b> 101724.36<br><b>Consumables :</b> PS-14<br><b>Pipette :</b> N/A |       |       |        |      |              |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/09/25